

Curaleaf / Cura AZ

License#: 3333 S Central Ave
Phoenix, AZ 85040
(435) 760-8520

Additional Licenses:
Batch #: CAZ2108C-DSB
Sample Batch Collection: 03/11/21 13:58; Sample Batch Collected By: Curaleaf / Cura AZ
Sample Received: 3/11/2021; Report Created: 3/30/2021

Dosi-Breath Select Cartridge

Laboratory Number: 2103143-03

Concentrates

Herbicides Not Tested	Pesticides PASS	Residual Solvents PASS	Metals PASS	Mycotoxins PASS	Aspergillus PASS	E. Coli/ Salmonella PASS
---------------------------------	---------------------------	----------------------------------	-----------------------	---------------------------	----------------------------	------------------------------------

Sample Image



Residual Solvents (GCMS-MS) Analyzed: 03/27/21 By: LEH

Analyte	RL	ppm	Q
Propane	100.00	ND	
Butanes	100.00	ND	
Pentanes	100.00	ND	
Acetonitrile	205.00	ND	
Dichloromethane	100.00	ND	
Hexanes	100.00	ND	
Chloroform	10.00	ND	
n-Heptane	100.00	ND	
Methanol	500.00	ND	
Ethanol	100.00	ND	
Diethyl Ether	100.00	ND	
Acetone	100.00	ND	
Isopropanol	100.00	ND	
Ethyl acetate	100.00	ND	
Isopropyl acetate	100.00	ND	
Benzene	1.00	ND	
Toluene	100.00	ND	
Xylenes	100.00	ND	

Cannabinoid (HPLC) Analyzed: 03/23/21 By: CBH

Analyte	LOQ %	%	mg/g	Q
THC-A	0.11	2.10	21.0	
delta 9-THC	2.16	79.38	794	D1
delta 8-THC	0.11	ND	ND	
THC-V	0.11	0.64	6.39	
CBG-A	0.11	0.17	1.65	
CBD-A	0.11	0.49	4.87	
CBD	0.11	0.27	2.72	
CBD-V	0.11	ND	ND	Q3
CBN	0.11	0.51	5.11	Q3
CBG	0.11	5.71	57.1	Q3
CBC	0.11	0.30	2.99	

Metals (ICP-MS) Analyzed: 03/22/21 By: JVR

Element	RL	ppm	Q
Arsenic	0.100	ND	D1
Cadmium	0.100	ND	D1
Lead	0.050	ND	
Mercury	0.005	ND	

Regulated Microbials (Petrifilm) Analyzed: 3/16/2021 By: LEF

Pathogens	RL	Result	Units	Q
E. coli	10.0	ND	cfu/g	

Regulated Microbials (PCR) Analyzed: 3/18/2021 By: KRB

Pathogens	RL	Result	Units	Q
Aspergillus	1.00	Absent	cfu/g	
Salmonella	1.00	Absent	cfu/g	

81.24 %
812.40 mg/g

0.70 %
6.99 mg/g

89.60 %
896.00 mg/g

Total THC

Total CBD

Total Cannabinoids

Total THC = THCa * 0.877 + delta 9-THC + delta 8-THC; Total CBD = CBDA * 0.877 + CBD

Regulated Mycotoxins (LC-MS TQ) Analyzed: 03/25/21 By: EGP

Pathogens	RL	ppb	Q
Aflatoxins	1.00	ND	Q3
Ochratoxins	2.01	ND	Q3

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification



Tabitha Hauer
Owner

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.



Certificate of Analysis

00000003LCIN00627986

51 W. Weldon Ave

Phoenix, AZ

(480) 788-6644

www.desertvalleytesting.com

Curaleaf / Cura AZ

License#: 3333 S Central Ave
Phoenix, AZ 85040
(435) 760-8520

Additional Licenses:
Batch #: CAZ2108C-DSB
Sample Batch Collection: 03/11/21 13:58; Sample Batch Collected By: Curaleaf / Cura AZ
Sample Received: 3/11/2021; Report Created: 3/30/2021

Dosi-Breath Select Cartridge
Concentrates

Laboratory Number: 2103143-03

Pesticides (LC-MS TQ) Analyzed: 03/25/21 By: KG							
Analyte	RL	ppm	Q	Analyte	RL	ppm	Q
Acephate	0.100	ND		Acequinocyl	0.502	ND	
Acetamiprid	0.050	ND		Aldicarb	0.100	ND	
Azoxystrobin	0.050	ND		Bifenthrin	0.050	ND	
Boscalid	0.100	ND	M2	Carbaryl	0.050	ND	
Carbofuran	0.050	ND		Chlorpyrifos	0.050	ND	M2
Diazinon	0.050	ND	M2	Dimethoate	0.050	ND	
Ethoprophos	0.050	ND	L1	Etofenprox	0.100	ND	M2
Etoxazole	0.050	ND		Fenoxycarb	0.050	ND	
Fenpyroximate E	0.100	ND	M2	Fonicamid	0.251	ND	M2
Fludioxonil	0.100	ND		Hexythiazox	0.251	ND	
Imazalil	0.050	ND		Imidacloprid	0.100	ND	
Kresoxim-methyl	0.100	ND	M2	Malathion	0.050	ND	M2
Metalaxyl	0.050	ND		Methiocarb	0.050	ND	M2
Methomyl	0.100	ND		Myclobutanil	0.050	ND	
Naled	0.125	ND		Oxamyl	0.251	ND	
Piperonyl butoxide	0.502	ND		Propiconazole	0.100	ND	M2
Propoxure	0.050	ND		Spiromesifen	0.050	ND	M2
Spirotetramat	0.050	ND	L1	Spiroxamine	0.100	ND	
Tebuconazole	0.100	ND	M2	Thiacloprid	0.050	ND	
Thiamethoxam	0.050	ND		Trifloxystrobin	0.050	ND	M2

Herbicides (LC-MS TQ) Analyzed: By:			
Analyte	RL	ppm	Q
Pendimethalin	NT	NT	Q3

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Tabitha A. Hauer
Tabitha Hauer
Owner

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.



Certificate of Analysis

00000003LCIN00627986

51 W. Weldon Ave

Phoenix, AZ

(480) 788-6644

www.desertvalleytesting.com

Curaleaf / Cura AZ

License#: 3333 S Central Ave
Phoenix, AZ 85040
(435) 760-8520

Additional Licenses:
Batch #: CAZ2108C-DSB

Sample Batch Collection: 03/11/21 13:58; Sample Batch Collected By: Curaleaf / Cura AZ
Sample Received: 3/11/2021; Report Created: 3/30/2021

Dosi-Breath Select Cartridge Concentrates

Laboratory Number: 2103143-03

Non-Regulated Microbials (PetriFilms) Analyzed: By:

	RL	Result	Units	Q
Pathogens				
Total Coliform	NT	NT	cfu/g	Q3
Mold	NT	NT	cfu/g	Q3
Yeast	NT	NT	cfu/g	Q3
Aerobic Bacteria	NT	NT	cfu/g	Q3
Enterobacteria	NT	NT	cfu/g	Q3

Terpenes (GCMS-MS) Analyzed: By:

	mg/g	%	Q
Compound			
alpha-Bisabolol	NT	NT	Q3
(-)-Borneol and (+)-Borneol	NT	NT	Q3
Camphene	NT	NT	Q3
Camphor	NT	NT	Q3
beta-Caryophyllene	NT	NT	Q3
trans-Caryophyllene	NT	NT	Q3
Caryophyllene Oxide	NT	NT	Q3
alpha-Cedrene	NT	NT	Q3
Cedrol	NT	NT	Q3
Endo-fenchyl Alcohol	NT	NT	Q3
Eucalyptol	NT	NT	Q3
Fenchone	NT	NT	Q3
Geraniol	NT	NT	Q3
Geranyl acetate	NT	NT	Q3
Guaiol	NT	NT	Q3
Hexahydrothymol	NT	NT	Q3
alpha-Humulene	NT	NT	Q3
Isoborneol	NT	NT	Q3
Isopulegol	NT	NT	Q3
Limonene	NT	NT	Q3
Linalool	NT	NT	Q3
p-Mentha-1,5-diene	NT	NT	Q3
beta-Myrcene	NT	NT	Q3
trans-Nerolidol	NT	NT	Q3
Ocimene	NT	NT	Q3
alpha-Pinene	NT	NT	Q3
beta-Pinene	NT	NT	Q3
Pulegone	NT	NT	Q3
Sabinene	NT	NT	Q3
Sabinene Hydrate	NT	NT	Q3
gamma-Terpinene	NT	NT	Q3
alpha-Terpinene	NT	NT	Q3
3-Carene	NT	NT	Q3
Terpineol	NT	NT	Q3
Terpinolene	NT	NT	Q3
Valencene	NT	NT	Q3
Nerol	NT	NT	Q3
cis-Nerolidol	NT	NT	Q3
Total Terpenes	NT	NT	Q3

Water Activity (Moisture Reactor) Analyzed: By:

	AW	Q
Compound		
Water Activity	NT	Q3

Moisture (Drying Oven) Analyzed: By:

	%	Q
Compound		
Percent Moisture	NT	Q3

pH Test (HannHI11310) Analyzed: By:

	NA	Q
Compound		
pH	NT	Q3

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Tabitha Hauer
Owner

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.



Certificate of Analysis

00000003LCIN00627986

51 W. Weldon Ave

Phoenix, AZ

(480) 788-6644

www.desertvalleytesting.com

Curaleaf / Cura AZ

License#:
3333 S Central Ave
Phoenix, AZ 85040
(435) 760-8520

Additional Licenses:
Batch #: CAZ2108C-DSB
Sample Batch Collection:03/11/21 13:58; Sample Batch Collected By:Curaleaf / Cura AZ
Sample Received:3/11/2021; Report Created: 3/30/2021

Dosi-Breath Select Cartridge
Concentrates

Laboratory Number: 2103143-03

QUALIFIER DEFINITIONS AND CASE NARRATIVE

- Q3 Testing results is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R 9-17-317.01(A) or labeling requirements in R9-17-317.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- L1 The percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.
- M2 Matrix spike recovery is low, but the recovery from the laboratory control sample and duplicate are within acceptance criteria.

Testing results were obtained according to requirements in the quality assurance plan in R 9-17-404.05, in the applicable standard operating procedure, and in R9-17- 404.03 or R9-17-404.04; A description of any variances from the requirements , and the reason for the variance will be described in the Work Order memo.

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Tabitha Hauer
Owner

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested.
Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.