

0000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

#### Curaleaf / Cura AZ

License#: 3333 S Central Ave Phoenix, AZ 85040 (435) 760-8520

Additional Licenses: Batch #: CAZ2110E-PPU

Sample Batch Collection:05/11/21 13:30; Sample Batch Collected By:Curaleaf / Cura AZ Sample Received:5/11/2021; Report Created: 6/1/2021

#### Purple Punch Select Elite Cartridge

Laboratory Number: 2105082-12 Concentrates

Herbicides **PASS** 

**Pesticides PASS** 

Residual Solvents **PASS** 

Metals **PASS** 

Mycotoxins PASS

Ethanol

Acetone

Benzene

Toluene

**Xylenes** 

Diethyl Ether

Isopropanol

Ethyl acetate

Isopropyl acetate

**Aspergillus** PASS

E. Coli/ Salmonella PASS

ND

ND

ND

ND

ND

ND

ND

ND

ND

M1

Sample Image



C	Cannabinoid (HPLC)	Analyzed: 05/13/21	By: LEH	
	LOQ %	%	mg/g	Q
Analyte				
THC-A	0.10	1.96	19.6	
delta 9-THC	2.05	82.66	827	D1
delta 8-THC	0.10	ND	ND	
THC-V	0.10	0.56	5.56	
CBG-A	0.10	0.20	2.01	
CBD-A	0.10	ND	ND	
CBD	0.10	1.23	12.3	
CBD-V	0.10	ND	ND	
CBN	0.10	0.51	5.09	
CBG	0.10	3.43	34.3	
CBC	0.10	0.62	6.23	

84.42 % 844.20 mg/g **Total THC** 

1.23 % 12.30 mg/g **Total CBD** 

91.20 % 912.00 mg/g **Total Cannabinoids** 

Total THC = THCa \* 0.877 + delta 9-THC + delta 8-THC; Total CBD = CBDa \* 0.877 + CBD

Regulated Mycotoxins (LC-MS TQ) Analyzed: 05/15/21 By: MLC						
	RL	ppb	Q			
Pathogens						
Aflatoxins	0.975	ND	M2, V1			
Ochratoxins	1.95	ND	V1			

PASS	PASS	PA	33
Residual Solvents (GCM	S-MS) Analyzed: 05/15	5/21 By: CBH	
	RL	ppm	Q
Analyte			
Propane	625.00	ND	
Butanes	625.00	ND	
Pentanes	145.00	ND	
Acetonitrile	205.00	ND	
Dichloromethane	300.00	ND	
Hexanes	145.00	ND	
Chloroform	30.00	ND	
n-Heptane	2500.0	ND	
Methanol	1500.0	ND	

N / 1 ((OD NO) A   1   1 OT //	101 5 111						
Metals (ICP-MS) Analyzed: 05/14/21 By: JVR							
	RL	ppm	Q				
Element							
Arsenic	0.100	ND					
Cadmium	0.100	ND					
Lead	0.100	ND					
Mercury	0.010	ND					

445.00

	RL	Result	Units	Q	
Pathogens					
E. coli	10.0	ND	cfu/g		
Regulated Microbials (PCR) Analyzed: 5/15/2021 By: LEF					
	RL	Result	Units	Q	
Pathogens		11000			
Pathogens Aspergillus	1.00	Absent	cfu/g		

RL = Reporting Limit NA = Not Applicable NT = Not Tested ND = Non Detected LOQ = Limit of Quantification Latte A. Hauer

Tabitha Hauer



00000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

#### Curaleaf / Cura AZ

License#: 3333 S Central Ave Phoenix, AZ 85040 (435) 760-8520

Additional Licenses:

Batch #: CAZ2110E-PPU

Sample Batch Collection:05/11/21 13:30; Sample Batch Collected By:Curaleaf / Cura AZ Sample Received:5/11/2021; Report Created: 6/1/2021

Purple Punch Select Elite Cartridge

Laboratory Number: 2105082-12 Concentrates

	RL	ppm	Q		RL	ppm	Q
Analyte				Analyte			
Acephate	0.098	ND	M2	Acequinocyl	0.488	ND	
Acetamiprid	0.049	ND		Aldicarb	0.098	ND	M2
Azoxystrobin	0.049	ND		Bifenthrin	0.049	ND	
Boscalid	0.098	ND		Carbaryl	0.049	ND	
Carbofuran	0.049	ND		Chlorpyrifos	0.049	ND	
Diazinon	0.049	ND		Dimethoate	0.049	ND	
Ethoprophos	0.049	ND		Etofenprox	0.098	ND	
Etoxazole	0.049	ND		Fenoxycarb	0.049	ND	
Fenpyroximate E	0.098	ND		Flonicamid	0.244	ND	
Fludioxonil	0.098	ND		Hexythiazox	0.244	ND	
Imazalil	0.049	ND		Imidacloprid	0.098	ND	
Kresoxim-methyl	0.098	ND		Malathion	0.049	ND	
Metalaxyl	0.049	ND		Methiocarb	0.049	ND	
Methomyl	0.098	ND		Myclobutanil	0.049	ND	
Naled	0.122	ND		Oxamyl	0.244	ND	
Piperonyl butoxide	0.488	ND		Propiconazole	0.098	ND	
Propoxure	0.049	ND		Spiromesifen	0.049	ND	
Spirotetramat	0.049	ND		Spiroxamine	0.098	ND	
Tebuconazole	0.098	ND		Thiacloprid	0.049	ND	
Thiamethoxam	0.049	ND		Trifloxystrobin	0.049	ND	
Abamectin	0.122	ND	Q3 M2	Bifenazate	0.049	ND	Q3 M2
Chlorantraniliprole	0.049	ND	Q3 M2, R1	Clofentezine	0.049	ND	Q3 M2
Cyfluthrin	0.244	ND	Q3 M2	Cypermethrin	0.244	ND	Q3 M2
Daminozide	0.244	ND	Q3	DDVP (Dichlorvos)	0.005	ND	Q3 M2
Fipronil	0.098	ND	Q3 M2	Paclobutrazol	0.098	ND	Q3 M2
Permethrins	0.049	ND	Q3 M2	Phosmet	0.049	ND	Q3
Prallethrin	0.049	ND	Q3 V1	Pyrethrins	0.244	ND	Q3 M2
Pyridaben	0.049	ND	Q3	Spinosad	0.049	ND	Q3
Chlorfenapyr	0.098	ND	Q3 M2, R1				

	H	erbicides (LC	C-MS TQ) A	nalyzed: 05/17/21 By: MLC
	RL	ppm	Q	
Analyte				
Pendimethalin	0.020	ND		

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Lattha A. Hauer

Tabitha Hauer Owner



00000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

#### Curaleaf / Cura AZ

License#: 3333 S Central Ave Phoenix, AZ 85040 (435) 760-8520

Additional Licenses: Batch #: CAZ2110E-PPU

Sample Batch Collection:05/11/21 13:30; Sample Batch Collected By:Curaleaf / Cura AZ Sample Received:5/11/2021; Report Created: 6/1/2021

Terpenes (GCMS-MS) Analyzed: By:

mg/g

#### Purple Punch Select Elite Cartridge

Laboratory Number: 2105082-12 Concentrates

Non-Regulated Microbials (PetriFilms) Analyzed: By:					
RL	Result	Units	Q		
NT	NT	cfu/g	Q3		
NT	NT	cfu/g	Q3		
NT	NT	cfu/g	Q3		
NT	NT	cfu/g	Q3		
NT	NT	cfu/g	Q3		
	RL NT NT NT NT	NT	RL Result Units  NT NT cfu/g		

Compound	
alpha-Bisabolol	NT
(-)-Borneol and (+)-Borneol	NT
Camphene	NT
Camphor	NT
beta-Caryophyllene	NT
trans-Caryophyllene	NT
Caryophyllene Oxide	NT
alpha-Cedrene	NT
Cedrol	NT
Endo-fenchyl Alcohol	NT
Eucalyptol	NT
Fenchone	NT
Geraniol	NT
Geranyl acetate	NT
Guaiol	NT

Water Activity (Moisture Reacter) Analyzed: By:					
		AW	Q		
Compound					
Water Activity		NT	Q3		
Moisture (Drying Oven) Analyzed	d: By:				
		%	Q		
Compound					
Percent Moisture	NT	NT	Q3		
pH Test (HannHI11310) Analyzed	: Ву:				
		NA	Q		
Compound			·		
pH		NT	Q3		

	ilig/g	/0	ď	
Compound				
alpha-Bisabolol	NT	NT	Q3	
(-)-Borneol and (+)-Borneol	NT	NT	Q3	
Camphene	NT	NT	Q3	
Camphor	NT	NT	Q3	
beta-Caryophyllene	NT	NT	Q3	
trans-Caryophyllene	NT	NT	Q3	
Caryophyllene Oxide	NT	NT	Q3	
alpha-Cedrene	NT	NT	Q3	
Cedrol	NT	NT	Q3	
Endo-fenchyl Alcohol	NT	NT	Q3	
Eucalyptol	NT	NT	Q3	
Fenchone	NT	NT	Q3	
Geraniol	NT	NT	Q3	
Geranyl acetate	NT	NT	Q3	
Guaiol	NT	NT	Q3	
Hexahydrothymol	NT	NT	Q3	
alpha-Humulene	NT	NT	Q3	
Isoborneol	NT	NT	Q3	
Isopulegol	NT	NT	Q3	
Limonene	NT	NT	Q3	
Linalool	NT	NT	Q3	
p-Mentha-1,5-diene	NT	NT	Q3	
beta-Myrcene	NT	NT	Q3	
trans-Nerolidol	NT	NT	Q3	
Ocimene	NT	NT	Q3	
alpha-Pinene	NT	NT	Q3	
beta-Pinene	NT	NT	Q3	
Pulegone	NT	NT	Q3	
Sabinene	NT	NT	Q3	
Sabinene Hydrate	NT	NT	Q3	
gamma-Terpinene	NT	NT	Q3	
alpha-Terpinene	NT	NT	Q3	
3-Carene	NT	NT	Q3	
Terpineol	NT	NT	Q3	
Terpinolene	NT	NT	Q3	
Valencene	NT	NT	Q3	
Nerol	NT	NT	Q3	
cis-Nerolidol	NT	NT	Q3	
Total Terpenes	NT	NT	Q3	

RL = Reporting Limit NA = Not Applicable NT = Not Tested ND = Non Detected LOQ = Limit of Quantification Jahoha A. Haner

Tabitha Hauer



0000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

#### Curaleaf / Cura AZ

License#: 3333 S Central Ave Phoenix, AZ 85040 (435) 760-8520 Additional Licenses:
Batch #: CAZ2110E-PPU

Sample Batch Collection:05/11/21 13:30; Sample Batch Collected By:Curaleaf / Cura AZ Sample Received:5/11/2021; Report Created: 6/1/2021

Purple Punch Select Elite Cartridge

Laboratory Number: 2105082-12 Concentrates

### QUALIFIER DEFINTIONS AND CASE NARRATIVE

- Q3 Testing results is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R 9-17-317.01(A) or labeling requirements in R9-17-317.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- M1 Matrix spike recovery is high, but the recovery from the laboratory control sample and duplicate are within acceptance criteria.
- M2 Matrix spike recovery is low, but the recovery from the laboratory control sample and duplicate are within acceptance criteria.
- R1 The relative percent difference (RPD) for the laboratory control sample and duplicate is more than 20%, but the percent recovery for the laboratory control sample and duplicate is within acceptance criteria.
- V1 Continuing Calibration Verification (CCV) or Quality Control Sample (QCS) recovery exceeds acceptable limits; but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.

Testing results were obtained according to requirements in the quality assurance plan in R 9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04; A description of any variances from the requirements, and the reason for the variance will be described in the Work Order memo.

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Labetha A. Hauer