

FWA, INC

License#: 00000003LCIN00627986
2639 N 31ST AVE
Phoenix, AZ 85009
(602) 321-2396

Additional Licenses:

Batch #: 3710 7952 4483 9322; External Lot #:


Sample Batch Collection: 08/31/21 13:19; Sample Batch Collected By: FWA, INC
Sample Received: 8/31/2021; Report Created: 9/18/2021

Apple Drip Pre Roll

Laboratory Number: 2108262-01
Concentrates

Herbicides Not Tested	Pesticides PASS	Residual Solvents PASS	Metals PASS	Mycotoxins PASS	Aspergillus PASS	E. Coli/ Salmonella PASS
---------------------------------	---------------------------	----------------------------------	-----------------------	---------------------------	----------------------------	------------------------------------

Sample Image



Residual Solvents (GCMS-MS) Analyzed: 09/15/21 By: KSG

Analyte	RL	ppm	Q
Propane	625.00	ND	
Butanes	625.00	ND	
Pentanes	145.00	ND	
Acetonitrile	205.00	ND	
Dichloromethane	300.00	ND	
Hexanes	145.00	ND	
Chloroform	30.00	ND	
n-Heptane	2500.0	ND	
Methanol	1500.0	ND	
Ethanol	2500.0	ND	
Diethyl Ether	2500.0	ND	
Acetone	500.00	ND	
Isopropanol	2500.0	ND	
Ethyl acetate	2500.0	ND	
Isopropyl acetate	2500.0	ND	
Benzene	1.00	ND	
Toluene	445.00	ND	
Xylenes	100.00	ND	

Cannabinoid (HPLC) Analyzed: 09/03/21 By: CBH

Analyte	LOQ %	%	mg/g	Q
THC-A	0.11	0.14	1.42	
delta 9-THC	2.13	37.38	374	D1
delta 8-THC	0.11	ND	ND	
THC-V	0.11	0.29	2.92	
CBG-A	0.11	0.15	1.46	
CBD-A	0.11	3.03	30.3	
CBD	0.11	4.14	41.4	
CBD-V	0.11	ND	ND	
CBN	0.11	0.53	5.33	
CBG	0.11	1.04	10.4	
CBC	0.11	1.01	10.1	

Metals (ICP-MS) Analyzed: 09/09/21 By: JVR

Element	RL	ppm	Q
Arsenic	0.100	0.214	
Cadmium	0.100	ND	
Lead	0.100	0.154	
Mercury	0.010	0.010	

Regulated Microbials (Petrifilm) Analyzed: 9/8/2021 By: MEF

Pathogens	RL	Result	Units	Q
E. coli	10.0	ND	cfu/g	

Regulated Microbials (PCR) Analyzed: 9/7/2021 By: LEF

Pathogens	RL	Result	Units	Q
Aspergillus	1.00	Absent	cfu/g	
Salmonella	1.00	Absent	cfu/g	

37.52 % 375.24 mg/g Total THC	6.80 % 68.00 mg/g Total CBD	47.70 % 477.00 mg/g Total Cannabinoids
--	--	---

Total THC = THCa * 0.877 + delta 9-THC + delta 8-THC; Total CBD = CBDA * 0.877 + CBD

Regulated Mycotoxins (LC-MS TQ) Analyzed: 09/09/21 By: LEH

Pathogens	RL	ppb	Q
Aflatoxins	0.979	ND	M2
Ochratoxins	1.96	ND	L1, N1

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification



Erin Polly
Technical Laboratory Director

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.

FWA, INC

License#: 2639 N 31ST AVE
Phoenix, AZ 85009
(602) 321-2396

Additional Licenses:

Batch #: 3710 7952 4483 9322; External Lot #:

Sample Batch Collection:08/31/21 13:19; Sample Batch Collected By: FWA, INC

Sample Received:8/31/2021; Report Created: 9/18/2021

Apple Drip Pre Roll

Laboratory Number: 2108262-01
Concentrates

Pesticides (LC-MS TQ) Analyzed: 09/09/21 By: LEH							
Analyte	RL	ppm	Q	Analyte	RL	ppm	Q
Acephate	0.196	ND		Acequinocyl	0.979	ND	V1
Acetamiprid	0.098	ND		Aldicarb	0.196	ND	R1, V1
Azoxystrobin	0.098	ND	V1	Bifenthrin	0.098	ND	V1
Boscalid	0.196	ND		Carbaryl	0.098	ND	
Carbofuran	0.098	ND	R1, V1	Chlorpyrifos	0.098	ND	
Diazinon	0.098	ND		Dimethoate	0.098	ND	V1
Ethoprophos	0.098	ND		Etofenprox	0.196	ND	V1
Etoxazole	0.098	ND		Fenoxycarb	0.098	ND	
Fenpyroximate E	0.196	ND		Fonicamid	0.489	ND	
Fludioxonil	0.196	ND	V1	Hexythiazox	0.489	ND	V1
Imazalil	0.098	ND		Imidacloprid	0.196	ND	
Kresoxim-methyl	0.196	ND	R1, V1	Malathion	0.098	ND	V1
Metalaxyl	0.098	ND		Methiocarb	0.098	ND	V1
Methomyl	0.196	ND	R1, V1	Myclobutanil	0.098	ND	R1, V1
Naled	0.245	ND		Oxamyl	0.489	ND	
Piperonyl butoxide	0.979	ND	V1	Propiconazole	0.196	ND	
Propoxure	0.098	ND	V1	Spiromesifen	0.098	ND	R1
Spirotetramat	0.098	ND		Spiroxamine	0.196	ND	R1
Tebuconazole	0.196	ND		Thiacloprid	0.098	ND	
Thiamethoxam	0.098	ND		Trifloxystrobin	0.098	ND	
Abamectin	0.245	ND		Bifenazate	0.098	ND	R1, V1
Chlorantraniliprole	0.098	ND		Clofentezine	0.098	ND	R1
Cyfluthrin	0.979	ND	V1	Cypermethrin	0.489	ND	
Daminozide	0.489	ND	L1, N1, V1	DDVP (Dichlorvos)	0.049	ND	
Fipronil	0.196	ND	V1	Paclobutrazol	0.196	ND	R1
Permethrins	0.098	ND	V1	Phosmet	0.098	ND	
Prallethrin	0.098	ND	R1, V1	Pyrethrins	0.489	ND	V1
Pyridaben	0.098	ND	V1	Spinosad	0.098	ND	
Chlorfenapyr	0.979	ND					

Herbicides (LC-MS TQ) Analyzed: By:			
Analyte	RL	ppm	Q
Pendimethalin	NT	NT	

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification



Erin Polly
Technical Laboratory Director

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested. Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.

FWA, INC

License#: 2639 N 31ST AVE
Phoenix, AZ 85009
(602) 321-2396

Additional Licenses:

Batch #: 3710 7952 4483 9322; External Lot #:

Sample Batch Collection:08/31/21 13:19; Sample Batch Collected By: FWA, INC

Sample Received:8/31/2021; Report Created: 9/18/2021

Apple Drip Pre Roll

Laboratory Number: 2108262-01
Concentrates

Non-Regulated Microbials (PetriFilms) Analyzed: By:

	RL	Result	Units	Q
Pathogens				
Total Coliform	NT	NT	cfu/g	
Yeast	NT	NT	cfu/g	
Mold	NT	NT	cfu/g	
Aerobic Bacteria	NT	NT	cfu/g	
Enterobacteria	NT	NT	cfu/g	

Terpenes (GCMS-MS) Analyzed: By:

	mg/g	%	Q
Compound			
alpha-Bisabolol	NT	NT	
(-)-Borneol and (+)-Borneol	NT	NT	
Camphene	NT	NT	
Camphor	NT	NT	
beta-Caryophyllene	NT	NT	
trans-Caryophyllene	NT	NT	
Caryophyllene Oxide	NT	NT	
alpha-Cedrene	NT	NT	
Cedrol	NT	NT	
Endo-fenchyl Alcohol	NT	NT	
Eucalyptol	NT	NT	
Fenchone	NT	NT	
Geraniol	NT	NT	
Geranyl acetate	NT	NT	
Guaiol	NT	NT	
Hexahydrothymol	NT	NT	
alpha-Humulene	NT	NT	
Isoborneol	NT	NT	
Isopulegol	NT	NT	
Limonene	NT	NT	
Linalool	NT	NT	
p-Mentha-1,5-diene	NT	NT	
beta-Myrcene	NT	NT	
trans-Nerolidol	NT	NT	
Ocimene	NT	NT	
alpha-Pinene	NT	NT	
beta-Pinene	NT	NT	
Pulegone	NT	NT	
Sabinene	NT	NT	
Sabinene Hydrate	NT	NT	
gamma-Terpinene	NT	NT	
alpha-Terpinene	NT	NT	
3-Carene	NT	NT	
Terpineol	NT	NT	
Terpinolene	NT	NT	
Valencene	NT	NT	
Nerol	NT	NT	
cis-Nerolidol	NT	NT	
Total Terpenes	NT	NT	

Water Activity (Moisture Reactor) Analyzed: By:

	AW	Q
Compound		
Water Activity	NT	

Moisture (Drying Oven) Analyzed: By:

	%	Q
Compound		
Percent Moisture	NT	

pH Test (HannHI11310) Analyzed: By:

	NA	Q
Compound		
pH	NT	

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification



Erin Polly
Technical Laboratory Director

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested.

Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.



Certificate of Analysis

00000003LCIN00627986

51 W. Weldon Ave

Phoenix, AZ

(480) 788-6644

www.desertvalleytesting.com

FWA, INC

License#: 2639 N 31ST AVE
Phoenix, AZ 85009
(602) 321-2396

Additional Licenses:

Batch #: 3710 7952 4483 9322; External Lot #:

Sample Batch Collection:08/31/21 13:19; Sample Batch Collected By: FWA, INC
Sample Received:8/31/2021; Report Created: 9/18/2021

Apple Drip Pre Roll

Laboratory Number: 2108262-01
Concentrates

QUALIFIER DEFINITIONS AND CASE NARRATIVE

- Q3 Testing results is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R 9-17-317.01(A) or labeling requirements in R9-17-317.
- N1 Terpenes not regulated as per ADHS.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- L1 The percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.
- M2 Matrix spike recovery is low, but the recovery from the laboratory control sample and duplicate are within acceptance criteria.
- N1 A description of any variances from the requirements in the QAP, the applicable SOPs, or that Administration made to ensure scientifically valid and defensible testing results, and the reason for the variance; see case narrative.
- R1 The relative percent difference (RPD) for the laboratory control sample and duplicate is more than 20%, but the percent recovery for the laboratory control sample and duplicate is within acceptance criteria.
- V1 Continuing Calibration Verification (CCV) or Quality Control Sample (QCS) recovery exceeds acceptable limits; but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.
Testing results were obtained according to requirements in the quality assurance plan in R 9-17-404.05, in the applicable standard operating procedure, and in R9-17- 404.03 or R9-17-404.04; A description of any variances from the requirements, and the reason for the variance will be described in the Work Order memo.

N1: BS and BSD RPD does not meet acceptance criteria (ochratoxins)

N1: MS does not meet acceptance criteria (daminozide)

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Erin Polly
Technical Laboratory Director

This product has been tested by Desert Valley Testing using valid testing methodologies. Values reported only relate to the product tested.
Desert Valley Testing makes no claims to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Desert Valley Testing.