

White Mountain Health Center

9420 W. Bell RD
Sun City, AZ 85351
inventorywmhc@gmail.com


Lic. #00000103DCDR00369521

Sample: 2208LVL0990.5157

Strain: Hybrid Blend
Batch#: 5069 4978 7683 7210 (D312-01.25.22); Batch Size: g
Sample Received: 08/30/2022; Report Created: 09/02/2022; Expires: 09/02/2023

AA Brownie 400mg



	<p>466.07mg/unit</p> <p>Total THC</p>	<p><LOQ</p> <p>Total CBD</p>	<p>466.08mg/unit</p> <p>Total Cannabinoids</p>
	<p>Not Tested</p> <p>Water Activity by ASTM D8196_18</p>	<p>Not Tested</p> <p>NT Moisture</p>	

Cannabinoids

Complete

Analyte	LOQ mg/unit	Mass mg/unit	Mass %	Qualifier
THCa	19.738	ND	ND	
Δ9-THC	19.738	466.075	0.5537	
Δ8-THC	19.738	ND	ND	
THCV	19.738	<LOQ	<LOQ	
CBDa	19.738	ND	ND	
CBD	19.738	<LOQ	<LOQ	
CBN	19.738	<LOQ	<LOQ	
CBGa	19.738	ND	ND	
CBG	19.738	<LOQ	<LOQ	
Total		466.075	0.5537	

Qualifiers:

Date Tested: 09/01/2022 02:00 pm
84.17

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes.



Certificate of Analysis

Powered by Confident Cannabis
2 of 2

White Mountain Health Center

9420 W. Bell RD
Sun City, AZ 85351
inventorywmhc@gmail.com

Sample: 2208LVL0990.5157

Strain: Hybrid Blend
Batch#: 5069 4978 7683 7210 (D312-01.25.22); Batch Size: g
Sample Received: 08/30/2022; Report Created: 09/02/2022; Expires: 09/02/2023

Lic. #00000103DCDR00369521


AA Brownie 400mg



Microbials

Pass

Analyte	Limit	Units	Date Tested	Status	Qualifier
Aspergillus sp	CFU/g	CFU/g	9/1/2022	NT	
E. Coli	Not Detected in 1g	NR	9/1/2022	Pass	
Salmonella	100	<10cfu/g	9/1/2022	Pass	
	Not Detected in 1g	Not Detected in 1g	9/1/2022	Pass	



LEVEL ONE

Qualifiers:
Date Tested: 09/01/2022 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
<http://www.levelonelabs.com>
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.