

0000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

### K.I.N.D. Concentrates

License#: 00000086DCKR00375578 1225 S 48th Street Tempe, AZ 85281 14802312346 Additional Licenses:

Batch #: 220707-051; External Lot #:

Sample Batch Collection:07/07/22 11:56; Sample Batch Collected By:K.I.N.D. Concentrate Sample Received:7/7/2022; Report Created: 7/16/2022

K.I.N.D. Resin Cartridge - OG-18 (I)

Laboratory Number: 2207018-11 Concentrates

Herbicides PASS Pesticides PASS Residual Solvents PASS

**Metals**PASS

Mycotoxins PASS **Aspergillus**PASS

E. Coli/ Salmonella PASS



nnabinoid (HPLC)	Analyzed: 07/12/2	22 By: SPS	
LOQ %	%	mg/g	Q
0.09	0.18	1.8	
1.89	84.75	847.5	D1
0.09	ND	ND	
0.09	0.41	4.1	
0.09	ND	ND	
0.09	ND	ND	
0.09	0.24	2.4	
0.09	ND	ND	
0.09	0.68	6.8	
0.09	3.94	39	
0.09	0.74	7.4	
	0.09 1.89 0.09 0.09 0.09 0.09 0.09 0.09 0.09	LOQ %     %       0.09     0.18       1.89     84.75       0.09     ND       0.09     0.41       0.09     ND       0.09     ND       0.09     ND       0.09     0.24       0.09     0.68       0.09     3.94	0.09

84.91 % 849.08 mg/g **Total THC**  0.24 % 2.40 mg/g **Total CBD**  90.94 % 909.00 mg/g

Total THC = THCa \* 0.877 + delta 9-THC; Total CBD = CBDa \* 0.877 + CBD

Regulated Mycotoxins (LC-MS TQ) Analyzed: 07/12/22 By: ZEN						
	RL	ppb	Q			
Pathogens						
Aflatoxins	1.05	ND				
Ochratoxins	2.10	ND	R1			

1 700		1 700	ı		' '
Residual Solvents (G	CM	S-MS) Analyzed: 07/1	2/22	Ву:	MLC

	KL	ppm	
Analyte			
Propane	625.00	ND	
Butanes	625.00	ND	
Pentanes	145.00	ND	
Acetonitrile	205.00	ND	
Dichloromethane	300.00	ND	
Hexanes	145.00	ND	
Chloroform	30.00	ND	
n-Heptane	2500.0	ND	
Methanol	1500.0	ND	
Ethanol	2500.0	ND	
Diethyl Ether	2500.0	ND	
Acetone	500.00	ND	
Isopropanol	2500.0	ND	
Ethyl acetate	2500.0	ND	
Isopropyl acetate	2500.0	ND	
Benzene	1.00	ND	
Toluene	445.00	ND	
Xylenes	100.00	ND	
	Propane Butanes Pentanes Acetonitrile Dichloromethane Hexanes Chloroform n-Heptane Methanol Ethanol Diethyl Ether Acetone Isopropanol Ethyl acetate Isopropyl acetate Benzene Toluene	Propane       625.00         Butanes       625.00         Pentanes       145.00         Acetonitrile       205.00         Dichloromethane       300.00         Hexanes       145.00         Chloroform       30.00         n-Heptane       2500.0         Methanol       1500.0         Ethanol       2500.0         Diethyl Ether       2500.0         Acetone       500.00         Isopropanol       2500.0         Ethyl acetate       2500.0         Isopropyl acetate       2500.0         Benzene       1.00         Toluene       445.00	Analyte           Propane         625.00         ND           Butanes         625.00         ND           Pentanes         145.00         ND           Acetonitrile         205.00         ND           Dichloromethane         300.00         ND           Hexanes         145.00         ND           Chloroform         30.00         ND           n-Heptane         2500.0         ND           Methanol         1500.0         ND           Ethanol         2500.0         ND           Diethyl Ether         2500.0         ND           Acetone         500.00         ND           Isopropanol         2500.0         ND           Ethyl acetate         2500.0         ND           Isopropyl acetate         2500.0         ND           Benzene         1.00         ND           Toluene         445.00         ND

wietais (ICF-WIS) Allalyzeu. VII IS	NZZ Dy. JER		
	RL	ppm	Q
Element			
Arsenic	0.097	ND	
Cadmium	0.097	ND	
Lead	0.242	ND	
Mercury	0.010	ND	

Mercury		0.010 <b>N</b> E	)			
Regulated Microbials (Petrif	ilm) Analy:	zed: 7/13/2022 B	y: OMS			
	RL	Result	Units	Q		
Pathogens						
E. coli	10	<10	cfu/g			
Regulated Microbials (PCR)	Analyzed:	7/11/2022 By: To	CJ			
	RL	Result	Units	Q		
Pathogens						
Salmonella	1.00	Not Detected	d per gram			
Regulated Microbials (PCR) Analyzed: 7/13/2022 By: TCJ						

Regulated Microbials (PCR	R) Analyzed:	7/13/2022 By: TC	J	
	RL	Result	Units	Q
Pathogens				
Aspergillus	1.00	Not Detected	per gram	

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification



Erin Polly
Technical Laboratory Director



00000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

### K.I.N.D. Concentrates

License#: 00000086DCKR00375578 1225 S 48th Street Tempe, AZ 85281 14802312346

Additional Licenses:

Batch #: 220707-051; External Lot #:

Sample Batch Collection:07/07/22 11:56; Sample Batch Collected By:K.l.N.D. Concentrate Sample Received:7/7/2022; Report Created: 7/16/2022

K.I.N.D. Resin Cartridge - OG-18 (I)

Laboratory Number: 2207018-11 Concentrates

	RL	ppm	Q		RL	ppm	Q
Analyte				Analyte			
Acephate	0.210	ND	M2	Acequinocyl	1.05	ND	
Acetamiprid	0.105	ND		Aldicarb	0.210	ND	
Azoxystrobin	0.105	ND	M2	Bifenthrin	0.105	ND	
Boscalid	0.210	ND	M2	Carbaryl	0.105	ND	
Carbofuran	0.105	ND	M2	Chlorpyrifos	0.105	ND	
Diazinon	0.105	ND		Dimethoate	0.105	ND	M2
thoprophos	0.105	ND	M2	Etofenprox	0.210	ND	
toxazole	0.105	ND		Fenoxycarb	0.105	ND	M2
enpyroximate E	0.210	ND		Flonicamid	0.524	ND	
ludioxonil	0.210	ND	M2	Hexythiazox	0.524	ND	
mazalil	0.105	ND	R1	Imidacloprid	0.210	ND	
resoxim-methyl	0.210	ND	M2	Malathion	0.105	ND	R1
1etalaxyl	0.105	ND	M2	Methiocarb	0.105	ND	M2
lethomyl	0.210	ND		Myclobutanil	0.105	ND	
laled	0.262	ND	M2	Oxamyl	0.524	ND	M2
iperonyl butoxide	1.05	ND		Propiconazole	0.210	ND	R1
ropoxure	0.105	ND	M2	Spiromesifen	0.105	ND	M2, R
Spirotetramat	0.105	ND	R1	Spiroxamine	0.210	ND	
ebuconazole	0.210	ND	R1	Thiacloprid	0.105	ND	M2
hiamethoxam	0.105	ND		Trifloxystrobin	0.105	ND	M2
bamectin	0.262	ND		Bifenazate	0.105	ND	M2
Chlorantraniliprole	0.105	ND		Clofentezine	0.105	ND	R1
Cyfluthrin	1.05	ND	L1, M2	Cypermethrin	0.524	ND	
)aminozide	0.524	ND		DDVP (Dichlorvos)	0.052	ND	M2
ipronil	0.210	ND		Paclobutrazol	0.210	ND	M2
ermethrins	0.105	ND		Phosmet	0.105	ND	M2, R
rallethrin	0.105	ND	M2, R1	Pyrethrins	0.524	ND	L1
Pyridaben	0.105	ND		Spinosad	0.105	ND	R1
Chlorfenapyr	1.05	ND	L1, V1				

	Q) Analyzed: 07/12/22 By: KSG			
	RL	ppm	Q	
Analyte				
Pendimethalin	0.052	ND	M2	

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

1 Fally

Erin Polly
Technical Laboratory Director



00000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

### K.I.N.D. Concentrates

License#: 00000086DCKR00375578 1225 S 48th Street Tempe, AZ 85281 14802312346 Additional Licenses:

Batch #: 220707-051; External Lot #:

Sample Batch Collection:07/07/22 11:56; Sample Batch Collected By.K.I.N.D. Concentrate Sample Received:7/7/2022; Report Created: 7/16/2022

K.I.N.D. Resin Cartridge - OG-18 (I)

Laboratory Number: 2207018-11 Concentrates

Non-Regulated Microbials (PetriFilms) Analyzed: By:							
	RL	Result	Units	Q			
Pathogens							
Total Coliform	NT	NT	cfu/g				
Yeast	NT	NT	cfu/g				
Mold	NT	NT	cfu/g				
Aerobic Bacteria	NT	NT	cfu/g				
Enterobacteria	NT	NT	cfu/g				

Water Activity (Water Activity Me	eter) Analyzed:	Ву:			
		AW, 25 °C	Q		
Compound					
Water Activity	NT				
Moisture (Moisture Analyzer) Analyzed: By:					
		%	Q		
Compound					
Percent Moisture	NT	NT			
pH Test (pH Meter) Analyzed:	Ву:				
		NA	Q		
Compound					
pH		NT			

Terpenes (GCMS	-MS) Analyzed:	Ву:	
	mg/g	%	Q
Compound			
alpha-Bisabolol	NT	NT	
(-)-Borneol and (+)-Borneol	NT	NT	
Camphene	NT	NT	
Camphor	NT	NT	
beta-Caryophyllene	NT	NT	
trans-Caryophyllene	NT	NT	
Caryophyllene Oxide	NT	NT	
alpha-Cedrene	NT	NT	
Cedrol	NT	NT	
Endo-fenchyl Alcohol	NT	NT	
Eucalyptol	NT	NT	
Fenchone	NT	NT	
Geraniol	NT	NT	
Geranyl acetate	NT	NT	
Guaiol	NT	NT	
Hexahydrothymol	NT	NT	
alpha-Humulene	NT	NT	
Isoborneol	NT	NT	
Isopulegol	NT	NT	
Limonene	NT	NT	
Linalool	NT	NT	
p-Mentha-1,5-diene	NT	NT	
beta-Myrcene	NT	NT	
trans-Nerolidol	NT	NT	
Ocimene	NT	NT	
alpha-Pinene	NT	NT	
beta-Pinene	NT	NT	
Pulegone	NT	NT	
Sabinene	NT	NT	
Sabinene Hydrate	NT	NT	
gamma-Terpinene	NT	NT	
alpha-Terpinene	NT	NT	
3-Carene	NT	NT	
Terpineol	NT	NT	
Terpinolene	NT	NT	
Valencene	NT	NT	
Nerol	NT	NT	
cis-Nerolidol	NT	NT	
Total Terpenes	NT	NT	

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

Erin Polly

Technical Laboratory Director



0000003LCIN00627986

51 W. Weldon Ave Phoenix, AZ (480) 788-6644

www.desertvalleytesting.com

#### K.I.N.D. Concentrates

License#: 00000086DCKR00375578 1225 S 48th Street Tempe, AZ 85281 14802312346

Additional Licenses: Batch #: 220707-051: External Lot #:

Sample Batch Collection:07/07/22 11:56; Sample Batch Collected By:K.I.N.D. Concentrate Sample Received:7/7/2022; Report Created: 7/16/2022

K.I.N.D. Resin Cartridge - OG-18 (I)

Laboratory Number: 2207018-11 Concentrates

#### **QUALIFIER DEFINTIONS AND CASE NARRATIVE**

- Q3 Testing results is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R 9-17-317.01(A) or labeling requirements in R9-17-317.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- L1 The percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.
- M2 Matrix spike recovery is low, but the recovery from the laboratory control sample and duplicate are within acceptance criteria.
- R1 The relative percent difference (RPD) for the laboratory control sample and duplicate is more than 20%, but the percent recovery for the laboratory control sample and duplicate is within acceptance criteria.
- V1 Continuing Calibration Verification (CCV) or Quality Control Sample (QCS) recovery exceeds acceptable limits; but the sample's target analytes are not detected above the maximum allowable concentrations for the analytes in the sample.

Terpene analysis not regulated by Arizona Department of Health.

Testing results were obtained according to requirements in the quality assurance plan in R 9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04; A description of any variances from the requirements, and the reason for the variance will be described in the Work Order memo.

RL = Reporting Limit
NA = Not Applicable
NT = Not Tested
ND = Non Detected
LOQ = Limit of Quantification

1 Fally

Erin Polly
Technical Laboratory Director