

Bud Bros


8376 N El Mirage Rd #2, El Mirage, AZ
El Mirage, AZ 85335
jay@budbrosofficial.com
(602) 741-9765
Lic. #: Employee ID:

Sample: 2301OPT0014.0085

Strain: White Widow
Lot ID: ; Batch#: 220273-16 - White Widow; Batch Size: g
Sample Received: 01/04/2023; Report Created: 01/08/2023
Completed Date: 01/08/2023
Sampling: ; Environment:

220273-16 - White Widow

Concentrates & Extracts, Distillate, Vacuum Distillation; Harvest Process Lot:



77.0498%	78.6631%	Not Tested
Total THC	Total Cannabinoids	
1.6133%	NT	Foreign Matter
Total CBD	Moisture (Q3)	

Cannabinoids

Complete

Analyte	Qualifier	Mass	Mass
		%	mg/g
THCa		ND	ND
Δ9-THC		77.0498	770.498
Δ8-THC		ND	ND
THCV		ND	ND
CBDa		ND	ND
CBD		1.6133	16.133
CBN		ND	ND
CBGa		ND	ND
CBG		ND	ND
Total		78.6631	786.631

Date Tested: 01/05/2023 12:00 am

Method: Agilent 1260II HPLC-VWD SOP 3.0

501 S Main Street
Snowflake, AZ
(928) 457-0222
www.onpointlaboratories.com
Lic# 00000006LCXI00549589



Cathleen Cover

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
2 of 2



Bud Bros

8376 N El Mirage Rd #2, El Mirage, AZ
El Mirage, AZ 85335
jay@budbrosofficial.com
(602) 741-9765
Lic. #: Employee ID:

Sample: 2301OPT0014.0085

Strain: White Widow
Lot ID: ; Batch#: 220273-16 - White Widow; Batch Size: g
Sample Received: 01/04/2023; Report Created: 01/08/2023
Completed Date: 01/08/2023
Sampling: ; Environment:

220273-16 - White Widow

Concentrates & Extracts, Distillate, Vacuum Distillation; Harvest Process Lot:



Microbials

Pass

Analyte	Qualifier	Limit	Units	Status
Aspergillus		CFU/g	CFU/g	
E. Coli	Not Detected in 1g	100.0000	ND	Pass
Salmonella	Not Detected in 1g		<10CFU	Pass
			ND	Pass



Date Tested: 01/04/2023 12:00 am
Method: BioRad qPCR

501 S Main Street
Snowflake, AZ
(928) 457-0222
www.onpointlaboratories.com
Lic# 00000006LCXI00549589



Cathleen Cover

Reviewed by: Cathleen Cover
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com




The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
14252326729
Lic#: 00000066DCBO00410690

Sample: S211068-01
CC ID#: 2211C4L0070.5203
Lot#: N/A
Batch#: 220273-16
Batch Size: N/A

FINAL

Sample Name: 220273-16
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 11/22/2022
Report Created: 11/29/2022



Potency Results

91.2%	<LOQ%	RATIO	
Total THC	Total CBD	1	0
		THC	CBD

Total THC= THCa * 0.877 + d9-THC
Total CBD= CBDa * 0.877 + CBD

SAFETY

Microbials	Residual Solvents	Mycotoxins	Pesticides	Metals
PASS	PASS	PASS	PASS	PASS



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
14252326729
Lic#: 00000066DCBO00410690

Sample: S211068-01
CC ID#: 2211C4L0070.5203
Lot#: N/A
Batch#: 220273-16
Batch Size: N/A

FINAL

Sample Name: 220273-16
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 11/22/2022
Report Created: 11/29/2022

Cannabinoids by HPLC - Medical

Date Analyzed: 11/29/2022 Analyst Initials: DRF

Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g	
THCA	1.57	<LOQ	<LOQ	
d9-THC	1.57	91.2	912.00	
CBDA	1.57	<LOQ	<LOQ	
CBD	1.57	<LOQ	<LOQ	M1
CBG	1.57	<LOQ	<LOQ	
CBN	1.57	<LOQ	<LOQ	
CBC	1.57	<LOQ	<LOQ	
Total Cannabinoids	1.57	91.2	912.00	
Total THC	1.57	91.2	912.00	
Total CBD	1.57	<LOQ	<LOQ	

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.
LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Cannabinoids method: HPLC-DAD.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
14252326729
Lic#: 00000066DCBO00410690

Sample: S211068-01
CC ID#: 2211C4L0070.5203
Lot#: N/A
Batch#: 220273-16
Batch Size: N/A

FINAL

Sample Name: 220273-16
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 11/22/2022
Report Created: 11/29/2022

Pesticides by LCMSMS - Medical

Pass

Date Analyzed: 11/25/2022 Analyst Initials: EXP

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.119	0.5	<LOQ		Pass	Hexythiazox	0.251	1.0	<LOQ	M2	Pass
Acephate	0.101	0.4	<LOQ		Pass	Imazalil	0.101	0.2	<LOQ		Pass
Acequinocyl	0.503	2.0	<LOQ		Pass	Imidacloprid	0.101	0.4	<LOQ		Pass
Acetamiprid	0.050	0.2	<LOQ		Pass	Kresoxim-methyl	0.101	0.4	<LOQ		Pass
Aldicarb	0.101	0.4	<LOQ	L1, V1	Pass	Malathion	0.050	0.2	<LOQ		Pass
Azoxystrobin	0.050	0.2	<LOQ		Pass	Metalaxyl	0.101	0.2	<LOQ		Pass
Bifenazate	0.050	0.2	<LOQ	M1	Pass	Methiocarb	0.050	0.2	<LOQ	L1, M1	Pass
Bifenthrin	0.050	0.2	<LOQ		Pass	Methomyl	0.101	0.4	<LOQ		Pass
Boscalid	0.101	0.4	<LOQ		Pass	Myclobutanil	0.050	0.2	<LOQ		Pass
Carbaryl	0.050	0.2	<LOQ		Pass	Naled	0.126	0.5	<LOQ		Pass
Carbofuran	0.050	0.2	<LOQ		Pass	Oxamyl	0.251	1.0	<LOQ		Pass
Chlorantraniliprole	0.050	0.2	<LOQ	L1	Pass	Paclobutrazol	0.101	0.4	<LOQ	L1	Pass
Chlorfenapyr	0.503	1.0	<LOQ	M2, R1	Pass	Permethrins	0.050	0.2	<LOQ	M1	Pass
Chlorpyrifos	0.050	0.2	<LOQ	M2	Pass	Phosmet	0.050	0.2	<LOQ		Pass
Clofentezine	0.050	0.2	<LOQ	M2	Pass	Piperonyl butoxide	0.503	2.0	<LOQ		Pass
Cyfluthrin	0.503	1.0	<LOQ	M2	Pass	Prallethrin	0.101	0.2	<LOQ		Pass
Cypermethrin	0.251	1.0	<LOQ	M2	Pass	Propiconazole	0.101	0.4	<LOQ		Pass
Daminozide	0.503	1.0	<LOQ		Pass	Propoxur	0.050	0.2	<LOQ		Pass
Diazinon	0.050	0.2	<LOQ		Pass	Pyrethrins	0.316	1.0	<LOQ		Pass
Dichlorvos	0.050	0.1	<LOQ	L1	Pass	Pyridaben	0.050	0.2	<LOQ	M2	Pass
Dimethoate	0.050	0.2	<LOQ		Pass	Spinosad	0.050	0.2	<LOQ		Pass
Ethoprophos	0.050	0.2	<LOQ		Pass	Spiromesifen	0.050	0.2	<LOQ		Pass
Etofenprox	0.101	0.4	<LOQ		Pass	Spirotetramat	0.050	0.2	<LOQ	M1	Pass
Etoxazole	0.050	0.2	<LOQ		Pass	Spiroxamine	0.101	0.4	<LOQ		Pass
Fenoxycarb	0.050	0.2	<LOQ		Pass	Tebuconazole	0.101	0.4	<LOQ		Pass
Fenpyroximate	0.101	0.4	<LOQ		Pass	Thiacloprid	0.050	0.2	<LOQ		Pass
Fipronil	0.101	0.4	<LOQ	L1, M1, V1	Pass	Thiamethoxam	0.050	0.2	<LOQ		Pass
Flonicamid	0.251	1.0	<LOQ		Pass	Trifloxystrobin	0.050	0.2	<LOQ	M2	Pass
Fludioxonil	0.101	0.4	<LOQ	M2	Pass						

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides method: LC/MS/MS.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
14252326729
Lic#: 00000066DCBO00410690

Sample: S211068-01
CC ID#: 2211C4L0070.5203
Lot#: N/A
Batch#: 220273-16
Batch Size: N/A

FINAL

Sample Name: 220273-16
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 11/22/2022
Report Created: 11/29/2022

Metals by ICPMS - Medical Pass

Date Analyzed: 11/23/2022 Analyst Initials: IAM

Analyte	LOQ	Limit	Mass	Q	Status
	ppm	ppm	ppm		
Arsenic	0.099	0.405	<LOQ		Pass
Cadmium	0.099	0.405	<LOQ		Pass
Lead	0.396	1.05	<LOQ		Pass
Mercury	0.396	1.25	<LOQ		Pass

LOQ = Limit of Quantitation; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins by ELISA- Medical Pass

Date Analyzed: 11/23/2022 Analyst Initials: BAB

Analyte	LOQ	Limit	Mass	Q	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	<LOQ		Pass
Ochratoxin A	4.00	20	<LOQ		Pass

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
 318 S. Bracken Lane
 Chandler, AZ 85224
 14252326729
 Lic#: 00000066DCBO0410690

Sample: S211068-01
 CC ID#: 2211C4L0070.5203
 Lot#: N/A
 Batch#: 220273-16
 Batch Size: N/A

FINAL

Sample Name: 220273-16
 Strain Name: Mixed
 Matrix: Concentrates Extracts

Sample Received: 11/22/2022
 Report Created: 11/29/2022

Microbials

Pass

E. coli by 3M Petrifilm- Medical Plate

Date Analyzed: 11/29/2022 Analyst Initials: MB

Analyte	LOQ	Limit	Mass	Q	Status
	cfu/g	cfu/g	cfu/g		
E. coli	10	100	<LOQ		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
 LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
 ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
 E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.

Aspergillus and Salmonella by qPCR - Medical qPCR

Date Analyzed: 11/29/2022 Analyst Initials: MB

Analyte	Mass	Q	Status
Salmonella spp.	Not Detected		Pass
Aspergillus	Not Detected		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
 LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
 ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
 E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
 Scottsdale, AZ 85260
 (480) 219-6460
<http://www.c4lab.com>
 Lic.#00000005LCMI00301434


Jillian Blaney
 Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
14252326729
Lic#: 00000066DCBO00410690

Sample: S211068-01
CC ID#: 2211C4L0070.5203
Lot#: N/A
Batch#: 220273-16
Batch Size: N/A

FINAL

Sample Name: 220273-16
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 11/22/2022
Report Created: 11/29/2022

Residual Solvents by Headspace GCMS - Medical

Pass

Date Analyzed: 11/22/2022 Analyst Initials: SML

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Acetone	116	1000	<LOQ		Pass	2,3-Dimethylbutane	37.2		<LOQ		
Acetonitrile	46.5	410	<LOQ		Pass	2-Propanol (IPA)	581	5000	<LOQ		Pass
Benzene	0.930	2	<LOQ		Pass	Isopropyl acetate	581	5000	<LOQ		Pass
Butanes	581	5000	<LOQ		Pass	Methanol	349	3000	<LOQ		Pass
n-Butane	581		<LOQ			Pentanes	581	5000	<LOQ		Pass
iso-Butane	581		<LOQ			n-Pentane	581		<LOQ		
Chloroform	14.0	60	<LOQ		Pass	iso-pentane	581		<LOQ		
Dichloromethane	69.8	600	<LOQ		Pass	neo-Pentane	581		<LOQ		
Ethanol	581	5000	<LOQ		Pass	Propane	581	5000	<LOQ	V1	Pass
Ethyl acetate	581	5000	<LOQ		Pass	Toluene	107	890	<LOQ		Pass
Diethyl Ether	581	5000	<LOQ		Pass	Xylenes	256	2170	<LOQ		Pass
n-Heptane	581	5000	<LOQ		Pass	m/p-Xylene	512		<LOQ		
Hexanes	37.2	290	<LOQ		Pass	o-Xylene	256		<LOQ		
n-Hexane	37.2		<LOQ			Ethyl benzene	256		<LOQ		
2-Methylpentane	37.2		<LOQ								
3-Methylpentane	37.2		<LOQ								
2,2-Dimethylbutane	37.2		<LOQ								

LOQ = Limit of Quantitation; ND = Not Detected;
Unless otherwise stated all quality control samples performed
within specifications established by the Laboratory.
Solvents method: GC/MS



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 05LCMI00301434



ASV AZ Operating Inc.
 318 S. Bracken Lane
 Chandler, AZ 85224
 14252326729
 Lic#: 00000066DCBO00410690

Sample: S211068-01
 CC ID#: 2211C4L0070.5203
 Lot#: N/A
 Batch#: 220273-16
 Batch Size: N/A

FINAL

Sample Name: 220273-16
 Strain Name: Mixed
 Matrix: Concentrates Extracts

Sample Received: 11/22/2022
 Report Created: 11/29/2022

Notes and Definitions

Item	Definition
I1	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
M1	Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.
M2	Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.
R1	The RPD for the LCS/LCSD pair exceeded 20% but recoveries were within control limits.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
 Scottsdale, AZ 85260
 (480) 219-6460
<http://www.c4lab.com>
 Lic.#00000005LCMI00301434

Jillian Blaney
 Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.