

Regulatory Compliance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/06/2023

2306OPT2273.8846R1

SAMPLE NAME: Dime Apple Gelato 1G

Matrix: Concentrates & Extracts | Type: Distillate Strain Name: Apple Gelato | Classification: Hybrid

CULTIVATOR/MANUFACTURER:

Business Name: Dime Industries

License: 00000089eslw87335751

2825 W Thomas Rd. Phoenix, AZ 85017 Address:

SAMPLE DETAIL:

Unit Mass:

Batch Number: Date Received: AG0614 06/16/2023

Batch Size: External Lot ID: 230303-002

Sample Size: Other Information:

7/6/23 client ex batch id input error 그 등 그

230303-002/RD-0614 to 230303



Scan QR code to verify authenticity of results.



CANNABINOID ANALYSIS SUMMARY

Total THC: 87.7708% Total Cannabinoids: 91.8759%

Δ9-THC + (THCa * 0.877) CBD + CBDa + CBG + CBGa + CBN + Δ8-THC + Δ9-THC + THCa + THCV

Total CBD: ND CBD + (CBDa * 0.877)

SAFETY ANALYSIS SUMMARY

Pesticides: **Not Tested Heavy Metals:** Not Tested Moisture: **Not Tested**

Not Tested Residual Solvents: Water Activity: Mycotoxins: **Not Tested Not Tested**

Microbials: Pass Foreign Material: **Not Tested**

TERPENE ANALYSIS SUMMARY

NOT TESTED



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | https://www.onpointlaboratories.com | License #: 00000006LCXI00549589 Office the control of the control of



Regulatory Compliance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/06/2023

2306OPT2273.8846R1

CANNABINOID TEST RESULTS: 06/16/2023

Method: HPLC

87.7708%	91.8759%		
87.7708%	91.8759%		
Total THC	Total Cannabinoids		
ND	NT		
ND ND	NT		

Analyte	Qualifier	LOQ	Result	Result
		%	%	mg/g
THCa		0.0300	ND	ND
Δ9-ΤΗС		0.0300	87.7708	877.708
Δ8-ΤΗС		0.0300	ND	ND
CBDa		0.0200	ND	ND
CBD		0.0200	ND	ND
CBN		0.0040	0.5828	5.828
CBG		0.0040	2.9223	29.223
CBGa		0.0040	ND	ND
THCV		0.0040	0.6000	6.000
Total THC			87.7708	877.7080
Total CBD			ND	ND
Total				

Leafly.

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee

Symone Uholin



Regulatory Compliance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED: 07/06/2023

2306OPT2273.8846R1

MICROBIALS TEST RESULTS: 06/16/2023

0001 1227 0:00 TORE

Pass

Method: BioRad qPCR

Analyte	Qualifier	Limits/Units	Result	Final Result
		CFU/g	CFU/g	
E. Coli		100	<40.0000	Pass
Yeast & Mold	Q3		NR	NT

Analyte	Qualifier	Limits/Units	Result	Final Result
Salmonella		1g	Not Detected	Pass
Aspergillus fumigatus		1g	Not Detected	Pass
Aspergillus niger		1g	Not Detected	Pass
Aspergillus flavus		1g	Not Detected	Pass
Aspergillus terreus		1g	Not Detected	Pass



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



