(Jeeter) INFUSED GRANDDADDY PURP 0.5 x 5, 1G, 2G & HALF GRAM

Sample ID: 2303APO0744.3822 Strain: GRANDDADDY PURP

Matrix: Plant Type: Enhanced/Infused Preroll Produced: Collected:

Received: 03/24/2023 Completed: 03/29/2023 Batch #: DFAZ-GDP-031423 Client **Jeeter**

Lic. # 00000015DCGC00626237

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/27/2023	Complete
Moisture	03/27/2023	9.6% - Complete
Residual Solvents	03/28/2023	Pass
Microbials	03/28/2023	Pass
Mycotoxins	03/27/2023	Pass
Pesticides	03/27/2023	Pass
Heavy Metals	03/29/2023	Pass

Cannabinoids Complete

39.8378% ND 44.0305% NT

Total THC Total CBD Total Cannabinoids Total Terpenes

Analyte	LOD	LOQ	Result	Result		(
	%	%	%	mg/g		
THCa		0.1000	15.5467	155.467		
Δ9-THC		0.1000	26.2034	262.034		
Δ8-THC		0.1000	ND	ND		
THCV		0.1000	0.2488	2.488		
CBDa		0.1000	ND	ND		
CBD		0.1000	ND	ND		
CBDVa		0.1000	ND	ND		
CBDV		0.1000	ND	ND		
CBN		0.1000	0.2244	2.244		
CBGa		0.1000	0.5403	5.403		
CBG		0.1000	0.7739	7.739		
CBC		0.1000	0.4930	4.930		
Total THC			39.8378	398.3780		
Total CBD			0.0000	0.000		
Total			44.0305	440.305		

Date Tested: 03/27/2023 07:00 am





Bryant Kearl Lab Director 03/29/2023



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 4

(Jeeter) INFUSED GRANDDADDY PURP 0.5 x 5, 1G, 2G & HALF GRAM

Sample ID: 2303APO0744.3822

Produced: Collected:

Jeeter

Strain: GRANDDADDY PURP

Received: 03/24/2023 Completed: 03/29/2023 Lic. # 00000015DCGC00626237

Type: Enhanced/Infused Preroll

Matrix: Plant

Batch #: DFAZ-GDP-031423

Lot #:

Pesticides											Pass
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM	-			PPM	PPM	PPM	-	
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND	M2	Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND	M2	Pass	Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Cypermethrin	0.5000	1.0000	ND	M2	Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND	M1	Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Pyridaben	0.1000	0.2000	ND	M2	Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND	M1	Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass						

Herbicides

Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 03/27/2023 07:00 am Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.





Bryant Kearl Lab Director 03/29/2023



Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255

(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

3 of 4

(Jeeter) INFUSED GRANDDADDY PURP 0.5 x 5, 1G, 2G & HALF GRAM

Sample ID: 2303APO0744.3822 Strain: GRANDDADDY PURP

Type: Enhanced/Infused Preroll

Matrix: Plant

Produced: Collected:

Received: 03/24/2023

Completed: 03/29/2023 Batch #: DFAZ-GDP-031423 Client **Jeeter**

Lic. # 00000015DCGC00626237

Lot #:

Microbials	Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP	Detected/Not Detected in 1g	ND	Pass	
Aspergillus flavus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus fumigatus	Detected/Not Detected in 1g	ND	Pass	
Aspergillus niger	Detected/Not Detected in 1g	ND	Pass	
Aspergillus terreus	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 03/28/2023 12:00 am

Mycotoxins Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/kg	μg/kg	µg/kg	μg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	

L A B S

Date Tested: 03/27/2023 07:00 am

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/g	μg/g	µg/g	μg/g		_
Arsenic	0.066	0.133	0.4	ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 03/29/2023 12:00 am





Bryant Kearl Lab Director 03/29/2023





Apollo Labs 17301 North Perimeter Drive Scottsdale, AZ 85255 (602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

4 of 4

(Jeeter) INFUSED GRANDDADDY PURP 0.5 x 5, 1G, 2G & HALF GRAM

Sample ID: 2303APO0744.3822 Strain: GRANDDADDY PURP Produced: Collected: Received: 03/24/2023

Jeeter

Lot #:

Type: Enhanced/Infused Preroll

Matrix: Plant

Completed: 03/29/2023 Batch #: DFAZ-GDP-031423 Lic. # 00000015DCGC00626237

Residual Solvents

Analyte	LOQ	Limit	Mass	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	M2
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	M2
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	M2
n-Heptane	1892.0000	5000.0000	ND	Pass	M2
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	M2
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	M2
Pentane	1923.0000	5000.0000	ND	Pass	
Propane	1907.0000	5000.0000	ND	Pass	M2
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

LABS

Date Tested: 03/28/2023 07:00 am





Bryant Kearl Lab Director 03/29/2023

