

The Flower Shop

26953 S. Republic Rd.
San Manuel, AZ 85631
gretab@theflowershopaz.com
(480) 570-4808
Lic. #00000041ESLU31226658

Sample: 2303DEL0255.1037

Strain: Maui Wowie
Lot#: ; Batch#: MAUI022723; Batch Size: - grams

Sample Received: 03/29/2023; Report Created: 04/03/2023
Testing Completed: 04/02/2023

MAUI022723

Plant, Flower - Cured
Reference:



Complete Potency	Pass Microbials	Not Tested Residual Solvents	Pass Pesticides, Fungicides, Growth Regulators	Not Tested Herbicides	Not Tested Mycotoxins	Pass Heavy Metals
----------------------------	---------------------------	----------------------------------------	----------------------------------------------------------	---------------------------------	---------------------------------	-----------------------------



15.69%
THC Max

ND
CBD Max

17.89%
Regulatory Cannabinoids

17.89%
Total Cannabinoids Q3

Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	1.00	ND	ND	
CBD	1.00	ND	ND	
CBDa	1.00	ND	ND	
CBG	1.00	ND	ND	
CBGa	1.00	<LOQ	<LOQ	
CBN	1.00	ND	ND	
Δ8-THC	1.00	ND	ND	
Δ9-THC	1.00	<LOQ	<LOQ	
THCa	1.00	17.89	178.9	
THCV	1.00	ND	ND	
Total		17.89	178.9	

Qualifiers: M4,D1
Date Tested: 03/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa * 0.877 + Δ9-THC; CBD Max = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

The Flower Shop

26953 S. Republic Rd.
San Manuel, AZ 85631
gretab@theflowershopaz.com
(480) 570-4808
Lic. #00000041ESLU31226658

Sample: 2303DEL0255.1037

Strain: Maui Wowie
Lot#: ; Batch#: MAUI022723; Batch Size: - grams
Sample Received: 03/29/2023; Report Created: 04/03/2023
Testing Completed: 04/02/2023

MAUI022723

Plant, Flower - Cured
Reference:



Microbials

Pass

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 03/31/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



The Flower Shop

26953 S. Republic Rd.
San Manuel, AZ 85631
gretab@theflowershopaz.com
(480) 570-4808
Lic. #00000041ESLU31226658

Sample: 2303DEL0255.1037

Strain: Maui Wowie
Lot#: ; Batch#: MAUI022723; Batch Size: - grams

Sample Received: 03/29/2023; Report Created: 04/03/2023
Testing Completed: 04/02/2023

MAUI022723

Plant, Flower - Cured
Reference:



Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND	M2	Pass	Hexythiazox	0.03	1.00	ND		Pass
Acephate	0.01	0.40	ND	V1	Pass	Imazalil	0.01	0.20	ND	M1	Pass
Acequinocyl	0.05	2.00	ND	M2	Pass	Imidacloprid	0.01	0.40	ND		Pass
Acetamiprid	0.01	0.20	ND	M1	Pass	Kresoxim Methyl	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND		Pass	Malathion	0.01	0.20	ND	M1	Pass
Azoxystrobin	0.01	0.20	ND	M1	Pass	Metalaxyl	0.01	0.20	ND	M1	Pass
Bifenazate	0.01	0.20	ND	M1	Pass	Methiocarb	0.01	0.20	ND	M1	Pass
Bifenthrin	0.01	0.20	ND		Pass	Methomyl	0.01	0.40	ND		Pass
Boscalid	0.01	0.40	ND		Pass	Myclobutanil	0.01	0.20	ND	M1	Pass
Carbaryl	0.01	0.20	ND	L1 M1 V1	Pass	Naled	0.01	0.50	ND		Pass
Carbofuran	0.01	0.20	ND	M1	Pass	Oxamyl	0.03	1.00	ND		Pass
Chlorantraniliprole	0.01	0.20	ND	M1	Pass	Paclobutrazol	0.01	0.40	ND		Pass
Chlorfenapyr	0.03	1.00	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND		Pass
Chlorpyrifos	0.01	0.20	ND	M1	Pass	Phosmet	0.01	0.20	ND	M1	Pass
Clofentezine	0.01	0.20	ND	M1	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND	M1	Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND		Pass
Daminozide	0.03	1.00	ND		Pass	Propoxur	0.01	0.20	ND	M1	Pass
DDVP	0.00	0.10	ND		Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND		Pass
Diazinon	0.01	0.20	ND	M1	Pass	Pyridaben	0.01	0.20	ND	M1	Pass
Dimethoate	0.01	0.20	ND	M1	Pass	Spinosad (A and D)	0.01	0.20	ND		Pass
Ethoprophos	0.01	0.20	ND	M1	Pass	Spiromesifen	0.01	0.20	ND		Pass
Etofenprox	0.01	0.40	ND	M2	Pass	Spirotetramat	0.01	0.20	ND	R1	Pass
Etoxazole	0.01	0.20	ND	M1	Pass	Spiroxamine	0.01	0.40	ND		Pass
Fenoxycarb	0.01	0.20	ND	M1	Pass	Tebuconazole	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND		Pass	Thiacloprid	0.01	0.20	ND	M1	Pass
Fipronil	0.01	0.40	ND		Pass	Thiamethoxam	0.01	0.20	ND	M1 V1	Pass
Fonicamid	0.03	1.00	ND		Pass	Trifloxystrobin	0.01	0.20	ND		Pass
Fludioxonil	0.01	0.40	ND		Pass						

Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: M1, M2, L1, V1, R1

Date Tested: 03/31/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M1, M2, L1, V1, R1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

The Flower Shop

26953 S. Republic Rd.
San Manuel, AZ 85631
gretab@theflowershopaz.com
(480) 570-4808
Lic. #00000041ESLU31226658

Sample: 2303DEL0255.1037

Strain: Maui Wowie
Lot#: ; Batch#: MAUI022723; Batch Size: - grams

Sample Received: 03/29/2023; Report Created: 04/03/2023
Testing Completed: 04/02/2023

MAUI022723

Plant, Flower - Cured
Reference:



Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND	L1 M1	Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND	L1 R1	Pass

Qualifiers: L1 M1 R1
Date Tested: 04/03/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 M1 R1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

