




Certificate of Analysis

AZDHS Certification # 0000005LCMI00301434




ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023



Potency Results

77.6%	<LOQ%	RATIO
Total THC	Total CBD	1 : 0
		THC CBD

Total THC= THCa * 0.877 + d9-THC
Total CBD= CBDa * 0.877 + CBD

SAFETY

Microbials	Residual Solvents	Mycotoxins	Pesticides	Metals
PASS	PASS	PASS	PASS	PASS



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#0000005LCMI00301434

Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 0000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 00000005LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023

Cannabinoids by HPLC - Medical

Date Analyzed: 06/06/2023 Analyst Initials: DRF

Analyte	LOQ	Mass	Mass	Q
	%	%	mg/g	
THCA	1.59	11.7	117.00	
d9-THC	1.59	67.4	674.00	
d8-THC	1.59	<LOQ	<LOQ	
CBDa	1.59	<LOQ	<LOQ	
CBD	1.59	<LOQ	<LOQ	M1
CBG	1.59	2.83	28.30	
CBN	1.59	<LOQ	<LOQ	
CBC	1.59	<LOQ	<LOQ	
Total Cannabinoids	1.59	81.9	819.00	Q3
Total THC	1.59	77.6	776.00	
Total CBD	1.59	<LOQ	<LOQ	

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.
LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Cannabinoids method: HPLC-DAD.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 0000005LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023

Pesticides by LCMSMS - Medical

Pass

Date Analyzed: 06/07/2023 Analyst Initials: CAC

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.119	0.5	<LOQ	M2, V1	Pass	Hexythiazox	0.248	1.0	<LOQ	L1, M2	Pass
Acephate	0.099	0.4	<LOQ	L1, M1, V1	Pass	Imazalil	0.099	0.2	<LOQ	V1, M1	Pass
Acetaminocyl	0.496	2.0	<LOQ	V1	Pass	Imidacloprid	0.099	0.4	<LOQ		Pass
Acetamiprid	0.050	0.2	<LOQ		Pass	Kresoxim-methyl	0.099	0.4	<LOQ	L1, M1, V1	Pass
Aldicarb	0.099	0.4	<LOQ	M1, V1	Pass	Malathion	0.050	0.2	<LOQ	L1, M1, V1	Pass
Azoxystrobin	0.050	0.2	<LOQ		Pass	Metalaxyl	0.099	0.2	<LOQ		Pass
Bifenazate	0.050	0.2	<LOQ	M1	Pass	Methiocarb	0.050	0.2	<LOQ	L1, M1, V1	Pass
Bifenthrin	0.050	0.2	<LOQ		Pass	Methomyl	0.099	0.4	<LOQ		Pass
Boscalid	0.099	0.4	<LOQ		Pass	Myclobutanil	0.050	0.2	<LOQ	L1	Pass
Carbaryl	0.050	0.2	<LOQ	L1, M1, V1	Pass	Naled	0.124	0.5	<LOQ	L1, M1, V1	Pass
Carbofuran	0.050	0.2	<LOQ		Pass	Oxamyl	0.248	1.0	<LOQ		Pass
Chlorantraniliprole	0.050	0.2	<LOQ	V1	Pass	Pacllobutrazol	0.099	0.4	<LOQ	L1, M1, V1	Pass
Chlorfenapyr	0.496	1.0	<LOQ	L1, M2	Pass	Permethrins	0.050	0.2	<LOQ		Pass
Chlorpyrifos	0.050	0.2	<LOQ		Pass	Phosmet	0.050	0.2	<LOQ	L1, M1, V1	Pass
Clofentezine	0.050	0.2	<LOQ		Pass	Piperonyl butoxide	0.496	2.0	<LOQ		Pass
Cyfluthrin	0.496	1.0	<LOQ	M2, V1	Pass	Prallethrin	0.099	0.2	<LOQ	L1, V1	Pass
Cypermethrin	0.248	1.0	<LOQ	M2, V1	Pass	Propiconazole	0.099	0.4	<LOQ		Pass
Daminozide	0.496	1.0	<LOQ		Pass	Propoxur	0.050	0.2	<LOQ		Pass
Diazinon	0.050	0.2	<LOQ		Pass	Pyrethrins	0.319	1.0	<LOQ	L1, V1	Pass
Dichlorvos	0.050	0.1	<LOQ		Pass	Pyridaben	0.050	0.2	<LOQ	M2, V1	Pass
Dimethoate	0.050	0.2	<LOQ		Pass	Spinosad	0.050	0.2	<LOQ	V1	Pass
Ethoprophos	0.050	0.2	<LOQ		Pass	Spiromesifen	0.050	0.2	<LOQ		Pass
Etofenprox	0.099	0.4	<LOQ		Pass	Spirotetramat	0.050	0.2	<LOQ		Pass
Etoxazole	0.050	0.2	<LOQ		Pass	Spiroxamine	0.099	0.4	<LOQ		Pass
Fenoxycarb	0.050	0.2	<LOQ	L1	Pass	Tebuconazole	0.099	0.4	<LOQ		Pass
Fenpyroximate	0.099	0.4	<LOQ	M2	Pass	Thiacloprid	0.050	0.2	<LOQ		Pass
Fipronil	0.099	0.4	<LOQ		Pass	Thiamethoxam	0.050	0.2	<LOQ		Pass
Flonicamid	0.248	1.0	<LOQ		Pass	Trifloxystrobin	0.050	0.2	<LOQ	M2	Pass
Fludioxonil	0.099	0.4	<LOQ		Pass						

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides method: LC/MS/MS.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434


Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 0000005LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023

Metals by ICPMS - Medical Pass

Date Analyzed: 06/07/2023 Analyst Initials: IAM

Analyte	LOQ	Limit	Mass	Q	Status
	ppm	ppm	ppm		
Arsenic	0.098	0.405	<LOQ		Pass
Cadmium	0.098	0.405	<LOQ		Pass
Lead	0.393	1.05	<LOQ		Pass
Mercury	0.393	1.25	<LOQ		Pass

LOQ = Limit of Quantitation; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins by ELISA- Medical Pass

Date Analyzed: 06/08/2023 Analyst Initials: MRB

Analyte	LOQ	Limit	Mass	Q	Status
	ppb	ppb	ppb		
Aflatoxins Total	2.00	20	2.42		Pass
Ochratoxin A	4.00	20	<LOQ		Pass

LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Total Aflatoxins includes Aflatoxins B1, B2, G1, and G2.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#0000005LCMI00301434

Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 0000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 00000005LCMI00301434



PJLA
Accreditation No.: 96186
Certificate No.: L22-417-R1

ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023

Microbials

Pass

E. coli by 3M Petrifilm- Medical Plate

Date Analyzed: 06/09/2023 Analyst Initials: KAM

Analyte	LOQ	Limit	Mass	Q	Status
	cfu/g	cfu/g	cfu/g		
E. coli	9.3	100	<LOQ		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.

Aspergillus and Salmonella by qPCR - Medical qPCR

Date Analyzed: 06/09/2023 Analyst Initials: KAM

Analyte	Mass	Q	Status
Salmonella spp.	Not Detected		Pass
Aspergillus	Not Detected		Pass

Notes: Aerobic plate counts and yeast and mold are provided for informational purposes only.
LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; NR = Not Reported; NT = Not Tested;
ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Aspergillus includes species flavus, fumigatus, niger, and terreus.
E. coli by Petrifilm, Salmonella and Aspergillus by Medicinal Genomics.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434

Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 00000005LCMI00301434



PJLA
Accreditation No.: 96186
Certificate No.: L22-417-R1

ASV AZ Operating Inc.

318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04

CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL**Sample Name: Mother Batch: 230602-3100**

Sample Received: 06/05/2023

Strain Name: Mixed

Report Created: 06/09/2023

Matrix: Concentrates Extracts

Residual Solvents by Headspace GCMS - Medical**Pass**

Date Analyzed: 06/06/2023 Analyst Initials: SML

Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Acetone	126	1000	<LOQ		Pass	2-methylpentane/2,	80.4		<LOQ		
Acetonitrile	50.3	410	<LOQ		Pass	3-dimethylbutane					
Benzene	1.01	2	<LOQ		Pass	2-Propanol (IPA)	628	5000	<LOQ		Pass
Butanes	628	5000	<LOQ		Pass	Isopropyl acetate	628	5000	<LOQ		Pass
n-Butane	628		<LOQ	L1		Methanol	377	3000	<LOQ		Pass
iso-Butane	628		<LOQ	L1, M3, V1		Pentanes	628	5000	<LOQ		Pass
Chloroform	15.1	60	<LOQ		Pass	n-Pentane	628		<LOQ		
Dichloromethane	75.4	600	<LOQ		Pass	iso-pentane	628		<LOQ		
Ethanol	628	5000	<LOQ		Pass	neo-Pentane	628		<LOQ		
Ethyl acetate	628	5000	<LOQ		Pass	Propane	628	5000	<LOQ		Pass
Diethyl Ether	628	5000	<LOQ		Pass	Toluene	116	890	<LOQ		Pass
n-Heptane	628	5000	<LOQ		Pass	Xylenes	276	2170	<LOQ		Pass
Hexanes	40.2	290	<LOQ		Pass	m/p-Xylene	553		<LOQ		
n-Hexane	40.2		<LOQ			o-Xylene	276		<LOQ		
3-Methylpentane	40.2		<LOQ			Ethyl benzene	276		<LOQ		
2,2-Dimethylbutane	40.2		<LOQ								

LOQ = Limit of Quantitation; ND = Not Detected;
Unless otherwise stated all quality control samples performed
within specifications established by the Laboratory.
Solvents method: GC/MS

**C4 LABORATORIES**

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#00000005LCMI00301434

Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 00000005LCMI00301434.



Certificate of Analysis

AZDHS Certification # 0000005LCMI00301434



ASV AZ Operating Inc.
318 S. Bracken Lane
Chandler, AZ 85224
1(480) 553-8805
Lic#: 00000072DCMU00762354

Sample: S306007-04
CC ID#: 2306C4L0006.1798
Lot#: N/A
Batch#: 230602-3100
Batch Size: N/A

FINAL

Sample Name: Mother Batch: 230602-3100
Strain Name: Mixed
Matrix: Concentrates Extracts

Sample Received: 06/05/2023
Report Created: 06/09/2023

Notes and Definitions

Item	Definition
I1	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
M1	Matrix Spike recovery was higher than control limit but recovery of the LCS was within control limits.
M2	Matrix Spike recovery was lower than control limit but recovery of the LCS was within control limits.
M3	Matrix Spike recovery was unusable due to high analyte concentration in the sample but recovery of the LCS was within control limits.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.



C4 LABORATORIES

7650 E. Evans Rd, Unit A
Scottsdale, AZ 85260
(480) 219-6460
<http://www.c4lab.com>
Lic.#0000005LCMI00301434

Jillian Blaney
Technical Laboratory Director

This product has been tested by C4 Laboratories LLC using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17, May 3, 2021. Values reported relate only to the product tested as received. C4 Laboratories LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Contact C4 Laboratories LLC for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of C4 Laboratories LLC. AZDHS certification 0000005LCMI00301434.