



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/16/2023

2306OPT2217.8647

SAMPLE NAME: Red Velvet RTZ (5.24.2023) Flower

Matrix: Plant | Type: Flower - Cured
Strain Name: Red Velvet RTZ | Classification: Indica Dominant

CULTIVATOR/MANUFACTURER:

Business Name: Source One Meds, LLC
License: 00000052ESLX15969554
Address: 143 N. Miami Ave, Miami, AZ 85539

SAMPLE DETAIL:

Batch Number:
5491 6352 1270 5932

Date Received:
06/10/2023

Batch Size:

External Lot ID:

Sample Size:

Other Information:

Unit Mass:
g



Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS SUMMARY

Total THC: 21.3740%
Δ9-THC + (THCa * 0.877)

Total Cannabinoids: 25.1015%
CBD + CBDa + CBG + CBGa + CBN + Δ8-THC + Δ9-THC + THCa + THCv

Total CBD: ND
CBD + (CBDa * 0.877)

SAFETY ANALYSIS SUMMARY

Pesticides: Pass

Heavy Metals: Pass

Moisture: Not Tested

Mycotoxins: Not Tested

Residual Solvents: Not Tested

Water Activity: Not Tested

Microbials: Pass

Foreign Material: Not Tested

TERPENE ANALYSIS SUMMARY

NOT TESTED

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee




OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.

CANNABINOID TEST RESULTS: 06/10/2023

Method: HPLC

| | |
|---------------------------------------------------------|------------------------------------------------------------------|
| <p>21.3740%</p> <p>21.3740%</p> <p>Total THC</p> | <p>25.1015%</p> <p>25.1015%</p> <p>Total Cannabinoids</p> |
| <p>ND</p> <p>ND</p> <p>Total CBD</p> | <p>NT</p> <p>Moisture (Q3)</p> |

| Analyte | Qualifier | LOQ | Result | Result |
|------------------|-----------|--------|----------------|-----------------|
| | | % | % | mg/g |
| THCa | | 0.0300 | 24.0399 | 240.399 |
| Δ9-THC | | 0.0300 | 0.2910 | 2.910 |
| Δ8-THC | | 0.0300 | ND | ND |
| CBDa | | 0.0200 | ND | ND |
| CBD | | 0.0200 | ND | ND |
| CBN | | 0.0040 | ND | ND |
| CBG | | 0.0040 | ND | ND |
| CBGa | | 0.0040 | 0.7706 | 7.706 |
| THCV | | 0.0040 | ND | ND |
| Total THC | | | 21.3740 | 213.7399 |
| Total CBD | | | ND | ND |
| Total | | | | |

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee 



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/16/2023

2306OPT2217.8647

MICROBIALS TEST RESULTS: 06/10/2023

Pass

Method: BioRad qPCR

| Analyte | Qualifier | Limits/Units | Result | Final Result |
|--------------|-----------|--------------|-------------------|--------------|
| E. Coli | | CFU/g 100 | CFU/g <40.0000 | Pass |
| Yeast & Mold | Q3 | | NR | NT |

| Analyte | Qualifier | Limits/Units | Result | Final Result |
|-----------------------|-----------|--------------|--------------|--------------|
| Salmonella | | 1g | Not Detected | Pass |
| Aspergillus fumigatus | | 1g | Not Detected | Pass |
| Aspergillus niger | | 1g | Not Detected | Pass |
| Aspergillus flavus | | 1g | Not Detected | Pass |
| Aspergillus terreus | | 1g | Not Detected | Pass |

OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



OnPoint
LABORATORIES

Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/16/2023


2306OPT2217.8647

PESTICIDES TEST RESULTS: 06/09/2023

Pass

Method: Agilent Ultivo LC/MS

| Pesticides | Qualifier | LOQ | Limit | Result | Final Result | Pesticides | Qualifier | LOQ | Limit | Result | Final Result |
|---------------------|-----------|--------|--------|--------|--------------|--------------------|-----------|--------|--------|--------|--------------|
| | | PPM | PPM | PPM | | | | PPM | PPM | PPM | |
| Abamectin | L1 | 0.2500 | 0.5000 | ND | Pass | Hexythiazox | | 0.5000 | 1.0000 | ND | Pass |
| Acephate | | 0.2000 | 0.4000 | ND | Pass | Imazalil | | 0.1000 | 0.2000 | ND | Pass |
| Acequinocyl | | 1.0000 | 2.0000 | ND | Pass | Imidacloprid | | 0.2000 | 0.4000 | ND | Pass |
| Acetamiprid | | 0.1000 | 0.2000 | ND | Pass | Kresoxim Methyl | | 0.2000 | 0.4000 | ND | Pass |
| Aldicarb | | 0.2000 | 0.4000 | ND | Pass | Malathion | | 0.1000 | 0.2000 | ND | Pass |
| Azoxystrobin | | 0.1000 | 0.2000 | ND | Pass | Metalaxyl | | 0.1000 | 0.2000 | ND | Pass |
| Bifenazate | V1 | 0.1000 | 0.2000 | ND | Pass | Methiocarb | | 0.1000 | 0.2000 | ND | Pass |
| Bifenthrin | | 0.1000 | 0.2000 | ND | Pass | Methomyl | | 0.2000 | 0.4000 | ND | Pass |
| Boscalid | | 0.2000 | 0.4000 | ND | Pass | Myclobutanil | | 0.1000 | 0.2000 | ND | Pass |
| Carbaryl | | 0.1000 | 0.2000 | ND | Pass | Naled | | 0.2500 | 0.5000 | ND | Pass |
| Carbofuran | | 0.1000 | 0.2000 | ND | Pass | Oxamyl | | 0.5000 | 1.0000 | ND | Pass |
| Chlorantraniliprole | | 0.1000 | 0.2000 | ND | Pass | Paclobutrazol | | 0.2000 | 0.4000 | ND | Pass |
| Chlorfenapyr | | 0.5000 | 1.0000 | ND | Pass | Permethrins | | 0.1000 | 0.2000 | ND | Pass |
| Chlorpyrifos | | 0.1000 | 0.2000 | ND | Pass | Phosmet | | 0.1000 | 0.2000 | ND | Pass |
| Clofentezine | | 0.1000 | 0.2000 | ND | Pass | Piperonyl Butoxide | | 1.0000 | 2.0000 | ND | Pass |
| Cyfluthrin | | 0.5000 | 1.0000 | ND | Pass | Prallethrin | | 0.1000 | 0.2000 | ND | Pass |
| Cypermethrin | | 0.5000 | 1.0000 | ND | Pass | Propoxur | | 0.1000 | 0.2000 | ND | Pass |
| Daminozide | | 0.5000 | 1.0000 | ND | Pass | Pyrethrins | | 0.5000 | 1.0000 | ND | Pass |
| DDVP | | 0.0500 | 0.1000 | ND | Pass | Propiconazole | | 0.2000 | 0.4000 | ND | Pass |
| Diazinon | | 0.1000 | 0.2000 | ND | Pass | Pyridaben | | 0.1000 | 0.2000 | ND | Pass |
| Dimethoate | | 0.1000 | 0.2000 | ND | Pass | Spinosad | | 0.1000 | 0.2000 | ND | Pass |
| Ethoprophos | | 0.1000 | 0.2000 | ND | Pass | Spiromesifen | | 0.1000 | 0.2000 | ND | Pass |
| Etofenprox | | 0.2000 | 0.4000 | ND | Pass | Spirotetramat | | 0.1000 | 0.2000 | ND | Pass |
| Etoxazole | | 0.1000 | 0.2000 | ND | Pass | Spiroxamine | | 0.2000 | 0.4000 | ND | Pass |
| Fenoxycarb | | 0.1000 | 0.2000 | ND | Pass | Tebuconazole | | 0.2000 | 0.4000 | ND | Pass |
| Fenpyroximate | | 0.2000 | 0.4000 | ND | Pass | Thiacloprid | | 0.1000 | 0.2000 | ND | Pass |
| Fipronil | | 0.2000 | 0.4000 | ND | Pass | Thiamethoxam | | 0.1000 | 0.2000 | ND | Pass |
| Flonicamid | | 0.5000 | 1.0000 | ND | Pass | Trifloxystrobin | | 0.1000 | 0.2000 | ND | Pass |
| Fludioxonil | | 0.2000 | 0.4000 | ND | Pass | | | | | | |



Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.



Regulatory Compliance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED: 06/16/2023


2306OPT2217.8647

HEAVY METALS TEST RESULTS: 06/10/2023

Pass

Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Final Result |
|---------|-----------|--------|---------|--------|--------------|
| | | PPB | PPB | PPB | |
| Arsenic | | 200.00 | 400.00 | ND | Pass |
| Cadmium | | 200.00 | 400.00 | <LOQ | Pass |
| Lead | | 500.00 | 1000.00 | <LOQ | Pass |
| Mercury | | 600.00 | 1200.00 | <LOQ | Pass |



OnPoint LABORATORIES

Data Reviewed by Symone Whalin, Laboratory Technical Director Designee



OnPoint Laboratories LLC | 501 S Main Street, Snowflake, AZ | (928) 457-0222 | <https://www.onpointlaboratories.com> | License #: 00000006LCXI00549589
The results included here represent laboratory testing data and are not compensated for uncertainty. It is the responsibility of the end user to determine if the use of this data is appropriate for the specific application and the intended use. Testing results were obtained using approved methods according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04. Results relate only to the samples received. The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of the report are not taken out of context. Limits and required tests are referenced from Laws 2019, Ch. 318, revised A.R.S. Title 36, Chapter 28.1. Q3 testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317 - Q3.