

**Genesis Biocenticals, LLC**

1120 W Watkins St  
Phoenix, AZ 85007  
toddallen50@gmail.com  
(847) 682-4899  
Lic. #00000058DCQU00115543

**Sample: 2303DEL0244.0959**

Strain: Tropicana Banana  
Lot#: ; Batch#: TRBA-1685-20230131; Batch Size: 11 - grams  
Sample Received: 03/25/2023; Report Created: 04/02/2023  
Testing Completed: 04/01/2023

**Tropicana Banana Flower/Pre-Roll**

Plant, Flower - Cured, Indoor  
Reference:



<b>Complete</b> Potency	<b>Pass</b> Microbials	<b>Not Tested</b> Residual Solvents	<b>Pass</b> Pesticides, Fungicides, Growth Regulators	<b>Not Tested</b> Herbicides	<b>Not Tested</b> Mycotoxins	<b>Pass</b> Heavy Metals
----------------------------	---------------------------	--	--	---------------------------------	---------------------------------	-----------------------------



**27.59%**  
THC Max

**ND**  
CBD Max

**31.46%**  
Regulatory Cannabinoids

**31.46%**  
Total Cannabinoids Q3

**Cannabinoids**

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	2.00	ND	ND	
CBD	2.00	ND	ND	
CBDa	2.00	ND	ND	
CBG	2.00	ND	ND	
CBGa	2.00	<LOQ	<LOQ	
CBN	2.00	ND	ND	
Δ8-THC	2.00	ND	ND	
Δ9-THC	2.00	ND	ND	
THCa	2.00	31.46	314.6	
THCV	2.00	ND	ND	
<b>Total</b>		<b>31.46</b>	<b>314.6</b>	

Qualifiers: M4,D1  
Date Tested: 03/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa \* 0.877 + Δ9-THC; CBD Max = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

**Genesis Bioceuticals, LLC**

1120 W Watkins St  
Phoenix, AZ 85007  
toddallen50@gmail.com  
(847) 682-4899  
Lic. #00000058DCQU00115543

**Sample: 2303DEL0244.0959**

Strain: Tropicana Banana  
Lot#: ; Batch#: TRBA-1685-20230131; Batch Size: 11 - grams  
Sample Received: 03/25/2023; Report Created: 04/02/2023  
Testing Completed: 04/01/2023

**Tropicana Banana Flower/Pre-Roll**



Plant, Flower - Cured, Indoor  
Reference:



**Terpenes**

Analyte	LOQ	Mass	Mass
	PPM	PPM	%
α-Pinene	315	1402	0.14
Camphene	315	1201	0.12
β-Myrcene	315	4543	0.45
β-Pinene	315	1678	0.17
δ-3-Carene	315	ND	ND
α-Terpinene	315	ND	ND
trans-Ocimene	315	ND	ND
δ-Limonene	315	3900	0.39
p-Cymene	315	ND	ND
cis-Ocimene	315	ND	ND
Eucalyptol	315	ND	ND
γ-Terpinene	315	ND	ND
Terpinolene	315	1141	0.11
Linalool	315	2366	0.24
Isopulegol	315	ND	ND
Geraniol	315	ND	ND
β-Caryophyllene	315	6627	0.66
α-Humulene	315	3058	0.31
cis-Nerolidol	315	1304	0.13
trans-Nerolidol	315	ND	ND
Guaiol	315	1773	0.18
α-Bisabolol	315	1639	0.16
Caryophyllene Oxide	315	1809	0.18

**Primary Aromas**



**3.24%**  
**32,441 PPM**  
Total Terpenes

Qualifiers: Q3  
Date Tested: 03/28/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Q3), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

**Genesis Biocenticals, LLC**

1120 W Watkins St  
Phoenix, AZ 85007  
toddallen50@gmail.com  
(847) 682-4899  
Lic. #00000058DCQU00115543

**Sample: 2303DEL0244.0959**

Strain: Tropicana Banana  
Lot#: ; Batch#: TRBA-1685-20230131; Batch Size: 11 - grams  
Sample Received: 03/25/2023; Report Created: 04/02/2023  
Testing Completed: 04/01/2023

**Tropicana Banana Flower/Pre-Roll**

Plant, Flower - Cured, Indoor  
Reference:



**Microbials**

**Pass**

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 03/28/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only.  
Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



## Genesis Bioceuticals, LLC

1120 W Watkins St  
Phoenix, AZ 85007  
toddallen50@gmail.com  
(847) 682-4899  
Lic. #0000058DCQU00115543

## Sample: 2303DEL0244.0959

Strain: Tropicana Banana  
Lot#: ; Batch#: TRBA-1685-20230131; Batch Size: 11 - grams  
Sample Received: 03/25/2023; Report Created: 04/02/2023  
Testing Completed: 04/01/2023

## Tropicana Banana Flower/Pre-Roll

Plant, Flower - Cured, Indoor  
Reference:



### Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND	M2	Pass	Hexythiazox	0.03	1.00	ND		Pass
Acephate	0.01	0.40	ND	V1	Pass	Imazalil	0.01	0.20	ND	M1	Pass
Acequinocyl	0.05	2.00	ND	M2	Pass	Imidacloprid	0.01	0.40	ND		Pass
Acetamiprid	0.01	0.20	ND	M1	Pass	Kresoxim Methyl	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND		Pass	Malathion	0.01	0.20	ND	M1	Pass
Azoxystrobin	0.01	0.20	ND	M1	Pass	Metalaxyl	0.01	0.20	ND	M1	Pass
Bifenazate	0.01	0.20	ND	M1	Pass	Methiocarb	0.01	0.20	ND	M1	Pass
Bifenthrin	0.01	0.20	ND		Pass	Methomyl	0.01	0.40	ND		Pass
Boscalid	0.01	0.40	ND		Pass	Myclobutanil	0.01	0.20	ND	M1	Pass
Carbaryl	0.01	0.20	ND	L1 M1 V1	Pass	Naled	0.01	0.50	ND		Pass
Carbofuran	0.01	0.20	ND	M1	Pass	Oxamyl	0.03	1.00	ND		Pass
Chlorantraniliprole	0.01	0.20	ND	M1	Pass	Paclobutrazol	0.01	0.40	ND		Pass
Chlorfenapyr	0.03	1.00	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND		Pass
Chlorpyrifos	0.01	0.20	ND	M1	Pass	Phosmet	0.01	0.20	ND	M1	Pass
Clofentezine	0.01	0.20	ND	M1	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND	M1	Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND		Pass
Daminozide	0.03	1.00	ND		Pass	Propoxur	0.01	0.20	ND	M1	Pass
DDVP	0.00	0.10	ND		Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND		Pass
Diazinon	0.01	0.20	ND	M1	Pass	Pyridaben	0.01	0.20	ND	M1	Pass
Dimethoate	0.01	0.20	ND	M1	Pass	Spinosad (A and D)	0.01	0.20	ND		Pass
Ethoprophos	0.01	0.20	ND	M1	Pass	Spiromesifen	0.01	0.20	ND		Pass
Etofenprox	0.01	0.40	ND	M2	Pass	Spirotetramat	0.01	0.20	ND	R1	Pass
Etoxazole	0.01	0.20	ND	M1	Pass	Spiroxamine	0.01	0.40	ND		Pass
Fenoxycarb	0.01	0.20	ND	M1	Pass	Tebuconazole	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND		Pass	Thiacloprid	0.01	0.20	ND	M1	Pass
Fipronil	0.01	0.40	ND		Pass	Thiamethoxam	0.01	0.20	ND	M1 V1	Pass
Fonicamid	0.03	1.00	ND		Pass	Trifloxystrobin	0.01	0.20	ND		Pass
Fludioxonil	0.01	0.40	ND		Pass						

### Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: M1, M2, L1, V1, R1

Date Tested: 03/31/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M1, M2, L1, V1, R1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

**Genesis Biocenticals, LLC**

1120 W Watkins St  
Phoenix, AZ 85007  
toddallen50@gmail.com  
(847) 682-4899  
Lic. #00000058DCQU00115543

**Sample: 2303DEL0244.0959**

Strain: Tropicana Banana  
Lot#: ; Batch#: TRBA-1685-20230131; Batch Size: 11 - grams  
Sample Received: 03/25/2023; Report Created: 04/02/2023  
Testing Completed: 04/01/2023

**Tropicana Banana Flower/Pre-Roll**

Plant, Flower - Cured, Indoor  
Reference:



**Heavy Metals**

**Pass**

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND	L1 M1 V1	Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND	L1 M2	Pass

Qualifiers: L1 M1 M2 V1  
Date Tested: 03/31/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

