

#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

Harvest/Lot ID: ICP-0010-B0038

Create Date: 07/15/2023

Exp. Date: 07/15/2025

#### Seed-to-Sale #:

**Batch Information** 

Matrix: Capsule/Tablet Pickup Weight: 9 g

# **Dispensary Information**


# **Order Information**

#### Order #: 81575

Order Name: Chill Pill - Capsules - Indica 10mg B0038 Retail Batch #: ICP-0010-B0038

Received: 07/17/2023 09:56:06 Complete: 07/19/2023 17:29:02 Cultivation Facility: Other Processing Facility: Ally Biotech Cultivar(s): Other

# **COMPLIANCE FOR RETAIL**





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

#### Sample Prep

Tech: 3971 **SOP:** 418.AZ Batch Number: 60626 Batch Date: 07/18/2023 10:04:11 Date/Time: 07/18/2023 15:08:55 Tec so Fina Vol

# **CANNABINOID PROFILE**

HPLC-DAD

# **Sample Analysis**

: <b>h:</b> 3971	
<b>P:</b> 417.AZ	
<b>al Weight:</b> 0.203 g	
<b>.ume:</b> 40 ml	

# **TESTED**

0.3915 % Total CBD

3.3688 %

Total THC

1.174 mg CBD Per Unit

10.106 mg THC Per Unit

4.6575 % Total Cannabinoids (Q3)

13.971 mg Cannabinoids Per Unit (Q3)

# **Cannabinoid Potency (Certified)**

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	QUALIFIERS
СВС	0.064/0.1954	1	0.0591	0.591	0.177	
CBD	0.064/0.1954	1	0.3518	3.518	1.055	
CBDA	0.064/0.1954	1	0.0453	0.453	0.136	
CBDV	0.064/0.1954	1	ND	ND	ND	
CBG	0.064/0.1954	1	0.0954	0.954	0.286	
CBGA	0.064/0.1954	1	0.0204	0.204	0.061	
CBN	0.064/0.1954	1	0.7167	7.167	2.150	
d8-THC	0.064/0.1954	1	ND	ND	ND	
d9-THC	0.064/0.1954	1	3.3688	33.688	10.106	
THCA	0.064/0.1954	1	ND	ND	ND	
THCV	0.064/0.1954	1	<loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	

mg/unit = 0.3 (g) per unit x 1 (g/ml) x cannabinoid concentration (mg/g) Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA) ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT
Total THC	3.3688	33.688	10.106
Total CBD	0.3915	3.915	1.174
Total Cannabinoids (Q3)	4.6575	46.575	13.971

#### **Ahmed Munshi**

Lab Director

Allun

Arizona 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

PASS

# **MYCOTOXIN ANALYSIS**

LC-MS/MS

# Sample Prep

Tech: 3978 SOP: 432.AZ Batch Number: 60606 Batch Date: 07/17/2023 09:41:59

## Sample Analysis

Date/Time: 07/18/2023 14:26:51 Tech: 3997 SOP: 424.AZ Final Weight: 0.522 g Volume: 12.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)	QUALIFIER
Aflatoxin B1	4/10	1	0	ND	
Aflatoxin B2	4/10	1	0	ND	
Aflatoxin G1	4/10	1	0	ND	
Aflatoxin G2	4/5	1	0	ND	
Ochratoxin A	10/0	1	20	ND	R1,I1
Total Aflatoxins	4/10	1	20	ND	

#### Ahmed Munshi

Lab Director

ector AlMun

**Arizona** 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

PASS

# Pesticides, Fungicides, and Growth Regulators

LC-MS/MS

#### Sample Prep

Tech: 3978 SOP: 432.AZ Batch Number: 60606 Batch Date: 07/17/2023 09:41:59

#### Sample Analysis

Date/Time: 07/18/2023 14:26:51 Tech: 3997 SOP: 424.AZ Final Weight: 0.522 g Volume: 12.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	QUALIFIER	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER
Abamectin	0.083/0.25	1	0.5	ND	M1	Hexythiazox	0.167/0.5	1	1	ND	M2
Acephate	0.067/0.2	1	0.4	ND		Imazalil	0.033/0.1	1	0.2	ND	
Acequinocyl	0.333/1	1	2	ND	M2	Imidacloprid	0.067/0.2	1	0.4	ND	
Acetamiprid	0.033/0.1	1	0.2	ND		Kresoxim-methyl	0.067/0.2	1	0.4	ND	
Aldicarb	0.067/0.2	1	0.4	ND		Malathion	0.033/0.1	1	0.2	ND	
Azoxystrobin	0.033/0.1	1	0.2	ND		Metalaxyl	0.033/0.1	1	0.2	ND	
Bifenazate	0.033/0.1	1	0.2	ND		Methiocarb	0.033/0.1	1	0.2	ND	
Bifenthrin	0.033/0.1	1	0.2	ND		Methomyl	0.067/0.2	1	0.4	ND	
Boscalid	0.067/0.2	1	0.4	ND		Myclobutanil	0.033/0.1	1	0.2	ND	
Carbaryl	0.033/0.1	1	0.2	ND		Naled	0.083/0.25	1	0.5	ND	
Carbofuran	0.033/0.1	1	0.2	ND		Oxamyl	0.167/0.5	1	1	ND	
Chlorantraniliprole	0.033/0.1	1	0.2	ND		Paclobutrazol	0.067/0.2	1	0.4	ND	
Chlorfenapyr	0.167/0.5	1	1	ND	R1,I1	Permethrins	0.033/0.1	1	0.2	ND	
Chlorpyrifos	0.033/0.1	1	0.2	ND		Phosmet	0.033/0.1	1	0.2	ND	
Clofentezine	0.033/0.1	1	0.2	ND		Piperonyl Butoxide	0.333/1	1	2	ND	
Cyfluthrin	0.167/0.5	1	1	ND		Prallethrin	0.033/0.1	1	0.2	ND	M1
Cypermethrin	0.167/0.5	1	1	ND		Propiconazole	0.067/0.2	1	0.4	ND	
Daminozide	0.167/0.5	1	1	ND		Propoxur	0.033/0.1	1	0.2	ND	
Diazinon	0.033/0.1	1	0.2	ND		Pyrethrins	0.033/0.1	1	1	ND	
Dichlorvos	0.017/0.05	1	0.1	ND		Pyridaben	0.033/0.1	1	0.2	ND	
Dimethoate	0.033/0.1	1	0.2	ND		Spinosad	0.033/0.1	1	0.2	ND	
Ethoprophos	0.033/0.1	1	0.2	ND		Spiromesifen	0.033/0.1	1	0.2	ND	
Etofenprox	0.067/0.2	1	0.4	ND		Spirotetramat	0.033/0.1	1	0.2	ND	
Etoxazole	0.033/0.1	1	0.2	ND		Spiroxamine	0.067/0.2	1	0.4	ND	
Fenoxycarb	0.033/0.1	1	0.2	ND		Tebuconazole	0.067/0.2	1	0.4	ND	
Fenpyroximate	0.067/0.2	1	0.4	ND		Thiacloprid	0.033/0.1	1	0.2	ND	
Fipronil	0.067/0.2	1	0.4	ND	M1,V1,I1	Thiamethoxam	0.033/0.1	1	0.2	ND	
Flonicamid	0.167/0.5	1	1	ND		Trifloxystrobin	0.033/0.1	1	0.2	ND	
Fludioxonil	0.067/0.2	1	0.4	ND							

#### Ahmed Munshi

Lab Director

Allan

**Arizona** 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

PASS

PASS

## **RESIDUAL SOLVENTS**

HS-GC-MS

## Sample Prep

Tech: 3978 **SOP:** 405.AZ Batch Number: 60607 Batch Date: 07/17/2023 09:44:06

# **Sample Analysis**

Date/Time: 07/19/2023 11:00:59 Tech: 3997 **SOP:** 405.AZ Final Weight: 0.053 g Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)	QUALIFIER
2-Propanol	333/1000	1	5000	ND		Ethyl ether	333/1000	1	5000	ND	
Acetone	67/200	1	1000	ND		Heptane	333/1000	1	5000	ND	
Acetonitrile	27/82	1	410	ND		Hexanes	48/145	1	290	ND	
Benzene	0.13/0.4	1	2	ND		Isopropyl acetate	333/1000	1	5000	ND	
Butanes	167/500	1	5000	ND		Methanol	200/600	1	3000	ND	
Chloroform	4/12	1	60	ND		Pentanes	333/1000	1	5000	ND	
Dichloromethane	40/120	1	600	ND		Propane	167/500	1	5000	ND	
Ethanol	333/1000	1	5000	ND		Toluene	59/178	1	890	ND	
Ethyl acetate	333/1000	1	5000	ND		Xylenes	289/868	1	2170	ND	

## **HEAVY METAL ANALYSIS**

ICP-MS

#### Sample Prep

Tech: 3971 **SOP:** 428.AZ Batch Number: 60596 Batch Date: 07/14/2023 11:35:08

#### Sample Analysis

Date/Time: 07/17/2023 17:32:30 Tech: 3971 **SOP:** 428.AZ Final Weight: 0.207 g Volume: 6 ml

ANALYTE	LOD/LOQ (ppm)	DIL. ACTION LIMIT (ppm)		RESULTS (ppm)	QUALIFIER	
Arsenic	0.02/0.2	10	0.4	ND	L1	
Cadmium	0.02/0.2	10	0.4	ND		
Lead	0.02/0.5	10	1	ND		
Mercury	0.02/0.6	10	1.2	ND		

#### **Ahmed Munshi**

Lab Director

Allun

Arizona 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

# MICROBIAL ANALYSIS

# PASS

#### Sample Prep

# Sample Analysis

Tech: 3978 SOP: 431.AZ Batch Number: 60608 Batch Date: 07/17/2023 09:44:45

Date/Time: 07/19/2023 11:38:21	Final Weight: 1.025 g
Tech: 3989	
SOP: 431.AZ	

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL	QUALIFIER
E. coli	Tempo	< 100 CFU/g	< 100 CFU/g	PASS	
	Sample Prep			Sample Analysis	
Tech: 3978 SOP: 406.AZ	Batch Number: 60609 Batch Date: 07/17/2023 09:45:36		Date/Time: 07/19/2023 17:21:52 Final Weight: 1.01 g Tech: 3989 SOP: 406.AZ		
ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL	QUALIFIER

Salmonella	qPCR	Not Detected in One Gram	Not Detected in One Gram	PASS

#### Ahmed Munshi

Lab Director

ector AlMun

Arizona 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930





#### **CERTIFICATE OF ANALYSIS**

ISO/IEC: 17025:2017 Accreditation #: 103104 License #: 0000020LCVT89602592



Ally Biotech 200 N. Tonto Payson, AZ, 85541 (480) 745-2202 License #: 00000024DCTZ00479209 Order #: 81575 Retail Batch #: ICP-0010-B0038

## **QUALIFIER LEGEND**

ALSO REFERENCED AS "Q"

1 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference

L1 When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample

M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria

M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria

**Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requir

R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria

V1 The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample

#### Ahmed Munshi

Lab Director

ector Allun

**Arizona** 734 W Highland Avenue, 2nd Floor Phoenix, AZ 85013 (602) 806-6930

