

Powered by Confident Cannabis 1 of 9

Sublime Brands

Phoenix, AZ 85009

Lic. #0000010ESIR42914838

SIP Hurricane 100mg

Ingestible, Beverage, Alcohol Distillate Reference #: S083

Sample: 2	310LVL1	116.5883
-----------	---------	----------

Strain: Hybrid Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



HURRUN	97.62mg/unit Total THC	ND Total CBD	97.62mg/unit
SIP	NT Total Terpenes	Not Tested	Total Cannabinoids

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass	Qualifier
	mg/unit	mg/unit	mg/g	
THCa	9.224	ND	ND	
∆9-THC	9.224	97.622	1.825	
∆8-THC	9.224	ND	ND	
THCVa	9.224	ND	ND	
THCV	9.224	ND	ND	
CBDa	9.224	ND	ND	
CBD	9.224	ND	ND	
CBDVa	9.224	ND	ND	
CBDV	9.224	ND	ND	
CBN	9.224	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa	9.224	ND	ND	
CBG	9.224	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBC	9.224	ND	ND	
Total		97.622	1.825	

Qualifiers: Date Tested: 10/10/2023 07:00 am 53.5 Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic#0000004LCIG00024823 the S

Confident Cannabis All Rights Reserved support@confidentcannabis.com www.confidentcannabis.com



Matthew Schuberth Laboratory Director

(866) 506-5866





Powered by Confident Cannabis 2 of 9

Sublime Brands

Sample: 2310LVL1116.5883

Microbials

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



Strain: Hybrid

Pass

Phoenix, AZ 85009

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

Analyte Result **Result Units** Status Qualifier E. Coli <10 CFU/G Pass Salmonella Not Detected in one gram Pass Aspergillus terreus NR NT in one gram Aspergillus fumigatus, Aspergillus flavus, and NR NT in one gram Aspergillus niger

Qualifiers: Date Tested: 10/11/2023 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823

Matthew Schuberth Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 3 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

Sample: 2310LVL1116.5883

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



Strain: Hybrid

SC Labs **Certificate of Analysis** Formerly C4 Labs AZDHS Certification # 00000005LCMI00301434 CMS Ventures - GSI 13454 N. Black Canyon Hwy Phoenix, AZ 85029 14804570860 Lic#: 00000014ESNA15249640 Sample: S309018-01 CC ID#: 2309C4L0010.2707 Lot#: N/A Batch#: S083 FINAL Batch Size: N// Sample Name: FP Bulk Distillate Strain Name: FP Bulk Distillate Sample Collected: 09/1/2023 15:00 Matrix: Concentrates Extracts Sample Received: 09/05/2023 8:58 Amount Received: 16.7164 g Report Created: 09/13/2023 19:02 SAFETY Residual Pesticides Microbials Mycotoxins Solvents PASS PASS PASS PASS Metals PASS Terpenes Total Terpenes (Q3) **Cannabinoid Results** 96.9% 91.5% <LOQ RATIO 0 1 тнс CBD Sum of Cannabinoids (Q3) Total THC Total CBD otal THC= THCA * 0.877 + d9-TI otal CBD= CBDA * 0.877 + CBD 🌄 SC Labs' Jillion Blencey 7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#00000005LCM100301 Jillian Blanev Technical Laboratory Director 0301434 I has been lested by SC va Code (A.A.C.) Title 9



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 4 of 9

Sublime Brands

Lic. #0000010ESIR42914838

Distillate Reference #: S083

SIP Hurricane 100mg Ingestible, Beverage, Alcohol

Sample: 2310LVL1116.5883

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



Strain: Hybrid

	erly C4	abs				Analysis	434	FJLA Accreditation No.: 96186 Certificate No.: L22-417-R1
CMS Ventures - 13454 N. Black Canyon Phoenix, AZ 85029 14804570860 Lic#: 00000014ESNA15	Hwy				FINAL	C L B	C ID#: 2309C4L0010.2707 ot#: N/A atch#: S083 atch Size: N/A)1
Sample Name:	FP B	ulk Distill	ate					
Strain Name: FP B	ulk Distil	late					Sample Collected: 09/	1/2023 15:00
Matrix: Concentrate	s Extrac	ts					Sample Received: 09/	05/2023 8:58
Amount Received:	16.7164 c	1					Report Created: 09/13	/2023 19:02
Cannabinoids I Date Analyzed: 09/07/2023 Analyte								
	%	%	mg/g					
THCA	1.49	<loq< td=""><td>< LOQ</td><td></td><td></td><td></td><td></td><td></td></loq<>	< LOQ					
d9-THC	1.49	91.5	915					
	1.49	<loq< td=""><td>< LOQ</td><td></td><td></td><td></td><td></td><td></td></loq<>	< LOQ					
	1.49	<loq< td=""><td>< LOQ</td><td></td><td></td><td></td><td></td><td></td></loq<>	< LOQ					
CBDA		<loq< td=""><td>< LOQ 22.2</td><td>M1</td><td></td><td></td><td></td><td></td></loq<>	< LOQ 22.2	M1				
d8-THC CBDA CBD	1.49	0.00						
CBDA CBD CBG	1.49	2.22						
CBDA CBD CBG CBN	1.49 1.49	3.18	31.8					
CBDA CBD CBG CBN CBC	1.49			03				
CBDA CBD CBG CBN CBC Sum of Cannabinoids	1.49 1.49 1.49	3.18 <loq< td=""><td>31.8 < LOQ</td><td>Q3</td><td></td><td></td><td></td><td></td></loq<>	31.8 < LOQ	Q3				
CBDA CBD	1.49 1.49 1.49 1.49	3.18 <loq 96.9</loq 	31.8 < LOQ 969	Q3				

7650 E. Evans Rd, Unit A Scottsödie, AZ 5520 (481) 215-640 http://www.sclabs.com	Jillion Eduricy Jillian Blaney Technical Laboratory Director	
Administrative Code (A A.C.) Tille 9, Chapter 17, Valu non-detected levels of any compounds reported he	esting motifications and a quality system as required by Arizona state law. Results marked as "Pars" or "Fail" are done so in reference as reported relate only to the product tosted as neolived SC Laba makes no claims as to the efficancy, taking ar whi. Writes additional and any control samples performed arithm specificationes established by the Laboratory. Contact SC Lab do this sample. This "Refinals whin the the explorationed end on the laboration the writes mayout of SC Labs	Th any delected or



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 5 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

Sample: 2310LVL1116.5883

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



Strain: Hybrid

SC Forme	rly C4 L					of Analysis				Accreditation Certificate No.:	
US Ventures - 1 154 N. Black Canyon H benix, AZ 85029 804570860 #: 00000014ESNA152	łwy				FIN	AL		309C4L00	9018-01 010.2707		
ample Name: rain Name: FP Bu atrix: Concentrates nount Received: 10	lk Distilla _Extracts	te	ate				Sam	ple Rece	ived: 09/05	2023 15:00 5/2023 8:5 2023 19:02	
Pesticides by Date Analyzed: 09/07/203				ICE							Pass
Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm			-	ppm	ppm	ppm		
Abamectin	0.118	0.5	<loq< td=""><td>M2</td><td>Pass</td><td>Hexythiazox</td><td>0.246</td><td>1,0</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	M2	Pass	Hexythiazox	0.246	1,0	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Acephate	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Imazalil</td><td>0.099</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Imazalil	0.099	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acequinocvi	0.493	2.0	<loq< td=""><td>V1</td><td>Pass</td><td>Imidacloprid</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Imidacloprid	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Acetamiprid	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Kresoxim-methyl</td><td>0.099</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Kresoxim-methyl	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Aldicarb	0.099	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Malathion</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Malathion	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Azoxystrobin	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Metalaxyl</td><td>0.099</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Metalaxyl	0.099	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Bifenazate	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Methiocarb</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Methiocarb	0.049	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Bifenthrin	0.049	0.2	0.050	M2	Pass	Methomyl	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Boscalid	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Myclobutanil</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Myclobutanil	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbaryl	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Naled</td><td>0.123</td><td>0.5</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Naled	0.123	0.5	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Carbofuran	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Oxamyl</td><td>0.246</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Oxamyl	0.246	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorantraniliprole	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Paclobutrazol</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Paclobutrazol	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorfenapyr	0.493	1.0	<loq< td=""><td>M2</td><td>Pass</td><td>Permethrins</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	M2	Pass	Permethrins	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Chlorpyrifos	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Phosmet</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Phosmet	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Clofentezine	0.049	0.2	<loq< td=""><td>1.1, V1</td><td>Pass</td><td>Piperonyl butoxide</td><td>0.493</td><td>2.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	1.1, V1	Pass	Piperonyl butoxide	0.493	2.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Cyfluthrin	0.493	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Prallethrin</td><td>0.099</td><td>0.2</td><td><loq< td=""><td>M1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Prallethrin	0.099	0.2	<loq< td=""><td>M1</td><td>Pass</td></loq<>	M1	Pass
Cypermethrin	0.246	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Propiconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Propiconazole	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Daminozide	0.493	1.0	<loq< td=""><td></td><td>Pass</td><td>Propoxur</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Propoxur	0.049	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass
Diazinon	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Pyrethrins</td><td>0.317</td><td>1.0</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Pyrethrins	0.317	1.0	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Dichlorvos	0.049	0.1	<loq< td=""><td>M2</td><td>Pass</td><td>Pyridaben</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	M2	Pass	Pyridaben	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Dimethoate	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spinosad</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spinosad	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Ethoprophos	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiromesifen</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>		Pass	Spiromesifen	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Etofenprox	0.099	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spirotetramat</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spirotetramat	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Etoxazole	0.049	0.2	<loq< td=""><td></td><td>Pass</td><td>Spiroxamine</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Spiroxamine	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenoxycarb	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Tebuconazole</td><td>0.099</td><td>0.4</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Tebuconazole	0.099	0.4	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fenpyroximate	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiacloprid</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiacloprid	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Fipronil	0.099	0.4	<loq< td=""><td></td><td>Pass</td><td>Thiamethoxam</td><td>0.049</td><td>0.2</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>		Pass	Thiamethoxam	0.049	0.2	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Flonicamid	0.246	1.0	<loq< td=""><td></td><td>Pass</td><td>Trifloxystrobin</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>M2</td><td>Pass</td></loq<></td></loq<>		Pass	Trifloxystrobin	0.049	0.2	<loq< td=""><td>M2</td><td>Pass</td></loq<>	M2	Pass

LE

SC Labs

650 E. Evans Rd, Unit A cottsdale, AZ 85260 480) 219-6460 htp://www.sclabs.com ic.#00000005LCMI00301434 Jillia Blance

Jillian Blaney Technical Laboratory Director

Technica

The posicities been letered by SC Liak voice yould letering methodologies and a quality system is required by Acoust table table. Reveals maked as 37 with or 57 all in done to in interposite 169-71. All counts minimistric Void (AL, AL) Table 3 Quality T Multises product leteration a revealed by Acoust table and a revealed to the first system of the risk as strategies of the first system of the first sy



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 6 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

Sample: 2310LVL1116.5883 Strain: Hybrid

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



13454 N. Black Cany Phoenix, AZ 85029 14804570860 Lic#: 00000014ESNA				FINAL	Sample: S309018-01 CC IDF: 33964L0010.2707 Lolit: N/A Batchil: S003 Batch Size: N/A	
Sample Name Strain Name: FP Matrix: Concentra Amount Received	Bulk Distillate tes_Extracts	Distillate			Sample Collected: 09/1/2023 15:00 Sample Received: 09/05/2023 8:58 Report Created: 09/13/2023 19:02	
Metals by ICP Date Analyzed: 03/07/	2023 Analyst Initial	s: RSS SOP:				
Analyte	LOQ ppm 0.101	Limit ppm 0.4	Result ppm <loq< th=""><th>Qualifier Status Pass</th><th></th><th></th></loq<>	Qualifier Status Pass		
Cadmium Lead Mercury	0.101 0.402 0.402	0.4 1.0 1.2	<loq <loq <loq< td=""><td>Pass Pass Pass</td><td></td><td></td></loq<></loq </loq 	Pass Pass Pass		
Mycotoxins b				Pass		
Date Analyzed: 09/07/2 Analyte	LOQ	Limit	Result	Qualifier Status		
Aflatoxins Total Ochratoxin A	ppb 2.00 4.00	20 20	ppb <loq <loq< th=""><th>Pass</th><th></th><th></th></loq<></loq 	Pass		



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 7 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

Sample: 2310LVL1116.5883 Strain: Hybrid

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:







1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 8 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083

-

Sample: 2310LVL1116.5883

Phoenix, AZ 85009


Strain: Hybrid Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:

٨.

6 of 7



CMS Ventures 3454 N. Black Canyo hoenix, AZ 85029							CC ID#: Lot#: N/F	2309C4L0	9018-01 010.2707		
4804570860 ic#: 00000014ESNA1	5249640				FI	NAL	Batch#: Satch Site				
Sample Name	FP Bu	Ik Disti	llate								
Strain Name: FP	Bulk Distilla	ate					San	nple Colle	cted: 09/1/2023 1	5:00	
Matrix: Concentral	es_Extract	S							ived: 09/05/2023		5
Amount Received:	16.7164 g						Rep	ort Creat	ed: 09/13/2023 19	:02	
Date Analyzed: 09/13/20	LOQ	nitials: SML					1.00	1.1.14	Result Qualifie	_	Status
			Result	Qualifier	Status	Analyte	LOQ	Limit	Result Qualitie	er	otatua
	ppm	ppm	ppm	Qualifier	Status	Analyte	ppm	ppm	ppm	er	otatua
Acetone				Qualifier		2,2-Dimethylbutane				er	otatua
	ppm	ppm	ppm	Qualifier	Pass	2,2-Dimethylbutane 2-methylpentane/2,	ppm		ppm	L1	otatua
Acetonitrile	ppm 107	ppm 1000	ppm <loq< td=""><td>Qualifier</td><td>Pass</td><td>2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane</td><td>ppm 34.3 68.7</td><td></td><td>ppm <loq< td=""><td></td><td></td></loq<></td></loq<>	Qualifier	Pass	2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane	ppm 34.3 68.7		ppm <loq< td=""><td></td><td></td></loq<>		
Acetonitrile Benzene	ppm 107 42.9	ppm 1000 410	ppm <loq <loq< td=""><td>Qualifier</td><td>Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA)</td><td>ppm 34.3 68.7 536</td><td>ppm 5000</td><td>ppm <loq <loq< td=""><td></td><td>Pass</td></loq<></loq </td></loq<></loq 	Qualifier	Pass Pass	2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA)	ppm 34.3 68.7 536	ppm 5000	ppm <loq <loq< td=""><td></td><td>Pass</td></loq<></loq 		Pass
Acetonitrile Benzene Butanes	ppm 107 42.9 0.858	ppm 1000 410 2	ppm <loq <loq <loq <loq <loq< td=""><td>Qualifier L1</td><td>Pass Pass Pass Pass</td><td>2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane</td><td>ppm 34.3 68.7</td><td>ppm</td><td>ppm <loq <loq <loq< td=""><td></td><td>Pass Pass</td></loq<></loq </loq </td></loq<></loq </loq </loq </loq 	Qualifier L1	Pass Pass Pass Pass	2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane	ppm 34.3 68.7	ppm	ppm <loq <loq <loq< td=""><td></td><td>Pass Pass</td></loq<></loq </loq 		Pass Pass
Acetonitrile Benzene Butanes n-Butane	ppm 107 42.9 0.858 536	ppm 1000 410 2	ppm <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate</td><td>ppm 34.3 68.7 536 536</td><td>ppm 5000 5000</td><td>ppm <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </td></loq<></loq </loq </loq </loq </loq 		Pass Pass Pass Pass	2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate	ppm 34.3 68.7 536 536	ppm 5000 5000	ppm <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq 		Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane iso-Butane	ppm 107 42.9 0.858 536 536	ppm 1000 410 2	ppm <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass</td><td>2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol</td><td>ppm 34.3 68.7 536 536 322</td><td>ppm 5000 5000 3000</td><td>ppm <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </td></loq<></loq </loq </loq </loq </loq </loq 		Pass Pass Pass Pass	2,2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol	ppm 34.3 68.7 536 536 322	ppm 5000 5000 3000	ppm <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq 		Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane iso-Butane Chloroform Dichloromethane	ppm 107 42.9 0.858 536 536 536 12.9 64.4	ppm 1000 410 2 5000 60 600	ppm <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes</td><td>ppm 34.3 68.7 536 536 322 536</td><td>ppm 5000 5000 3000</td><td>ppm <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </td></loq<></loq </loq </loq </loq </loq </loq 		Pass Pass Pass Pass Pass Pass	2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes	ppm 34.3 68.7 536 536 322 536	ppm 5000 5000 3000	ppm <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq 		Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane iso-Butane Chloroform Dichloromethane Ethanol	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536	ppm 1000 410 2 5000 60 600 5000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass Pass Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes n-Pentane</td><td>ppm 34.3 68.7 536 536 322 536 536</td><td>ppm 5000 5000 3000</td><td>ppm <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </td></loq<></loq </loq </loq </loq </loq </loq </loq 		Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes n-Pentane	ppm 34.3 68.7 536 536 322 536 536	ppm 5000 5000 3000	ppm <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq 		Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane Chloroform Dichloromethane Ethanol Ethyl acetate	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536 536	ppm 1000 410 2 5000 600 600 5000 5000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>L1</td><td>Pass Pass Pass Pass Pass Pass Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes n-Pentane iso-pentane</td><td>ppm 34.3 68.7 536 536 536 536 536</td><td>ppm 5000 5000 3000</td><td>ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </loq </td></loq<></loq </loq </loq </loq </loq </loq </loq 	L1	Pass Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbutane 2-methylpentane/2, 3-dimethylbutane 2-Propanol (IPA) Isopropyl acetate Methanol Pentanes n-Pentane iso-pentane	ppm 34.3 68.7 536 536 536 536 536	ppm 5000 5000 3000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td></td><td>Pass Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </loq 		Pass Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane Chloroform Dichloromethane Ethanol Ethyl acetate Diethyl Ether	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536 536 536	ppm 1000 410 2 5000 600 600 5000 5000 5000	ppm <loq< td=""> <loq< td=""></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>		Pass Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbutane 2.4-Dimethylbutane 2.4-roganol (IPA) Isopropyl acetate Methanol Pentanes n-Pentane iso-pentane Peropane Propane Toluene	ppm 34.3 68.7 536 536 536 536 536 536	ppm 5000 5000 3000 5000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>L1</td><td>Pass Pass Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </loq 	L1	Pass Pass Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane Sio-Butane Chloroform Dichloromethane Ethanol Ethyl acetate Dichtyl Ether n-Heptane	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536 536 536 536	ppm 1000 410 2 5000 60 600 5000 5000 5000 5000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>L1</td><td>Pass Pass Pass Pass Pass Pass Pass Pass</td><td>2.2-Dimethylbulane 2-methylpentanel/2, 3-methylpentanel/2, 3-methylbulane 2-Propanel (IPA) Isopropyl acetate Methanol Pentane iso-pentane no-Pentane Propane Toluene Xvlenes</td><td>ppm 34.3 68.7 536 536 536 536 536 536 536 536</td><td>ppm 5000 5000 3000 5000</td><td>ppm <loq< td=""> <loq< td=""></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></td><td>L1</td><td>Pass Pass Pass Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </loq 	L1	Pass Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbulane 2-methylpentanel/2, 3-methylpentanel/2, 3-methylbulane 2-Propanel (IPA) Isopropyl acetate Methanol Pentane iso-pentane no-Pentane Propane Toluene Xvlenes	ppm 34.3 68.7 536 536 536 536 536 536 536 536	ppm 5000 5000 3000 5000	ppm <loq< td=""> <loq< td=""></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	L1	Pass Pass Pass Pass Pass Pass
Acetonitrile Benzene Butanes n-Butane Siso-Butane Chloroform Dichloromethane Ethanol Ethyl acetate Diethyl Ether n-Heptane Hexanes	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536 536 536 536 536 536 536	ppm 1000 410 2 5000 600 600 5000 5000 5000	ppm <loq< td=""> <loq< td=""></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	L1	Pass Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbulane 2-methylpentanel/2, 3-methylpentanel/2, 3-methylbulane 2-Propanel (IPA) Isopropyl acetate Methanol Pentane iso-pentane no-Pentane Propane Toluene Xvlenes	ppm 34.3 68.7 536 536 536 536 536 536 536 536 536 536	ppm 5000 5000 3000 5000 5000 890	ppm <l0q <l0q <l0q <l0q <l0q <l0q <l0q <l0q< td=""><td>L1</td><td>Pass Pass Pass Pass Pass Pass</td></l0q<></l0q </l0q </l0q </l0q </l0q </l0q </l0q 	L1	Pass Pass Pass Pass Pass Pass
Diethyl Ether n-Heptane	ppm 107 42.9 0.858 536 536 536 12.9 64.4 536 536 536 536	ppm 1000 410 2 5000 60 600 5000 5000 5000 5000	ppm <loq <loq <loq <loq <loq <loq <loq <loq< td=""><td>L1</td><td>Pass Pass Pass Pass Pass Pass Pass Pass</td><td>2.2-Dimethylbutane 2-methylpentane2, 3-dimethylbutane 2-frogenal (IPA) Isoporp/ acetate Methanol Pentanes n-Pentane Iso-pentane Propane Toluene Xylenes</td><td>ppm 34.3 68.7 536 536 536 536 536 536 536 536 536 536</td><td>ppm 5000 5000 3000 5000 5000 890</td><td>ppm <l0q< td=""> <l0q< td=""></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></td><td>L1</td><td>Pass Pass Pass</td></loq<></loq </loq </loq </loq </loq </loq </loq 	L1	Pass Pass Pass Pass Pass Pass Pass Pass	2.2-Dimethylbutane 2-methylpentane2, 3-dimethylbutane 2-frogenal (IPA) Isoporp/ acetate Methanol Pentanes n-Pentane Iso-pentane Propane Toluene Xylenes	ppm 34.3 68.7 536 536 536 536 536 536 536 536 536 536	ppm 5000 5000 3000 5000 5000 890	ppm <l0q< td=""> <l0q< td=""></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<></l0q<>	L1	Pass Pass Pass





1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





Powered by Confident Cannabis 9 of 9

Sublime Brands

Lic. #0000010ESIR42914838

SIP Hurricane 100mg Ingestible, Beverage, Alcohol Distillate Reference #: S083


Sample: 2310LVL1116.5883

Phoenix, AZ 85009

Batch#: 23-1005-20; Batch Size: g Sample Received: 10/10/2023; Report Created: 10/12/2023; Expires: 10/12/2024 Sampling Date: , Sampling Time: Harvest Date: ; Manufacturing Date:



Strain: Hybrid





1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# 0000004LCIG00024823 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

