(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

1 of 5

#### XXX 5.29.23

Sample ID: 2306APO1568.7488 Strain: XXX


Matrix: Plant Type: Flower - Cured

Produced: Collected: 06/23/2023 04:51 pm Received: 06/23/2023 Completed: 06/30/2023 Batch #: 7878 1267 4330 0529

Client

**Local Flower** Lic. # 00000091DCWY00555666

Lot #:



Summary		
Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/28/2023	Complete
Terpenes	06/30/2023	Complete
Microbials	06/27/2023	Pass
Pesticides	06/27/2023	Pass
Heavy Metals	06/27/2023	Pass

Cannabinoids Complete

1.1326% 14.8375% <LOQ 17.0575% Total Cannabinoids (Q3) (Q3) **Total Terpenes Total THC** Total CBD

Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
THCa		0.1000	16.4233	164.233	
Δ9-THC		0.1000	0.4342	4.342	
Δ8-ΤΗС		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	0.2000	2.000	
CBG		0.1000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBC		0.1000	ND	ND	
Total THC			14.8375	148.3750	
Total CBD			<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Total			17.0575	170.575	

Date Tested: 06/28/2023 07:00 am





Bryant Kearl Lab Director 06/30/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

2 of 5

#### XXX 5.29.23

Sample ID: 2306APO1568.7488

Strain: XXX

Matrix: Plant Type: Flower - Cured Produced:

Collected: 06/23/2023 04:51 pm Received: 06/23/2023 Completed: 06/30/2023

Batch #: 7878 1267 4330 0529

Client

Local Flower

Lic. # 00000091DCWY00555666

Lot #:

Pesticides											Pass
Analyte	LOQ	Limit	Units	Q	Status	Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acequinocyl	1.0000	2.0000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Paclobutrazol	0.2000	0.4000	ND		Pass
Chlorfenapyr .	0.5000	1.0000	ND		Pass	Permethrins	0.1000	0.2000	ND	M2	Pass
Chlorpyrifos	0.1000	0.2000	ND	M2	Pass	Phosmet	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND	M2	Pass	Piperonyl Butoxide	1.0000	2.0000	ND	M2	Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Pvrethrins	0.5000	1.0000	ND	M1	Pass
Dichloryos	0.0500	0.1000	ND		Pass	Pvridaben	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Spinosad	0.1000	0.2000	ND	M1	Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiroxamine	0.2000	0.4000	ND	M1	Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Trifloxystrobin	0.1000	0.2000	ND		Pass

## LABS

Pass

#### Herbicides

Fludioxonil

Analyte	LOQ	Limit	Units	Q	Status
	PPM	PPM	PPM		
Pendimethalin	0.0500	0.1000	ND		Pass

Date Tested: 06/27/2023 07:00 am Pendimethalin is no longer a regulated parameter pursuant to HB2605 2021.

0.2000

0.4000

ND





Bryant Kearl Lab Director 06/30/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

guiatory Compliance resting

3 of 5

XXX 5.29.23

Sample ID: 2306APO1568.7488 Strain: XXX

Matrix: Plant Type: Flower - Cured Produced: Collected: 06/23/2023 04:51 pm Received: 06/23/2023 Completed: 06/30/2023 Batch #: 7878 1267 4330 0529 Client Local Flower

Lic. # 00000091DCWY00555666

Lot #:

Microbials				Pass
Analyte	Limit	Result	Status	Q

Limit	Result	Status	Q
Detected/Not Detected in 1g	ND	Pass	
Detected/Not Detected in 1g	ND	Pass	
Detected/Not Detected in 1g	ND	Pass	
Detected/Not Detected in 1g	ND	Pass	
Detected/Not Detected in 1g	ND	Pass	
	Detected/Not Detected in 1g Detected/Not Detected in 1g Detected/Not Detected in 1g Detected/Not Detected in 1g	Detected/Not Detected in 1g ND   Detected/Not Detected in 1g ND   Detected/Not Detected in 1g ND   Detected/Not Detected in 1g ND	Detected/Not Detected in 1g ND Pass   Detected/Not Detected in 1g ND Pass   Detected/Not Detected in 1g ND Pass   Detected/Not Detected in 1g ND Pass

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 06/27/2023 12:00 am

Mycotoxins Not Tested

Analyte LOD LOQ Limit Units Status C

# L A B S

Date Tested:

Heavy Metals Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	μg/g	µg/g	µg/g	μg/g		
Arsenic	0.066	0.133	0.4	ND	Pass	
Cadmium	0.066	0.133	0.4	ND	Pass	
Lead	0.166	0.333	1	ND	Pass	
Mercury	0.2	0.4	1.2	ND	Pass	

Date Tested: 06/27/2023 07:00 am





Bryant Kearl Lab Director 06/30/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

Q

Q3 4 of 5

### XXX 5.29.23

Sample ID: 2306APO1568.7488 Strain: XXX

Matrix: Plant Type: Flower - Cured

Produced: Collected: 06/23/2023 04:51 pm Received: 06/23/2023 Completed: 06/30/2023 Batch #: 7878 1267 4330 0529

Client **Local Flower** 

Lic. # 00000091DCWY00555666

Lot #:

#### **Terpenes**

Analyte	LOQ	Mass	Mass	Q	Analyte	LOQ	Mass	Mass
	%	%	mg/g		<u> </u>	%	%	mg/g
Terpinolene	0.0047	0.3810	3.810	Q3	Caryophyllene Oxide	0.0064	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Limonene	0.0054	0.1644	1.644	Q3	Cedrol	0.0060	ND	ND
Ocimene	0.0057	0.1460	1.460	Q3	cis-β-Farnesene	0.0074	ND	ND
trans-Caryophyllene	0.0057	0.1050	1.050	Q3	cis-Nerolidol	0.0086	ND	ND
β-Myrcene	0.0055	0.0722	0.722	Q3	Eucalyptol	0.0054	ND	ND
α-Pinene	0.0056	0.0593	0.593	Q3	α-Farnesene	0.0073	ND	ND
β-Pinene	0.0049	0.0567	0.567	Q3	Fenchone	0.0064	ND	ND
α-Humulene	0.0059	0.0419	0.419	Q3	Geraniol	0.0083	ND	ND
α-Phellandrene	0.0042	0.0288	0.288	Q3	Geranyl Acetate	0.0082	ND	ND
Endo-Fenchyl Alcohol	0.0136	0.0192	0.192	Q3	Guaiol	0.0065	ND	ND
Linalool	0.0061	0.0173	0.173	Q3	Hexahydro Thymol	0.0109	ND	ND
3-Carene	0.0051	0.0163	0.163	Q3	Isoborneol	0.0115	ND	ND
α-Terpinene	0.0105	0.0111	0.111	Q3	Isopulegol	0.0079	ND	ND
y-Terpinene	0.0049	0.0083	0.083	Q3	Nerol	0.0108	ND	ND
Camphene	0.0039	0.0050	0.050	Q3	Pulegone	0.0072	ND	ND
α-Bisabolol	0.0072	<loq< td=""><td><loq< td=""><td>Q3</td><td>Sabinene</td><td>0.0061</td><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td>Q3</td><td>Sabinene</td><td>0.0061</td><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	Q3	Sabinene	0.0061	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
α-Cedrene	0.0052	ND	ND	Q3	Sabinene Hydrate	0.0086	ND	ND
trans-β-Farnesene	0.0049	ND	ND	Q3	trans-Nerolidol	0.0089	ND	ND
Borneol	0.0062	ND	ND	Q3	Valencene	0.0061	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Camphor	0.0154	ND	ND	Q3	Total		1.1326	11.326

#### **Primary Aromas**













Date Tested: 06/30/2023 12:00 am Terpenes analysis is not regulated by AZDHS.





Bryant Kearl Lab Director 06/30/2023



(602) 767-7600 http://www.apollolabscorp.com Lic# 00000013LCRK62049775

5 of 5

#### XXX 5.29.23

Sample ID: 2306APO1568.7488 Strain: XXX

Matrix: Plant Type: Flower - Cured Produced: Collected: 06/23/2023 04:51 pm Received: 06/23/2023 Completed: 06/30/2023 Batch #: 7878 1267 4330 0529 Client Local Flower Lic. # 00000091DCWY00555666

Lot #:

### **Qualifiers Definitions**

Qualifier Notation	Qualifier Description
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection $(L)(1)$ with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection $(K)(2)(c)$ , but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
М3	The recovery from the matrix spike in subsection $(K)(4)$ was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection $(K)(2)$ was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection $(K)(3)$ , but the recovery in subsection $(K)(2)$ was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) $(1)(b)$ , but the sample's target analytes were not detected above the maximum allowable concentrations in Table $3.1$ for the analytes in the sample
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317





Bryant Kearl Lab Director 06/30/2023

