



AZDHS Certification # 00000005LCMI00301434

Valley Healing Group #69 Inc. dba The Good Dispens 234 s extension rd, Ste 104 Mesa, AZ 85210 (480) 616-4418 FINAL Lic#: 00000048DCKJ00945635

Sample: S311033-02 CC ID#: 2311C4L0028.3596 Lot#: N/A Batch#: 102323BM Batch Size: 11

Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H) Matrix: Flower Amount Received: 11.0981 g

Sample Collected: 11/10/2023 10:00 Sample Received: 11/10/2023 16:00 Report Created: 11/15/2023 17:59



SAFETY				
Microbials	Residual Solvents	Mycotoxins	Pesticides	
PASS	NOT TESTED	NOT TESTED	PASS	
Metals				
PASS				
	Terp	oenes		
	Total Te	erpenes (Q3)]	

Cannabinoid Results

25.8%	22.7%	<loq< th=""><th>RATIO 1 : 0</th></loq<>	RATIO 1 : 0
Sum of Cannabinoids (Q3)	Total THC	Total CBD	THC CBD
	Total THC= THCA * 0.877 + d9 Total CBD= CBDA * 0.877 + CE		



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

1 of 6



AZDHS Certification # 00000005LCMI00301434



Valley Healing Group #69 Inc. dba The Good Dispens

234 s extension rd, Ste 104 Mesa, AZ 85210 (480) 616-4418 Lic#: 00000048DCKJ00945635

FINAL

Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H) Matrix: Flower

Amount Received: 11.0981 g

Cannabinoids by HPLC-DAD - Compliance

Date Analyzed: 11/14/2023	Analyst Initials: DRF		SOP: C4-SOP-0	CHEM-003
Analyte	LOQ	Result	Result	Qualifier
	%	%	mg/g	
THCA	0.400	25.1	251	
d9-THC	0.400	0.669	6.69	
d8-THC	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBDA	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBD	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBG	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBN	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
CBC	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Sum of Cannabinoids	0.400	25.8	258	Q3
Total THC	0.400	22.7	227	
Total CBD	0.400	<loq< td=""><td>< LOQ</td><td></td></loq<>	< LOQ	
Total Cannabinoids	0.400	22.7	227	Q3

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

💙 SC Labs°

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample: S311033-02 CC ID#: 2311C4L0028.3596 Lot#: N/A Batch#: 102323BM Batch Size: 11

> Sample Collected: 11/10/2023 10:00 Sample Received: 11/10/2023 16:00 Report Created: 11/15/2023 17:59



AZDHS Certification # 00000005LCMI00301434



Pass

Valley Healing Group #69 Inc. dba The Good Dispens

234 s extension rd, Ste 104 Mesa, AZ 85210 (480) 616-4418 Lic#: 00000048DCKJ00945635

FINAL

Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H)

Matrix: Flower

Amount Received: 11.0981 g

Pesticides by LC/MS/MS - Compliance

Sample: S311033-02 CC ID#: 2311C4L0028.3596 Lot#: N/A Batch#: 102323BM Batch Size: 11

Sample Collected: 11/10/2023 10:00 Sample Received: 11/10/2023 16:00 Report Created: 11/15/2023 17:59

Date Analyzed: 11/14/202	23 Analyst	Initials: JCE	SOP: C4-S	OP-CHEM-006	<u>;</u>						
Analyte	LOQ	Limit	Result	Qualifier	Status	Analyte	LOQ	Limit	Result	Qualifier	Status
	ppm	ppm	ppm				ppm	ppm	ppm		
Abamectin	0.118	0.5	<loq< td=""><td>V1</td><td>Pass</td><td>Imazalil</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Imazalil	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Acephate	0.098	0.4	<loq< td=""><td>L1</td><td>Pass</td><td>Imidacloprid</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1	Pass	Imidacloprid	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Acetamiprid	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Kresoxim-methyl</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Kresoxim-methyl	0.098	0.4	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Aldicarb	0.098	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Malathion</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>l1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Malathion	0.049	0.2	<loq< td=""><td>l1</td><td>Pass</td></loq<>	l1	Pass
Azoxystrobin	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Metalaxyl</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Metalaxyl	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Bifenazate	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Methiocarb</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Methiocarb	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Bifenthrin	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Methomyl</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Methomyl	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Boscalid	0.098	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Myclobutanil</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Myclobutanil	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Carbaryl	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Naled</td><td>0.123</td><td>0.5</td><td><loq< td=""><td></td><td>Pass</td></loq<></td></loq<>	V1	Pass	Naled	0.123	0.5	<loq< td=""><td></td><td>Pass</td></loq<>		Pass
Carbofuran	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Oxamyl</td><td>0.246</td><td>1.0</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Oxamyl	0.246	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Chlorantraniliprole	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Paclobutrazol</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Paclobutrazol	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Chlorfenapyr	0.491	1.0	<loq< td=""><td>I1, L1, V1</td><td>Pass</td><td>Permethrins</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	I1, L1, V1	Pass	Permethrins	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Chlorpyrifos	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Phosmet</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Phosmet	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Clofentezine	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td><td>Piperonyl butoxide</td><td>0.491</td><td>2.0</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Piperonyl butoxide	0.491	2.0	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Cyfluthrin	0.491	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Prallethrin</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Prallethrin	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Cypermethrin	0.246	1.0	<loq< td=""><td>V1</td><td>Pass</td><td>Propiconazole</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Propiconazole	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Daminozide	0.491	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Propoxur</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Propoxur	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Diazinon	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Pyrethrins</td><td>0.158</td><td>1.0</td><td><loq< td=""><td>I1, L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Pyrethrins	0.158	1.0	<loq< td=""><td>I1, L1, V1</td><td>Pass</td></loq<>	I1, L1, V1	Pass
Dichlorvos	0.049	0.1	<loq< td=""><td>I1, V1</td><td>Pass</td><td>Pyridaben</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	I1, V1	Pass	Pyridaben	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Dimethoate	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spinosad</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spinosad	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Ethoprophos	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spiromesifen</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spiromesifen	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Etofenprox	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spirotetramat</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spirotetramat	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Etoxazole	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Spiroxamine</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Spiroxamine	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Fenoxycarb	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Tebuconazole</td><td>0.098</td><td>0.4</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Tebuconazole	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Fenpyroximate	0.098	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>Thiacloprid</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	V1	Pass	Thiacloprid	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Fipronil	0.098	0.4	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Thiamethoxam</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>L1, V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Thiamethoxam	0.049	0.2	<loq< td=""><td>L1, V1</td><td>Pass</td></loq<>	L1, V1	Pass
Flonicamid	0.246	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td>Trifloxystrobin</td><td>0.049</td><td>0.2</td><td><loq< td=""><td>V1</td><td>Pass</td></loq<></td></loq<>	L1, V1	Pass	Trifloxystrobin	0.049	0.2	<loq< td=""><td>V1</td><td>Pass</td></loq<>	V1	Pass
Fludioxonil	0.098	0.4	<loq< td=""><td>V1</td><td>Pass</td><td>-</td><td></td><td></td><td></td><td></td><td></td></loq<>	V1	Pass	-					
Hexythiazox	0.246	1.0	<loq< td=""><td>L1, V1</td><td>Pass</td><td></td><td></td><td></td><td></td><td></td><td></td></loq<>	L1, V1	Pass						



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs. 3 of 6



AZDHS Certification # 00000005LCMI00301434



Valley Healing Group #69 Inc. dba The Good Dispens

234 s extension rd, Ste 104 Mesa, AZ 85210 (480) 616-4418 Lic#: 00000048DCKJ00945635

FINAL

Pass

Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H) Matrix: Flower Amount Received: 11.0981 g

Metals by ICP-MS - Compliance

Date Analyzed: 11/13/2023 Analyst Initials: RSS SOP: C4-SOP-CHEM-008 **Qualifier Status** Analyte LOQ Limit Result ppm ppm ppm Arsenic 0.099 0.4 <LOQ Pass 0.099 0.4 <LOQ Cadmium Pass 0.394 <LOQ L1 Lead 1.0 Pass Mercury 0.394 1.2 <LOQ Pass

SC Labs°

7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

Jillian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

Sample: S311033-02 CC ID#: 2311C4L0028.3596 Lot#: N/A Batch#: 102323BM Batch Size: 11

> Sample Collected: 11/10/2023 10:00 Sample Received: 11/10/2023 16:00 Report Created: 11/15/2023 17:59



AZDHS Certification # 00000005LCMI00301434



Valley Healing Group #69 Inc. dba The Good Dispens Sample: S311033-02 234 s extension rd, Ste 104 CC ID#: 2311C4L0028.3596 Mesa, AZ 85210 Lot#: N/A (480) 616-4418 Batch#: 102323BM FINAL Lic#: 00000048DCKJ00945635 Batch Size: 11 Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H) Sample Collected: 11/10/2023 10:00 Matrix: Flower Sample Received: 11/10/2023 16:00

Amount Received: 11.0981 g

Microbials

Pass

E. coli by 3M Petrifilm- Compliance

Date Analyzed: 11/14/2023	Analyst Initials: K	AM SOP: C4-SO	P-MICRO-010	
Analyte	LOQ	Limit	Result	Qualifier Status
	CFU/g	CFU/g	CFU/g	
E coli	10	100	<10	Pass

Aspergillus and Salmonella by qPCR - Compliance

Date Analyzed: 11/15/2023 Analyst Initials: KAM SOP: C4-SOP-MICRO-012

Analyte	Result	Qualifier Status
	in one gram	
Salmonella spp.	Not Detected	Pass
Aspergillus	Not Detected	Pass

Aspergillus includes species flavus, fumigatus, niger, and terreus. Salmonella and Aspergillus by Medicinal Genomics



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

illian Blenney

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received. SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

5 of 6

Report Created: 11/15/2023 17:59



AZDHS Certification # 00000005LCMI00301434



Valley Healing Group #69 Inc. dba The Good Dispens 234 s extension rd, Ste 104

Mesa, AZ 85210 (480) 616-4418 Lic#: 00000048DCKJ00945635

FINAL

Sample: S311033-02 CC ID#: 2311C4L0028.3596 Lot#: N/A Batch#: 102323BM Batch Size: 11

Sample Name: GoE: Black Mamba (H) (Flower/Preroll) Strain Name: Black Mamba (H) Matrix: Flower Amount Received: 11.0981 g

Sample Collected: 11/10/2023 10:00 Sample Received: 11/10/2023 16:00 Report Created: 11/15/2023 17:59

Notes and Definitions

Item	Definition
11	Interference. Relative intensity of a characteristic ion in the sample analyte exceeded 30% of the relative intensity in the reference spectrum.
L1	The percent recovery of the LCS was above the control limit for the test but analyte was not detected above the Action Limit in Table 3.1.
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317. Testing result is not accredited under ISO 17025.
V1	CCV recovery exceeded control limits but the sample analyte concentration was below maximum allowable concentrations in table 3.1
< LOQ	Results below the Limit of Quantification.
Limit	Maximum allowable concentration as defined by Table 3.1 in Arizona Administrative code (A.A.C.) Title 9, Chapter
	17
CFU/g	Colony forming units per gram
ppm	Parts per million
ppb	Parts per billion
NT	Not Tested
Sum of Ca	annabinoids = THCA + d9-THC + CBDA + CBD + d8-THC + CBG + CBN + CBC
Total Canr	nabinoids = Total THC + Total CBD + d8-THC + CBG + CBN + CBC



7650 E. Evans Rd, Unit A Scottsdale, AZ 85260 (480) 219-6460 http://www.sclabs.com Lic.#0000005LCMI00301434

fillion Blerrey

Jillian Blaney Technical Laboratory Director

This product has been tested by SC Labs using valid testing methodologies and a quality system as required by Arizona state law. Results marked as 'Pass' or 'Fail' are done so in reference to R9-17: Arizona Administrative Code (A.A.C.) Title 9, Chapter 17. Values reported relate only to the product tested as received.SC Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Contact SC Labs for a technical report related to this sample. This Certificate shall not be reproduced except in full, without the written approval of SC Labs.

6 of 6