

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Mar 22, 2024 | Curaleaf AZ

3333 S Central Ave Phoenix, AZ, 85040, US

-

PRODUCT IMAGE

License # 00000053DCXB00858835

SAFETY RESULTS

0

Pesticides

PASSED

Certificate of Analysis

Hg

Heavy Metals

PASSED

Microbials

PASSED

Kaycha Labs

Berry Gelato Select B Distillate Berry Gelato Matrix: Concentrate Type: Distillate



Sample:TE40315001-008 Harvest/Lot ID: 229NW1223,FP102 Batch#: CAZ2407C-BG-B Batch Date: 03/15/24 Sample Size Received: 36.55 gram Total Amount: 7 gram Retail Product Size: 12 gram Retail Serving Size: 12 gram Servings: 1 Ordered: 03/14/24 Sampled: 03/15/24 Completed: 03/22/24

PASSED Pages 1 of 6 MISC Residuals Solvents Water Activity Moisture Terpenes Filth NOT TESTED **NOT TESTED** PASSED

Cannabinoid

PASSED

	^	і тнс 2.368	80%		· 🔨	otal CBD	0%		· \	al Cannabir 5.945	
%	^{D9-THC} 92.3680	THCA	CBD	CBDA	свд 2.5652	CBGA	сви 0.5275	D8-THC	тнсv 0.4848	CBDV	свс ND
‰ mg/g	923.680	ND	ND	ND	25.652	ND	5.275	ND	4.848	ND	ND
LOD	5251000			0.0020	201002	0.0010	01270	0.0020	0.0020	0.0020	0.0010
	%	%	%	%	%	%	%	%	%	%	%
analyzed by: 12, 272, 333			Weight: 0.1665g			tion date: /24 11:13:00				xtracted by:	
Analytical Batch	: SOP.T.30.500, SOF : TE004243POT : TE-005 "Lady Jess							03/22/24 18:13:08 /18/24 15:16:04			

Mycotoxins

PASSED

Dilution: 800

Reagent : 022024.18; 030724.R14; 031324.R01; 022224.R09; 110223.R03 Consumables : 9479291.100; 00333720-5; 1008439554; 112023CH01; 728914- G23536; 210725-598-D; GD220011 Pipette : TE-056 SN:21D58687; TE-065 SN:20B18327 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

ectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu X0 series HPLCS). Potency results for cannabis flower products are reported on an "as received" basis. without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LCD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 03/22/24



Berry Gelato Select B Distillate Berry Gelato Matrix : Concentrate Type: Distillate



1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Curaleaf_AZ

3333 S Central Ave Phoenix, AZ, 85040, US **Telephone:** (602) 842-0020 **Email:** christopher.patermoster@curaleaf.com **License #**: 00000053DCXB00858835 Sample : TE40315001-008 Harvest/Lot ID: 229NW1223,FP102 Batch# : CA72407C-BG-B Samp

Sampled : 03/15/24 Ordered : 03/15/24 Sample Size Received : 36.55 gram Total Amount : 7 gram Completed : 03/22/24 Expires: 03/22/25 Sample Method : SOP Client Method

Page 2 of 6



Pesticides

Pesticide LOD Units Action Level Pass ND TOTAL SPINOSAD ACREMENTING LAMACTING BLANCTING SLAMACTING SLAM								
ACTEVANTE OLIONE SPINOSADU ACTEVANTE 0.0000 ppm 0.4 PASS ND SPIROTETRANAT ALDICARAB 0.0140 ppm 0.4 PASS ND SPIROTETRANAT ALDICARAB 0.0505 ppm 0.2 PASS ND TERUCONAZOLE BIFENTARIN 0.0505 ppm 0.2 PASS ND THIALCLOPRID BOSCALD 0.0505 ppm 0.2 PASS ND THIALCLOPRID BOSCALD 0.0505 ppm 0.2 PASS ND THIALCLOPRID CARBARYL 0.0505 ppm 0.2 PASS ND THIALCLOPRID CLOPENTARINS 0.0505 ppm 0.2 PASS ND TAIALCLOPRID CLOPENTARINS 0.0100 ppm 1. PASS ND TAIALSLARDY (DUST) TAIALSLARDY (DUST) CLOPENTARINS 0.0100 ppm 1. PASS ND TAIALCLOPRID TAIALSLARDY (DUST) TAIALSLARDY (DUST) TAI	Pesticide						Pesticide	
CTUMPID 0.050 pm 0.2 PASS ND SPHRUTETRAMAT AUGRAB 0.040 pm 0.2 PASS ND SPHRUTETRAMAT AZOXYSTOBIN 0.050 pm 0.2 PASS ND SPHRUTETRAMAT BEENTATS 0.060 pm 0.2 PASS ND THANCORLOPID BEENTATS 0.060 pm 0.2 PASS ND THAMETHOXAM CARBARYL 0.060 pm 0.2 PASS ND CYELUTHRN* CHLORMITABILLIPROLE 0.010 pm 0.2 PASS ND CYELUTHRN* CHLORMITABILLIPROLE 0.010 pm 0.2 PASS ND Analysis Methad: SOF 135 007 35 007 35 007 30 000 000 000 000 000 000 000 000							TOTAL SPINOSAD	
Link Law 0.14 pm 0.4 PASS ND SPIROXAMAT Link CaxYFTFROBIN 0.050 pm 0.2 PASS ND TEBUCONAZOLE INFENZATE 0.060 pm 0.2 PASS ND TEBUCONAZOLE INFENZATE 0.060 pm 0.2 PASS ND THACLOPEND ISGZALID 0.080 pm 0.2 PASS ND THACLOPEND ISGZALID 0.080 pm 0.2 PASS ND CHLORENTRA LINCRATITANILLIPROLE 0.010 pm 0.2 PASS ND CHLORENTRA LINCRATITANILLIPROLE 0.0100 pm 0.2 PASS ND Analysis Method: SDF 73.05.00, SDF 73.0104.AZ, SDF 7.3 SIGUANDA 0.0000 pm 1.2 PASS ND Analysis Method: SDF 73.05.00, SDF 73.0104.AZ, SDF 7.3 SIGUANDA 0.0000 pm 1.2 PASS ND Analysis Method: SDF 73.05.00, SDF 73.0104.AZ, SDF 7.3 SIGUANDA 0.0000 pm			1.1.				SPIROMESIFEN	
Deck Deck PASS ND SPRIOXAMMUE Deck ppm 0.2 PASS ND THUCADOLE IFENTATE 0.005 ppm 0.2 PASS ND THUACHOPRID DesCALID 0.0050 ppm 0.2 PASS ND THUANETROXAM ARBARNI 0.0050 ppm 0.2 PASS ND CYFLUTHKN+ CARDARNI 0.0050 ppm 0.2 PASS ND CYFLUTHKN+ CHLORENTANILLIPROLE 0.0100 ppm 0.2 PASS ND Analyzed by: Weight: CHLORENTANILLIPROLE 0.0100 ppm 0.2 PASS ND Analyzis Method: SOF 3.3 0.0 CF. 3.0.04.2.5 OP.T. CHENTANILLIPROLE 0.0100 ppm 0.2 PASS ND Analyzis Method: SOF 3.3 0.0 CF. 3.0.04.2.5 OP.T. CHENTANILLIPROLE 0.0100 ppm 0.2 PASS ND Analyzis Method: SOF 7.3 0.0.04.2.5 OP.T. CHENTANILLIPROLE 0.0010 ppm 0.2 PASS			1.1.				SPIROTETRAMAT	
ZXX*TROBIN 0.000 ppm 0.2 PASS ND TEBUCONAZOLE IFENTATE 0.000 ppm 0.2 PASS ND THIALCLOPRID IFENTATINN 0.000 ppm 0.2 PASS ND THIALCLOPRID ARBAYL 0.0000 ppm 0.2 PASS ND THIAMETROXAM ARBOFURAN 0.0000 ppm 0.2 PASS ND CHLORENATY * HLORANTRANILIPROLE 0.0100 ppm 0.2 PASS ND Analysical Batch : TEO04250FS AUROPYIARON 0.0000 ppm 1 PASS ND Analysical Batch : TEO04250FS AUROPYIARON 0.0000 ppm 1 PASS ND Analysical Batch : TEO04250FS AURONCO 0.0000 ppm 1 PASS ND Analysical Batch : TEO04250FS AURONCO 0.0000 ppm 1 PASS ND Analysical Match Oli SOL 0.00.24, PAS INCHLORYNS 0.0000 ppm 2 PA							SPIROXAMINE	
IFENAZYTE 0.0000 ppm 0.2 PASS ND THACLOPRID OSCALID 0.005 ppm 0.2 PASS ND THACLOPRID ARBARYL 0.0050 ppm 0.2 PASS ND THELOXYSTBOBIN ARBORYLAN 0.0050 ppm 0.2 PASS ND CYLUTRIN* MICRANTRANLIPROLE 0.0100 ppm 0.2 PASS ND Analyzed by: Weight: MICRANTRANLIPROLE 0.0100 ppm 1.2 PASS ND Analyzed by: Weight: MICRANTRANLIPROL 0.0100 ppm 1.2 PASS ND Analyzed by: Meight: MICRANTRANLIPROL 0.0100 ppm 1.2 PASS ND Instrument Used TF:113 "MS/MS Pest/Myco 1",TE-261"U MICHLORVOS (DOVP) 0.0100 ppm 0.2 PASS ND Reagert: 301424.802: 00424.818; 00824.810; 020124. MINETOATE 0.0000 ppm 0.4 PASS ND Consumables: 947921.100; 00344925; 3462311; 728	ZOXYSTROBIN		1.1.					
CHAINAM CLA PASS NO SCALD 0.0050 ppm 0.4 PASS NO RBARYL 0.006 ppm 0.2 PASS NO THIAMETHOXAM RBARYL 0.0060 ppm 0.2 PASS NO CHLORENPR* LORAVITABALLIPROLE 0.0100 ppm 0.2 PASS ND Analyzed by: Weight: LORAVITABALLIPROLE 0.0100 ppm 0.2 PASS ND Analyzed by: 0.5012 g) OPERMETRINE 0.0000 ppm 0.2 PASS ND Analyzed bethod ::::::::::::::::::::::::::::::::::::								
CALCULD Construction PASS ND TRIFLOXYSTROBIN REBOFURAN 0.0050 ppm 0.2 PASS ND CHLORFENAPYR * ILGRAYTRANLIPROLE 0.0100 ppm 0.2 PASS ND CYFLUTHINI * ILGRAYTRANLIPROLE 0.0100 ppm 0.2 PASS ND Analyzed by: Weight: OPENTEZINE 0.0100 ppm 1.2 PASS ND Analyzed by: Weight: CATION 0.0000 ppm 1. PASS ND Analyzed bate: 0:37.01.04.A2, SOP.TJ CHLORVOS (DDVP) 0.0100 ppm 1. PASS ND Analyzed bate: 0:37.01.04.A2, SOP.TJ CHLORVOS (DDVP) 0.0100 ppm 0.2 PASS ND Analyzed bate: 0:37.01.04.20, SOP.TJ DOI:01.17E.05 CHLORVOS (DDVP) 0.0010 ppm 0.2 PASS ND Consumables: 9479291.100; 0:0346492.5; 34623011; 728 CHLORVOS (DDVP) 0.0040 ppm 0.2 PASS ND Postinte Consumables: 9479291.100; 0			1.1.					
NBROUKAN 0.0050 ppm 0.2 PASS ND CHLORFENAPYR * LORANTRANLIJEROLE 0.0110 ppm 0.2 PASS ND CYFLUTHKIN * LORANTRANLIJEROLE 0.0100 ppm 0.2 PASS ND Analyted by: Weight: OFENTEZINE 0.0100 ppm 0.2 PASS ND Analyted by: Weight: AZINON 0.0000 ppm 1 PASS ND Analyted Bat: 10.04.02.50P.T.7.4.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.7.5.200.050P.T.30.104.02.50P.T.7.4.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.050P.T.7.5.200.200.01.1.T.E.200.800.200.200.200.050P.T.80.200P.T.80.200P.T.80.200.050P.T.80.200P.T.80.200.050P.T.80.200P.T.80								
ILORANTRANILIPROLE 0.101 ppm 0.2 PASS ND CYFLUTHRN* NLORPYIRIOS 0.0050 ppm 0.2 PASS ND Analyzed by: Weight: ODFENTEZINE 0.1000 ppm 1 PASS ND Analyzed by: Weight: ADRIVED 0.1000 ppm 1 PASS ND Analyzed by: 0.5012 g ADRIVOZIDE 0.0100 ppm 1 PASS ND Analyzed by: 0.5012 g ADRIVOZIDE 0.0100 ppm 1 PASS ND Analyzed by: 0.5012 g INTERDATE 0.0060 ppm 0.2 PASS ND Analyzed by: 0.3024 A10; 0.2014 INTERDATE 0.0060 ppm 0.2 PASS ND Reservice and a station of a st	ARBARYL		1.1.					
ILOREVIEWS 0.0050 ppm 0.2 PASS ND Analyzed by: Analyzed by: 0.502/g Weight: 0.002/g OFENTEZINE 0.1000 ppm 0.2 PASS ND Analyzed by: 0.502/g 0.502/g PERMETHAIN 0.1000 ppm 0.2 PASS ND Analyzed by: 0.502/g 0.502/g VIINOZIDE 0.0100 ppm 0.7 PASS ND Analyzed bate: 03/20/24 2010.44 MINOZIDE 0.0100 ppm 0.1 PASS ND Analyzed bate: 03/20/24 2010.44 MORDOPHOS 0.0040 ppm 0.2 PASS ND Dilution: 23 OPENNPROX 0.0060 ppm 0.2 PASS ND Platter 1E-600 Shi20/23457 (22-300.41); TE-108 Shi200 OX2CAE 0.0040 ppm 0.2 PASS ND Platter 1E-600 Shi20/23457 (22-300.41); TE-108 Shi200 OX2CAE 0.0040 ppm 0.4 PASS ND Analyzed bate: 03/24 A10; 0302.4 A10	RBOFURAN		ppm				CHLORFENAPYR *	
Conservation O.1010 ppm O.2 PASS ND 152, 727, 333 0.0502g PPERMETHRIN 0.1000 ppm 1 PASS ND Analysis Method : SOP.7.30, 500, SOP.7.30, 104, AZ, SOP.7.4 O.502g PPERMETHRIN 0.0000 ppm 1 PASS ND Analysis Method : SOP.7.30, 500, SOP.7.30, 104, AZ, SOP.7.4 AMINOZIDE 0.0100 ppm 1 PASS ND Analysis Method : SOP.7.30, 500, SOP.7.30, 104, AZ, SOP.7.4 MUICLORVOS (IDVP) 0.0010 ppm 1 PASS ND Instrument Used : TE-118 "MS/MS Pest/Myco 17.TE-261" UIC/ICLORVOS (IDVP) MICHOATE 0.0060 ppm 0.2 PASS ND Relater 10:31424, R02: 030424.R10; 030624.R10; 020124. MICHOATE 0.0060 ppm 0.2 PASS ND Relater 1:7:060 SUIC/24.00:10:442.S2 SUIC/24.20:10:17.20 ROXAZAB 0.0050 ppm 0.2 PASS ND Monogenization, SOV.200L); TE-10:60 SUIC/35.12(0:0424.R10; 030424.R10; 020124.	ILORANTRANILIPROLE		ppm				CYFLUTHRIN *	
PERMETHAIN 0.1000 ppm 1 PASS ND Analysis Method: SOP: T3.01.01.42, SOP.T3.0.104.42, SOP.T4 AZXINON 0.0066 ppm 0.2 PASS ND Analysis Method: SOP.T3.01.01.42, SOP.T4 MINOZLOE 0.0100 ppm 1 PASS ND Analysis Method: SOP.T3.01.01.42, SOP.T4 MINOZLOE 0.0100 ppm 1 PASS ND Hanalysis Method: SOP.T3.01.01.42, SOP.T4 MCHONOS (DDVP) 0.0010 ppm 0.1 PASS ND Hanalysis Method: SOP.T3.01.01.42, SOP.T4 MOPROPHOS 0.0040 ppm 0.2 PASS ND Homan: 1011.424, MD2: 03042.818: 03062.4 R10: 02012.4 MOPROPHOS 0.0040 ppm 0.4 PASS ND Pipeticide screening is carried out using LCMS/MS supplement 0.000.000.100.034492.5: 3462.301; T20.051.200.020.001.17.61.051.200.000.001.16.051.200.000.001.17.61.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.001.16.051.200.000.001.16.051.200.000.001.16.051.200.000.001.16.051.200.001.17.051.001.001.001.001.001.001.001.001.001	ILORPYRIFOS		ppm				Analyzed by:	Weight:
IAZIMON 0.0060 ppm 0.2 PASS ND Analytical Batch : TE004250PES AMINOZIDE 0.0100 ppm 1 PASS ND Instrument Used : TE014350PES AMINOZIDE 0.0100 ppm 0.1 PASS ND Analyzed Date : 0320/24 20:10.44 INIGETIOATE 0.0060 ppm 0.2 PASS ND Consumables : 9479201.10: 003424.R18: 030924.R18: 030924.R19: 030924.R1	LOFENTEZINE	0.0100	ppm			ND	152, 272, 333	0.5012g
MINOZIDE 0.0100 ppm 1 PASS ND Instrument Used :TE:138 "MS/MS Pest/Myc0 17:E-261:"UL CHLORVOS (DDVP) 0.0010 ppm 0.1 PASS ND Analyzed Date: 0320/24 / 02:10:44 METHOATE 0.0060 ppm 0.2 PASS ND Regent: 031424, R02: 030424, R02: 03042	PERMETHRIN	0.1000	ppm	1		ND	Analysis Method : SOP.T.3	0.500, SOP.T.30.104.AZ, SOP.T.40.
CHLORVOS (DDVP) 0.0010 ppm 0.1 PASS ND Analyzed Date: 0.3/20/2 42:0:44 METHOATE 0.0060 ppm 0.2 PASS ND Reagent: 0.31424, RD2; 0.30424, R18; 0.30624, R19; 0.20124 HOPROPHOS 0.0060 ppm 0.4 PASS ND Consumbles: 919/9201.100; 0.30424, R18; 0.30624, R19; 0.20124 COPEENPROX 0.0060 ppm 0.4 PASS ND Peliette: TE-060 SN20C35457 (20-200uL); TE-108 SN208 CORXACOLE 0.0060 ppm 0.2 PASS ND Peliette: TE-060 SN20C35457 (20-200uL); TE-108 SN208 NOXYCARB 0.0050 ppm 0.4 PASS ND Analyzed byte: scrind out using (L-KSNS supplement) NOXYCARB 0.0050 ppm 0.4 PASS ND Analyzed byte: scrind visit using (L-KSNS supplement) NDIOXONL 0.0050 ppm 1 PASS ND Analyzed byte: visit using visit usin	AZINON		ppm					
Chr.Lov.Os (DDVP) 0.000 ppm 0.2 PASS ND Dilution : 25 MICTHOATE 0.006 ppm 0.2 PASS ND Research : 03124, R02: 030424, R12: 030624, R10: 020124, R02: 030424, R10: 020124, R23: ND NONCAMID 0.0060 ppm 0.4 PASS ND Analysis Method : SOP.T.30.104, AZ, SOP.T.30, I04, AZ,	AMINOZIDE	0.0100	ppm	1	PASS	ND		
Mini Honk IE 0.0000 plmin 0.2 PASS ND Respert: 031424, R02: 030424, R18; 030024, R18; 03	CHLORVOS (DDVP)	0.0010	ppm	0.1	PASS	ND		0:10:44
HOPROPHOS 0.0040 ppm 0.2 PASS ND Consumables: 9479291.100; 00346425: 3462301; 72: 005 CORLENCA 0.0060 ppm 0.4 PASS ND Pijett : TE-006 X02C35457 (20-200L); TE-108 SN:20B CORLENCA 0.0060 ppm 0.2 PASS ND Presticide screening is carried out using LCM:SNS supplement NOXYCARB 0.0060 ppm 0.4 PASS ND Analyzed by: Weight: NOXYCARB 0.0060 ppm 0.4 PASS ND Analyzed by: Weight: OKICAMID 0.0080 ppm 0.4 PASS ND Analyzed by: Weight: VICTNIZOX 0.0050 ppm 1.4 PASS ND Analyzed by: Weight: VICTNIZOX 0.0050 ppm 1.4 PASS ND Analyzed bate: NA VICTNIZOX 0.0050 ppm 0.4 PASS ND Analysis Method : SOP.7.30.0442.RD: 20624.RD: 20624.R	METHOATE	0.0060	ppm	0.2	PASS	ND		424 010: 020024 010: 020124 01
TOTEFENROX 0.0006 ppm 0.4 PASS ND Pipette : TE-060 SN-20C3547 (20-200L); TE-100 SN-200L TOXAZOLE 0.0040 ppm 0.2 PASS ND Pentide screening is carried out using (L-KSMS supplement homogenization, S0P.T.30.104.AZ for sample prep, and SOPT ENOYCABB 0.0060 ppm 0.4 PASS ND Analyzed by: SOPT.30.104.AZ for sample prep, and SOPT LONICANID 0.0060 ppm 0.4 PASS ND Analyzed by: SOPT.30.104.AZ for sample prep, and SOPT LONICANID 0.0060 ppm 0.4 PASS ND Analysis Method : SOPT.30.500, SOPT.30.104.AZ; for .4 LONICANID 0.0060 ppm 0.4 PASS ND Analysis Method : SOPT.30.500, SOPT.30.104.AZ; SOPT.4 LONICANIL 0.0050 ppm 1 PASS ND Analysis Method : SOPT.30.500, SOPT.30.104.AZ; SOPT.4 LONICANIL 0.0050 ppm 0.4 PASS ND Analysis Method : SOPT.30.500, SOPT.30.104.AZ; SOPT.4 LONICANIL 0.0070 ppm 0.4 PASS ND Analysis Method : SOPT.30.500	THOPROPHOS	0.0040	ppm	0.2	PASS	ND		
TOXAZOLE 0.0040 ppm 0.2 PASS ND Fresticide screening is carried out using LCMS/MS supplementants.	OFENPROX	0.0060	ppm	0.4	PASS	ND		
NOXYCARB 0.0050 ppm 0.2 PASS ND homogenization, S0:r 13:01.04.2C for sample preve, and SO:P NOYROXINATE 0.0060 ppm 0.4 PASS ND Analyzed by: Weight: PRONIL 0.0060 ppm 0.4 PASS ND Analyzed by: Weight: CMICANID 0.0060 ppm 1 PASS ND Analyzed by: ND:S ND:S ND:S Analyzed by: ND:S	OXAZOLE	0.0040	ppm	0.2	PASS	ND		
PRONIL 0.0060 ppm 0.4 PASS ND 152, 272, 333 0.012g LONICANID 0.0060 ppm 1 PASS ND Analytical Batch :TE004280V0. LONICANID 0.0060 ppm 1 PASS ND Analytical Batch :TE004280V0. LUDICXONIL 0.0050 ppm 1 PASS ND Instrument Used :SOP:T.3.104.AZ, SOP:T.3 KXTHIAZOX 0.0050 ppm 1 PASS ND Analytical Batch :TE012890V0. KXTHIAZOX 0.0050 ppm 1 PASS ND Analyzed Date :NA KXTHIAZOX 0.0050 ppm 0.4 PASS ND Analyzed Date :NA KXTHIAZOX 0.0060 ppm 0.4 PASS ND Consumble: : 979790.100: 00424.R18: 03924.R10: 02124.R18 KAZTHON 0.0070 ppm 0.2 PASS ND Supplemental pesticide screening using GC-MSMS to quantita readimental of Dicherves, Remathrins, Piperonyl REGOXIM-METHYL 0.0060 ppm 0.2 PASS ND	ENOXYCARB	0.0050	ppm	0.2	PASS	ND		
Analysis	ENPYROXIMATE	0.0040	ppm	0.4	PASS	ND	Analyzed by:	Weight:
Analytical Batch : TE004289V0L Analytical Batch : TE004289V0L DIDXONIL 0.0060 pm 1 PASS ND Instrument Used : TE004289V0L XYTHIAZOX 0.0050 pm 1 PASS ND Analytical Batch : TE004289V0L XYTHIAZOX 0.0050 pm 1 PASS ND Analyzed Date : N/A ZALL 0.010 pm 0.2 PASS ND Common Used : N/A ESOXIM-METHYL 0.0070 pm 0.4 PASS ND Commander: sign 29721-100; 03424 R18; 030624 R19; 02023471; 728-261 U/J ESOXIM-METHYL 0.0070 pm 0.2 PASS ND Commander: sign 29721-100; 03424 R18; 030624 R19; 02024371; 728 LIATHON 0.0070 pm 0.2 PASS ND Commander: sign 29721-100; 03424 R19; 030624 R	PRONIL	0.0060	ppm	0.4	PASS	ND	152, 272, 333	0.5012g
UDIOXNIL 0.0000 ppm 0.4 PASS ND Instrument Used :TE-118 "MS/MS Pest/Myco 1",TE-261 'UI AZALL 0.010 ppm 1 PASS ND Analyzed Date: N/A AZALL 0.010 ppm 0.2 PASS ND Dilution : 25 IDACLOPRID 0.0000 ppm 0.4 PASS ND Regent : 031424, R02: 030424, R18; 030624, R10; 002124, R12; 030424, R12; 030624, R10; 002124, R12; 030424, R12; 030624, R10; 002124, R12; 030624, R10; 002124, R12; 030624, R10; 002124, R12; 030624, R10; 020124, R12; 030624, R10; 020124, R12; 030624, R10; 020124, R12; 030624, R10; 030624, R10; 020124, R12; 030624, R12; 030624, R10; 020124, R12; 030624, R12; 030624, R10; 020124, R12; 030624, R12; 030	ONICAMID	0.0090	ppm	1	PASS	ND		
XXTHIAZOX 0.0050 ppm 1 PASS ND Analyzed Date: N/A ZALL 0.01050 ppm 0.2 PASS ND Difficient: 25 IDACLOPRID 0.0080 ppm 0.4 PASS ND Consumables: 19/20120; 03042 AT 18; 030624 AT 10; 02124 IESOXIM-METHYL 0.0070 ppm 0.4 PASS ND Consumables: 19/29/2011.00; 030424 AT 18; 030624 AT 10; 02124 LATHION 0.0070 ppm 0.2 PASS ND Consumables: 19/29/201.10; 030424 AT 18; 030624 AT 18; 030644 AT 18; 030644 AT 18; 030644 AT 18; 03064	UDIOXONIL	0.0060	ppm	0.4	PASS	ND		
AZALL 0.0110 ppm 0.2 PASS ND Difution : 25 IDACLOPRID 0.0030 ppm 0.4 PASS ND Respect : 031424, R02: 030424, R10; 030624, R10; 020124, R23: 030424, R10; 030624, R10; 020124, R23: 030424, R10; 02014, R24; R23: 030424, R23: 03042, R23: 03042, R23: 030424, R23: 03042, R23: 03042, R23: 030424, R23: 03042, R23: 03	XYTHIAZOX	0.0050	ppm	1	PASS	ND		'MS/MS Pest/Myco 1",TE-261 "UHPI
IIDACLOPRID 0.0080 pm 0.4 PASS ND Preduct 1: 03124.RD2; 03024.R1B; 0304.R1B; 03024.R1B; 03024.R1B; 03024.R	AZALIL	0.0110	mag	0.2	PASS	ND		
RESOX/IN-METHYL 0.0070 ppm 0.4 PASS ND Consumables: 947929.1 100; 0034692; 53 4422.01; 72:04 ALATHON 0.0070 ppm 0.2 PASS ND Pipette: 1T:5-065 X0202X5357 (20-2004L); TE:108 SN220B ETALAXYL 0.0040 ppm 0.2 PASS ND Supplemental peticide screening using GC-MSMS to quantifiable ETHOAXL 0.0060 ppm 0.2 PASS ND Supplemental peticide screening using GC-MSMS to quantifiable ETHOAXL 0.0050 ppm 0.2 PASS ND quantifiable: confirmation of Dictionvox, Permethrins, Piperonyl ETHOAVL 0.0050 ppm 0.4 PASS ND for analysis using a ThermoScietific 1310-series GC equipped values ALED 0.0070 ppm 0.5 PASS ND screentering Scietific 1310-series GC equipped values ALED 0.0080 ppm 1 PASS ND screentering Scietific 1310-series GC equipped values PGRONYL BUTOXIDE 0.0080 ppm 2 PASS ND screentering Scietific 1310-series GC equipped values <td></td> <td>0.0080</td> <td>mag</td> <td>0.4</td> <td>PASS</td> <td>ND</td> <td></td> <td>1/2/ P18- 03082/ P10- 02012/ P1</td>		0.0080	mag	0.4	PASS	ND		1/2/ P18- 03082/ P10- 02012/ P1
ALATION 0.0070 ppm 0.2 PASS ND Pipette: 17:060 SN20C3547 (20-200LL); T=120S Ni2DG ETALAXYL 0.0040 ppm 0.2 PASS ND Supplemental pectides creaning using CC-MSM to quantitative descreaning using CC-MSM to quantitative descreanin		0.0070	mag	0.4	PASS	ND		
ETALAXYL 0.0040 ppm 0.2 PASS ND Supplemental pesticide screening using GC-MSMS to quantifiative confirmation of Dichlorovs, Permethrins, Piperonyl ETHOCARB 0.0040 ppm 0.2 PASS ND qualitative confirmation of Dichlorovs, Permethrins, Piperonyl ETHOMYL 0.0050 ppm 0.4 PASS ND quantitative confirmation of Dichlorovs, Permethrins, Piperonyl VCL0BUTANIL 0.0100 ppm 0.2 PASS ND for analysis using a ThermoScletific 1310-series GC equipped in ALDB ALED 0.0070 ppm 0.5 PASS ND scatcasutrazot 0.0080 ppm 1 PASS ND scatcasutrazot scatcasutrazot 0.0100 ppm 0.4 PASS ND scatcasutrazot scatcasu								
THIOCARB 0.0040 ppm 0.2 PASS ND qualitative confirmation of Dichlorous, Permethring, Piperonyl qualitative confirmation of Dichlorous, Permethring, Piperonyl qualitatite confirmation of Dichlorous, Piperonyl qualitatite								
ETHOMYL 0.0050 ppm 0.4 PASS ND quantitatively screened using LC-MSM8. (Methods: SOP.1.30.5 YCLOBUTANIL 0.0100 ppm 0.2 PASS ND for analysis using a ThermoSdettic 1310-series GC equipped to the screened using LC-MSM8. (Methods: SOP.1.30.5 ALED 0.0070 ppm 0.5 PASS ND ALED 0.0080 ppm 1 PASS ND ACLOBUTRACIL 0.0050 ppm 0.4 PASS ND OTAL PERMETHRINS 0.0030 ppm 0.2 PASS ND IPERONYL BUTOXIDE 0.0050 ppm 0.2 PASS ND RALLETHRIN 0.0130 ppm 0.2 PASS ND RALLETHRIN 0.0130 ppm 0.2 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND RALLETHRIN 0.0130 ppm 0.2 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>qualitative confirmation of D</td> <td>chlorvos, Permethrins, Piperonyl Bul</td>							qualitative confirmation of D	chlorvos, Permethrins, Piperonyl Bul
VICLOBUTANIL 0.0100 ppm 0.2 PASS ND ALED 0.0070 ppm 0.5 PASS ND XAMVL 0.0080 ppm 1 PASS ND ACLOBUTRAZOL 0.0050 ppm 0.4 PASS ND ACLOBUTRAZOL 0.0050 ppm 0.4 PASS ND HORMETHRINS 0.0030 ppm 0.2 PASS ND HORMETRINS 0.0030 ppm 0.2 PASS ND HORMETRINS 0.0030 ppm 0.2 PASS ND HORMETRINS 0.0050 ppm 0.2 PASS ND ROPICONAZOLE 0.0050 ppm 0.2 PASS ND ROPICONAZOLE 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.2 PASS ND								
IALED 0.007 ppm 0.5 PASS ND XAMYL 0.0080 ppm 1 PASS ND ACLOBUTRAZOL 0.0050 ppm 0.4 PASS ND OTAL PERMETHRINS 0.0030 ppm 0.2 PASS ND MOSMET 0.0030 ppm 0.2 PASS ND IPEROMYL BUTOXIDE 0.0050 ppm 2. PASS ND ROPALLETHRINS 0.0050 ppm 0.2 PASS ND ROPOXUR 0.0050 ppm 0.2 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND			1.1.				tor analysis using a ThermoS	cietinc 1310-series GC equipped wit
XAMYL 0.0080 ppm 1 PASS ND ACLOBUTRAZOL 0.0050 ppm 0.4 PASS ND OTAL PERNETHINS 0.0030 ppm 0.2 PASS ND HOSMET 0.0100 ppm 0.2 PASS ND HOSMET 0.0100 ppm 0.2 PASS ND RALLETHRIN 0.0130 ppm 0.2 PASS ND ROPICONZOLE 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND								
ACLOBUTRAZOL 0.0050 ppm 0.4 PASs ND OTAL PERMETHRINS 0.0030 ppm 0.2 PASs ND MOSMET 0.0100 ppm 0.2 PASs ND IPERONYL BUTOXIDE 0.0050 ppm 2 PASs ND RALLETYHRINS 0.0130 ppm 0.2 PASs ND ROPOXUR 0.0050 ppm 0.4 PASs ND ROPOXUR 0.0050 ppm 0.4 PASs ND ROPOXUR 0.0050 ppm 0.2 PASs ND								
OTAL PERMETHRINS 0.0030 ppm 0.2 PASS ND HOSMET 0.0100 ppm 0.2 PASS ND IPERONYL BUTOXIDE 0.0050 ppm 2 PASS ND RALLETHRIN 0.0130 ppm 0.2 PASS ND ROPICONZOLE 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.2 PASS ND ROPOXUR 0.0050 ppm 0.4 PASS ND								
HOSMET 0.010 ppm 0.2 PASs ND IPERONVL BUTOXIDE 0.0050 ppm 2 PASs ND RALLETHRIN 0.0130 ppm 0.2 PASs ND ROPICONAZOLE 0.0050 ppm 0.4 PASs ND ROPOXUR 0.0050 ppm 0.4 PASs ND OAL PYRETHRINS 0.0010 ppm 1 PASs ND			1.1.					
IPEROVIL9 UTOXIDE 0.0050 ppm 2 PAS ND PRALLETHRIN 0.0130 ppm 0.2 PASS ND ROPICONZOLE 0.0050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.2 PASS ND TOTAL PYRETHRINS 0.0010 ppm 1 PASS ND			1.1.					
PRALETHRIN 0.0130 ppm 0.2 PASS ND PROPICONAZOLE 0.0050 ppm 0.4 PASS ND PROPOXUR 0.0050 ppm 0.2 PASS ND OTAL PYRETHRINS 0.0010 ppm 1 PASS ND			1.1.					
ROPICULAZOLE 0.050 ppm 0.4 PASS ND ROPOXUR 0.0050 ppm 0.2 PASS ND OTAL PYRETHRINS 0.0010 ppm 1 PASS ND								
ROPOXUR 0.0050 ppm 0.2 PASS ND YOTAL PYRETHRINS 0.0010 ppm 1 PASS ND								
TOTAL PYRETHRINS 0.0010 ppm 1 PASS ND			1.1.					
PYRIDABEN 0.0040 ppm 0.2 PASS ND								
	PYRIDABEN	0.0040	ppm	0.2	PASS	ND		

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL SPINOSAD		0.0060	ppm	0.2	PASS	ND
SPIROMESIFEN		0.0080	ppm	0.2	PASS	ND
SPIROTETRAMAT		0.0060	ppm	0.2	PASS	ND
SPIROXAMINE		0.0040	ppm	0.4	PASS	ND
TEBUCONAZOLE		0.0040	ppm	0.4	PASS	ND
THIACLOPRID		0.0060	ppm	0.2	PASS	ND
THIAMETHOXAM		0.0060	ppm	0.2	PASS	ND
TRIFLOXYSTROBIN		0.0060	ppm	0.2	PASS	ND
CHLORFENAPYR *		0.0270	ppm	1	PASS	ND
CYFLUTHRIN *		0.0150	ppm	1	PASS	ND
Analyzed by: 152, 272, 333	Weight: 0.5012g	Extraction 03/19/24 18			Extracte 152	d by:
Instrument Used :TE-118 "MS/ Analyzed Date :03/20/24 20:10 Dilution : 25):44		2"	Batch Date	:03/19/24 13:	41:04
Reagent : 031424.R02; 030424 Consumables : 9479291.100; 0 Pipette : TE-060 SN:20C35457	(20-200uL); TE-108 SN:20	28914- G23536; 21 0B18337 (100-1000	uL)			
Pesticide screening is carried out nomogenization, SOP.T.30.104.AZ		P.T.40.104.AZ for an	alysis on The			
Analyzed by:	Weight: 0.5012g	Extraction 03/19/24 18			Extracte 152	d by:
152, 272, 333						
152, 272, 333 Analysis Method : SOP.T.30.500 Analytical Batch : TE004289VO Instrument Used : TE-118 "MS/I Analyzed Date : N/A	L		2"		0n :03/22/24 1 :03/22/24 17:	

Supplemental pesticide screening using GC-MS/MS to quantitatively screen for Chlorfenapyr. Cyfluthrin, Cyperenthrin, and Diazinon; as well as the qualitative confirmation of Dichioros, Bernethrins, piperonyl Butxode, Prallethrin, Projocnazole, Pyrethrins, and Tebuconazole which are all quantitative only screened using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.154.AZ for analysis using a ThermSciettific 1310-series GC equipped with a Thiles RSH autosampler and detected on a TSO 9000-series mass spectrometer).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Noto Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

tal on fr.

Signature 03/22/24

PASSED

PASSED



Berry Gelato Select B Distillate Berry Gelato Matrix : Concentrate Type: Distillate



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Curaleaf_AZ

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020 Fmail: christopher paternoster@curaleaf.com License # : 00000053DCXB00858835

Sample : TE40315001-008 Harvest/Lot ID: 229NW1223,FP102 Batch# : CAZ2407C-BG-B Sampled : 03/15/24

Sample Size Received : 36.55 gram Total Amount : 7 gram Ordered : 03/15/24 Completed : 03/22/24 Expires: 03/22/25 Sample Method : SOP Client Method

Page 3 of 6

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
BUTANES	168.2000	ppm	5000	PASS	ND	
METHANOL	87.7000	ppm	3000	PASS	ND	
PENTANES	163.9000	ppm	5000	PASS	ND	
ETHANOL	142.2000	ppm	5000	PASS	ND	
ETHYL ETHER	193.1000	ppm	5000	PASS	ND	
ACETONE	37.6000	ppm	1000	PASS	ND	
2-PROPANOL	156.2000	ppm	5000	PASS	ND	
ACETONITRILE	12.2000	ppm	410	PASS	ND	
DICHLOROMETHANE	22.7000	ppm	600	PASS	ND	
HEXANES	8.4000	ppm	290	PASS	ND	
ETHYL ACETATE	179.0000	ppm	5000	PASS	ND	
CHLOROFORM	2.4100	ppm	60	PASS	ND	
BENZENE	0.1150	ppm	2	PASS	ND	
ISOPROPYL ACETATE	168.6000	ppm	5000	PASS	ND	
HEPTANE	152.8000	ppm	5000	PASS	ND	
TOLUENE	26.2000	ppm	890	PASS	ND	
XYLENES	53.2000	ppm	2170	PASS	ND	
Analyzed by: 334, 272, 333	Weight: 0.0204g	Extraction date: 03/15/24 16:47:48		Extracted by: 331		

Analysis Method : SOP.T.40.044.AZ Analytical Batch : TE004233SOL

Reviewed On : 03/20/24 10:22:44 Instrument Used : TE-092 "GC - Solvents 1", TE-095 "MS - Solvents 1", TE-098 "Injector - Solvents 1", TE-100 "HS - Solvents 1", TE-113 "Vacuum Pump - Solvents Batch Date : 03/15/24 16:44:35

Analyzed Date : 03/15/24 17:17:17

Dilution : N/A

Reagent : 111023.02; 032023.04; 032023.03 Consumables : H109203-1; 428752; 31723; GD220011

Pipette : N/A

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, no -Xylene.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

til onf

Signature 03/22/24

PASSED



Berry Gelato Select B Distillate Berry Gelato Matrix : Concentrate Type: Distillate



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Curaleaf AZ

PF

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020 Fmail: christopher paternoster@curaleaf.com License # : 00000053DCXB00858835

Microbial

Sample : TE40315001-008 Harvest/Lot ID: 229NW1223,FP102

PASSED

Batch# : CAZ2407C-BG-B Sampled : 03/15/24 Ordered : 03/15/24

Sample Size Received : 36.55 gram Total Amount : 7 gram Completed : 03/22/24 Expires: 03/22/25 Sample Method : SOP Client Method

0

Page 4 of 6

\sim							
Analyte		LOD	Units	Result	Pass / Fail	Action Level	A
SALMONELLA SPP				Not Present in 1g	PASS		т
ASPERGILLUS FLAV	/US			Not Present in 10	PASS		A
ASPERGILLUS FUM	IGATUS			Not Present in 1g	PASS		A
ASPERGILLUS NIGE	R			Not Present in 10	PASS		A
ASPERGILLUS TERF	REUS			Not Present in 10	PASS		A
ESCHERICHIA COLI	REC	10.0000	CFU/g	<10	PASS	100	0
Analyzed by: 96, 87, 272, 333	Weight: 0.9882g		tion dat /24 12:11		Extracted 331,96	by:	An 15
Analysis Method : SOF	.T.40.056B, SO	P.T.40.058	.FL, SOP.	T.40.208, SOP.T.4	0.209.AZ		An
Analytical Batch : TEO	04222MIC			On : 03/19/24 17:0			An
Instrument Used : N/A		В	atch Dat	e:03/15/24 09:41	:24		Ins
Analyzed Date : 03/19	/24 13:47:09						An
Dilution: 10							Dil

Reagent : 021624.16; 022924.05; 112223.53; 010424.29; 013024.12; 013024.13; 022924.13; 022924.14; 022924.55; 051923.30; 031524.R07 Consumables : HWK015; 33T797; 210616-361-B; 1008439554; 20221115-071-B; 34623011;

112023CH01; 728914- G23536; 210725-598-D; NT10-1212; 6890930; X002E5BZFT Pipette : TE-053 SN:20E78952; TE-057 SN:21D58688; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-107

SN:21G98546; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258; TE-340 10mL VWR Pipettor (SN: 17N4167)

)	Å.	Му	coto	kins			I	PAS	SED
n el	Analyte				LOD	Units	Result	Pass / Fail	Action Level
	TOTAL AFLA	TOXINS			1.4870	ppb	ND	PASS	20
	AFLATOXIN	B1			1.4700	ppb	ND	PASS	20
	AFLATOXIN	B2			1.8000	ppb	ND	PASS	20
	AFLATOXIN	G1			1.9000	ppb	ND	PASS	20
	AFLATOXIN	G2			3.2500	ppb	ND	PASS	20
	OCHRATOXI	NA			4.6100	ppb	ND	PASS	20
	Analyzed by: 152, 272, 333		Weight: 0.5012g		tion date 24 18:33	-		Extracted 152	by:
	Analysis Method : SOP.T.30.500, SOP.T.3 Analytical Batch : TE004288MYC Instrument Used : N/A Analyzed Date : N/A			I	Reviewed	On : 03/2	AZ 22/24 18:0 /24 17:34:		

Dilution : 25

Reagent : 031424.R02; 030424.R18; 030824.R10; 020124.R16; 041823.06 Consumables : 9479291.100; 00346492-5; 34623011; 728914- G23536; 210725-598-D; GD220011; XRODH506

Pipette : TE-060 SN:20C35457 (20-200uL); TE-108 SN:20B18337 (100-1000uL)

Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UPPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be $<20 \mu g/kg$. Ochratoxin must be $<20 \mu g/kg$.

Hg H	leavy M	letals		l	PAS	SED
Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC		0.0030	ppm	ND	PASS	0.4
CADMIUM		0.0020	ppm	ND	PASS	0.4
MERCURY		0.0125	ppm	ND	PASS	0.2
LEAD		0.0010	ppm	ND	PASS	1
Analyzed by: 39, 272, 333	Weight: 0.1952g	Extraction date: 03/19/24 12:31			Extracted 331	by:
Analysis Method : Analytical Batch : 7		.T.30.084.AZ, SOP.	R	.AZ eviewed 0 .5:18:10	n: 03/19/	/24
Instrument Used : "Wolfgang",TE-260 Chiller" TE-310 "Te	"Ludwig",TE-307	"Ted",TE-308 "Ted	В	atch Date	:03/18/24	4 14:04:01

Ted Pump Analyzed Date : 03/19/24 13:43:39

Dilution: 50

Reagent : 101723.13; 022824.R01; 031424.R01; 091123.04; 031224.05; 090922.04 Consumables : 12698-337CE-337E; 34623011; 728914- G23536; 210725-598-D Pipette : TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit pb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product, analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Ariel Gonzales Lab Director

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

tal on fr.

Signature 03/22/24



Berry Gelato Select B Distillate Berry Gelato Matrix : Concentrate Type: Distillate



PASSED

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Curaleaf_AZ

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020 Email: christopher.patermoster@curaleaf.com License #: 00000053DCXB00858835 Sample : TE40315001-008 Harvest/Lot ID: 229NW1223-FP102 Batch # : CAZ2407C-BG-B Sampled : 03/15/24 Ordered : 03/15/24 Samp

FP102 Sample Size Received : 36.55 gram Total Amount : 7 gram Completed : 03/22/24 Expires: 03/22/25 Sample Method : SOP Client Method

Page 5 of 6

COMMENTS

* Confident Cannabis sample ID: 2403KLAZ0174.0785



* Pesticide TE40315001-008PES

1 - M1: Fipronil, Kresoxim-methyl, Spirotetramat. M2: Boscalid, Diazinon, Fludioxonil, Hexythiazox, Imazalil, Total Spinosad.

- * Residual TE40315001-008SOL
- 1 I1- Hexanes (2-methylpentane & 2,3-dimethylbutane)
- * Volatile Pesticides TE40315001-008VOL
- 1 M2: Chlorfenapyr, Cyfluthrin.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 03/22/24



Berry Gelato Select B Distillate Berry Gelato Matrix : Concentrate Type: Distillate



1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

PASSED

Curaleaf_AZ

3333 S Central Ave Phoenix, AZ, 85040, US Telephone: (602) 842-0020 Email: christopher,patemoster@curaleaf.com License #: 00000053DCXB00858835 Sample : TE40315001-008 Harvest/Lot ID: 229NW1223-FP102 Batch# : CAZ2407C-BG-B Sampled : 03/15/24 Ordered : 03/15/24 Samp

FP102 Sample Size Received : 36.55 gram Total Amount : 7 gram Completed : 03/22/24 Expires: 03/22/25 Sample Method : SOP Client Method

Page 6 of 6

COMMENTS

* Confident Cannabis sample ID: 2403KLAZ0174.0785



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Ariel Gonzales

State License # 00000024LCMD66604568 ISO 17025 Accreditation # 97164

tal on fr.

Signature 03/22/24