

Strain:	
<i>Product Form</i>	Cart
<i>Strain</i>	Jack Herer
<i>Batch Number</i>	CV1007-JH
<i>Date of Manufacture/Formulation</i>	1/17/2024
Original Form:	
<i>Type</i>	DISTILLATE
<i>Batch Number(s)</i>	CV1007
<i>Harvest Date</i>	3/13/2023
<i>Type of Extraction</i>	OTHER HYDROCARBON
<i>Manufactured/Cultivated By</i>	Nuvo Vision LLC - Lic. #00000111ESTX14447382
Distribution Chain:	
<i>Manufactured/Cultivated By</i>	The Kind Relief Inc - 00000049DCRR00713151
<i>Packaged By</i>	The Kind Relief Inc - 00000049DCRR00713151
<i>Distributed By</i>	The Kind Relief Inc - 00000049DCRR00713151
<i>Marijuana Establishment Name</i>	The Kind Relief Inc - 00000049DCRR00713151
Arizona Dept. of Health Services Warning	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151


Sample: 2401LVL0082.0521

Secondary License: ; Chain of Distribution:
Strain: Jack Herer; Batch#: CV1007-JH; Batch Size: 8 g
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025
Sampling Date: 01/17/2024; Sampling Time: 12 pm; Sampling Person: Liz
Harvest Date: 03/13/2023; Manufacturing Date: 01/17/2024

PH - Jack Herer Mixed Distillate (S)

Concentrates & Extracts, Vape, CO2





81.56%	<LOQ	84.79%
Total THC	Total CBD	
59.03 mg/g	Not Tested	Total Cannabinoids
Total Terpenes	NT Moisture	

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	0.643	ND	ND	
Δ9-THC	0.643	81.555	815.55	
Δ8-THC	0.643	ND	ND	M1
THCVa	0.643	ND	ND	
THCV	0.643	<LOQ	<LOQ	
CBDa	0.643	ND	ND	
CBD	0.643	<LOQ	<LOQ	
CBDVa	0.643	ND	ND	
CBDV	0.643	ND	ND	
CBN	0.643	<LOQ	<LOQ	
CBGa	0.643	ND	ND	
CBG	0.643	2.564	25.64	
CBCa	0.643	ND	ND	Q3
CBC	0.643	0.676	6.76	
Total		84.795	847.95	

Qualifiers:
Date Tested: 01/22/2024 02:00 pm
Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.
Retest 1

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151

Sample: 2401LVL0082.0521

Secondary License: ; Chain of Distribution:
Strain: Jack Herer; Batch#: CV1007-JH; Batch Size: 8 g
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025
Sampling Date: 01/17/2024; Sampling Time: 12 pm; Sampling Person: Liz
Harvest Date: 03/13/2023; Manufacturing Date: 01/17/2024

PH - Jack Herer Mixed Distillate (S)


Concentrates & Extracts, Vape, CO2




Terpenes

Analyte	LOQ	Mass	MassQualifier	Analyte	LOQ	Mass	MassQualifier
	mg/g	mg/g	%		mg/g	mg/g	%
δ-Limonene	0.74	53.68	5.368	Citronellol	3.72	ND	ND
β-Pinene	0.74	1.20	0.120	Eucalyptol	0.37	ND	ND
β-Caryophyllene	0.74	1.19	0.119	Farnesene	0.06	ND	ND
γ-Terpinene	0.37	0.79	0.079	Fenchol	0.37	ND	ND
α-Humulene	0.37	0.48	0.048	Fenchone	0.74	ND	ND
α-Pinene	0.37	0.46	0.046	γ-Terpineol	0.08	ND	ND
β-Myrcene	0.37	0.43	0.043	Geraniol	7.44	ND	ND
Sabinene	0.37	0.42	0.042	Geranyl Acetate	0.37	ND	ND
α-Bisabolol	0.37	0.38	0.038	Guaiol	0.37	ND	ND
3-Carene	0.74	ND	ND	Isoborneol	3.72	ND	ND
α-Cedrene	0.37	ND	ND	Isopulegol	0.37	ND	ND
α-Phellandrene	0.37	ND	ND	Linalool	0.74	ND	ND
α-Terpinene	0.37	ND	ND	Menthol	0.37	ND	ND
α-Terpineol	0.61	ND	ND	Nerol	0.37	ND	ND
β-Eudesmol	0.37	ND	ND	Pulegone	0.37	ND	ND
Borneol	1.12	ND	ND	p-Cymene	0.37	ND	ND
Camphene	0.37	ND	ND	Sabinene Hydrate	0.37	ND	ND
Camphor	1.49	ND	ND	Terpinolene	0.74	ND	ND
Caryophyllene	0.37	ND	ND	trans-Nerolidol	0.37	ND	ND
Oxide	0.37	ND	ND	trans-Ocimene	0.25	ND	ND
Cedrol	0.37	ND	ND	Valencene	0.37	ND	ND
cis-Nerolidol	0.74	ND	ND				
cis-Ocimene	0.11	ND	ND				


Primary Aromas




Lemon




Pine



Cinnamon



Wood



Hops

59.03 mg/g
Total Terpenes

Qualifiers:
Date Tested: 01/19/2024 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.

The Kind Relief Inc DBA: Flow Distribution

1102 N. 21st Ave
Phoenix, AZ 85009
alex@flowdistribution.com
(480) 228-2512
Lic. #00000049DCRR00713151

Sample: 2401LVL0082.0521

Secondary License: ; Chain of Distribution:
Strain: Jack Herer; Batch#: CV1007-JH; Batch Size: 8 g
Sample Received: 01/19/2024; Report Created: 01/23/2024; Expires: 01/23/2025
Sampling Date: 01/17/2024; Sampling Time: 12 pm; Sampling Person: Liz
Harvest Date: 03/13/2023; Manufacturing Date: 01/17/2024

PH - Jack Herer Mixed Distillate (S)

Concentrates & Extracts, Vape, CO2



Microbials

Pass

Analyte	Result	Result Units	Status	Qualifier
E. Coli	<10	CFU/G	Pass	
Salmonella	Not Detected	in one gram	Pass	
Aspergillus terreus	Not Detected	in one gram	Pass	
Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger	Not Detected	in one gram	Pass	

LEVEL ONE

Qualifiers:
Date Tested: 01/22/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.

Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g

Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Complete Potency	Pass Microbials	Pass Residual Solvents	Pass Pesticides, Fungicides, Growth Regulators	Not Tested Herbicides	Pass Mycotoxins	Pass Heavy Metals
----------------------------	---------------------------	----------------------------------	--	---------------------------------	---------------------------	-----------------------------



94.72%
THC Max

<LOQ
CBD Max

94.72%
Regulatory Cannabinoids

94.72%
Total Cannabinoids Q3

Cannabinoids

Cannabinoid	LOQ	Concentration	Concentration	Qualifiers
	%	%	mg/g	
CBC	3.33	<LOQ	<LOQ	
CBD	3.33	<LOQ	<LOQ	
CBDa	3.33	ND	ND	
CBG	3.33	<LOQ	<LOQ	
CBGa	3.33	ND	ND	
CBN	3.33	<LOQ	<LOQ	
Δ8-THC	3.33	ND	ND	
Δ9-THC	3.33	94.72	947.2	
THCa	3.33	ND	ND	
THCV	3.33	<LOQ	<LOQ	
Total		94.72	947.2	

Qualifiers: M4,D1

Date Tested: 07/24/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (M4,D1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021. SOP-134; THC Max = THCa * 0.877 + Δ9-THC; CBD Max = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g
Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Microbials

Pass

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 08/02/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g

Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND	R1	Pass	Hexythiazox	0.03	1.00	ND	V1	Pass
Acephate	0.01	0.40	ND		Pass	Imazalil	0.01	0.20	ND		Pass
Acequinocyl	0.05	2.00	ND	M2	Pass	Imidacloprid	0.01	0.40	ND		Pass
Acetamiprid	0.01	0.20	ND		Pass	Kresoxim Methyl	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND		Pass	Malathion	0.01	0.20	ND		Pass
Azoxystrobin	0.01	0.20	ND		Pass	Metalaxyl	0.01	0.20	ND		Pass
Bifenazate	0.01	0.20	ND	M2	Pass	Methiocarb	0.01	0.20	ND		Pass
Bifenthrin	0.01	0.20	ND	M2	Pass	Methomyl	0.01	0.40	ND	V1	Pass
Boscalid	0.01	0.40	ND	L1 V1	Pass	Myclobutanil	0.01	0.20	ND		Pass
Carbaryl	0.01	0.20	ND		Pass	Naled	0.01	0.50	ND	L1	Pass
Carbofuran	0.01	0.20	ND		Pass	Oxamyl	0.03	1.00	ND	V1	Pass
Chlorantraniliprole	0.01	0.20	ND		Pass	Pacllobutrazol	0.01	0.40	ND		Pass
Chlorfenapyr	0.03	1.00	ND		Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	L1 M2	Pass
Chlorpyrifos	0.01	0.20	ND	R1	Pass	Phosmet	0.01	0.20	ND		Pass
Clofentezine	0.01	0.20	ND	L1 M1	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND		Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND	V1	Pass
Daminozide	0.03	1.00	ND		Pass	Propoxur	0.01	0.20	ND	L1	Pass
DDVP	0.00	0.10	ND	V1	Pass	Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I)	0.03	1.00	ND		Pass
Diazinon	0.01	0.20	ND		Pass	Pyridaben	0.01	0.20	ND		Pass
Dimethoate	0.01	0.20	ND		Pass	Spinosad (A and D)	0.01	0.20	ND	V1	Pass
Ethoprophos	0.01	0.20	ND	V1	Pass	Spiromesifen	0.01	0.20	ND	L1	Pass
Etofenprox	0.01	0.40	ND	L1 M2	Pass	Spirotetramat	0.01	0.20	ND	M1	Pass
Etoxazole	0.01	0.20	ND		Pass	Spiroxamine	0.01	0.40	ND	L1 M2	Pass
Fenoxycarb	0.01	0.20	ND		Pass	Tebuconazole	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND		Pass	Thiacloprid	0.01	0.20	ND	L1	Pass
Fipronil	0.01	0.40	ND		Pass	Thiamethoxam	0.01	0.20	ND		Pass
Fonicamid	0.03	1.00	ND	L1 V1	Pass	Trifloxystrobin	0.01	0.20	ND		Pass
Fludioxonil	0.01	0.40	ND	R1 M2 V1	Pass						

Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 M2 M1 V1

Date Tested: 08/01/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M2 M1 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g
Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Acetone	500	1000	ND		Pass
Acetonitrile	205	410	ND		Pass
Benzene	1	2	ND		Pass
Butanes (n-butane and iso-butane)	625	5000	ND		Pass
Chloroform	30	60	ND		Pass
Dichloromethane	300	600	ND		Pass
Ethanol	2500	5000	ND		Pass
Ethyl Acetate	2500	5000	ND		Pass
Ethyl-Ether	2500	5000	ND		Pass
Heptane	2500	5000	ND		Pass
Hexanes (n-hexane, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane)	145	290	ND		Pass
Isopropanol	2500	5000	ND		Pass
Isopropyl-Acetate	2500	5000	ND		Pass
Methanol	1500	3000	ND		Pass
Pentanes (n-pentane, iso-pentane, and neo-pentane)	145	5000	ND		Pass
Propane	625	5000	ND		Pass
Toluene	445	890	ND		Pass
Xylenes (1,2-dimethylbenzene, 1,3-dimethylbenzene, 1,4-dimethylbenzene, and ethyl benzene)	100	2170	ND		Pass

Qualifiers: Analyzed at Desert Valley Testing 00000003LCIN00627986

Date Tested: 08/07/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Analyzed at Desert Valley Testing 00000003LCIN00627986), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g

Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND		Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND		Pass

Date Tested: 08/03/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Nuvo Vision LLC

3905 Old State Highway 279
Camp Verde, AZ 86322
mdenny@nuvovisionllc.com
(587) 974-9901
Lic. #00000111ESTX14447382

Sample: 2307DEL0795.3375

Strain: HYBRID
Lot#: ; Batch#: CV1007; Batch Size: g
Sample Received: 07/21/2023; Report Created: 08/07/2023
Testing Completed: 08/06/2023

THC Distillate CV1007

Concentrates & Extracts, Distillate
Reference:



Mycotoxins

Pass

Analyte	LOQ	Limit	Units	Status	Qualifiers
	PPB	PPB	PPB		
B1	0.50		ND	Tested	
B2	0.50		ND	Tested	
G1	0.50		ND	Tested	
G2	0.50		ND	Tested	L1 M1 V1
Ochratoxin A	0.50	20.00	ND	Pass	
Total Aflatoxins	0.50	20.00	ND	Pass	L1 M1 V1

Qualifiers: L1 M1 V1
Date Tested: 08/01/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 M1 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

