

**SAMPLE NAME:** Wook Chow

**SAMPLE ID:** A23H0100-02

**CCB ID:** 2308OPT2770.10944

**CULTIVATOR/MANUFACTURER**

**Business Name:** The Inventing Room

**License:** 00000006LCXI00549589

**SAMPLE DETAIL**

**Date Collected:** 8/11/2023 1:56:39PM

**Matrix:** Other

**Strain:** GMO

**Ex. Lot ID:** N/A


**Batch#:** B-WOOK-01

**Batch Size:** N/A

**Other Information:** R1 client unit weight/ex batch ID input error:

55g to 28 g/ N/A to B-WOOK-01. ammended report

**Unit Mass (g):** 28.00



Scan QR code to verify authenticity of results.

**CANNABINOID ANALYSIS SUMMARY**

**Total THC: 91.0392mg/unit**

d9-THC + (THCa \* 0.877)

**Total CBD: ND**

CBD + (CBDa \* 0.877)

**Total Cannabinoids: 101.7884mg/unit**

CBD + CBG + CBN + CBDa + CBGa  
+ THCa + THCv + d8THC + d9THC

**SAFETY ANALYSIS SUMMARY**

**Microbials: PASS**

**Mycotoxins: PASS**

**Metals: PASS**

**Solvents: PASS**

**Pesticides: PASS**

Data Reviewed by Symone Whalin, Technical Laboratory Director

|  |   |
|--|---|
| <b>91.0392</b><br><b>mg/unit</b><br><b>Total THC</b> | <b>101.7884</b><br><b>mg/unit</b><br><b>Total Cannabinoids</b><br><small>*Q3 Informational use only</small> |
| <b>ND</b><br><b>Total CBD</b>                        | <b>N/A</b><br><b>Moisture</b><br><small>*Q3 Informational use only</small>                                  |

### CANNABINOID TEST RESULTS

Date Analyzed: 08/12/23 21:03; Method: Agilent 1260 LC

| Analyte      | Qualifier | LOQ      | Result        | Result          |
|--------------|-----------|----------|---------------|-----------------|
|              |           | %        | mg/g          | mg/unit         |
| delta 9-THC  |           | 0.020000 | 2.0703        | 57.9684         |
| THCA         |           | 0.020000 | 1.3468        | 37.7104         |
| CBD          |           | 0.020000 | ND            | ND              |
| CBDA         |           | 0.020000 | ND            | ND              |
| CBN          | Q3M2      | 0.020000 | ND            | ND              |
| delta 8-THC  | Q3        | 0.020000 | ND            | ND              |
| CBG          | Q3        | 0.020000 | 0.071200      | 1.9936          |
| CBGA         | Q3        | 0.020000 | 0.14700       | 4.116           |
| THCV         | Q3        | 0.020000 | ND            | ND              |
| Total CBD    |           | 0.020000 | ND            | ND              |
| Total THC    |           | 0.020000 | 3.2514        | 91.0392         |
| <b>Total</b> |           | 0.020000 | <b>3.6353</b> | <b>101.7884</b> |

28g/unit

### HEAVY METALS TEST RESULTS

**Pass**

Date Analyzed: 08/12/23 15:09; Method: Agilent 7800 ICP MS

| Analyte | Qualifier | LOQ | Limit | Result | Status |
|---------|-----------|-----|-------|--------|--------|
|         |           | ppb | ppb   | ppb    |        |
| Arsenic | V1        | 200 | 400   | ND     | Pass   |
| Cadmium |           | 200 | 400   | ND     | Pass   |
| Lead    | V1        | 500 | 1000  | ND     | Pass   |
| Mercury |           | 600 | 1200  | ND     | Pass   |

Data Reviewed by Symone Whalin, Technical Laboratory Director




**PESTICIDES TEST RESULTS**

**Pass**

Date Analyzed: 08/15/23 10:52; Method: Agilent 1260 LC 6470BMS

| Analyte             | Qualifier | LOQ    | Limit | Result | Status | Analyte            | Qualifier | LOQ   | Limit | Result | Status |
|---------------------|-----------|--------|-------|--------|--------|--------------------|-----------|-------|-------|--------|--------|
|                     |           | ppm    | ppm   | ppm    |        |                    |           | ppm   | ppm   | ppm    |        |
| Avermectin B1a      | L1, V1    | 0.250  | 0.5   | ND     | Pass   | Hexythiazox        |           | 0.500 | 1     | ND     | Pass   |
| Acephate            |           | 0.200  | 0.4   | ND     | Pass   | Imazalil           |           | 0.100 | 0.2   | ND     | Pass   |
| Acequinocyl         |           | 1.00   | 2     | ND     | Pass   | Imidacloprid       |           | 0.200 | 0.4   | ND     | Pass   |
| Acetamiprid         |           | 0.100  | 0.2   | ND     | Pass   | Kresoxim-methyl    |           | 0.200 | 0.4   | ND     | Pass   |
| Aldicarb            |           | 0.200  | 0.4   | ND     | Pass   | Malathion          |           | 0.100 | 0.2   | ND     | Pass   |
| Azoxystrobin        |           | 0.100  | 0.2   | ND     | Pass   | Metaxyl            |           | 0.100 | 0.2   | ND     | Pass   |
| Bifenazate          |           | 0.100  | 0.2   | ND     | Pass   | Methiocarb         |           | 0.100 | 0.2   | ND     | Pass   |
| Bifenthrin          |           | 0.100  | 0.2   | ND     | Pass   | Methomyl           |           | 0.200 | 0.4   | ND     | Pass   |
| Boscalid            |           | 0.200  | 0.4   | ND     | Pass   | Myclobutanil       | R1        | 0.100 | 0.2   | ND     | Pass   |
| Carbaryl            |           | 0.100  | 0.2   | ND     | Pass   | Naled              | R1        | 0.250 | 0.5   | ND     | Pass   |
| Carbofuran          |           | 0.100  | 0.2   | ND     | Pass   | Oxamyl             |           | 0.500 | 1     | ND     | Pass   |
| Chlorantraniliprole |           | 0.100  | 0.2   | ND     | Pass   | Paclobutrazol      |           | 0.200 | 0.4   | ND     | Pass   |
| Chlorfenapyr        |           | 0.500  | 1     | ND     | Pass   | Permethrins        |           | 0.100 | 0.2   | ND     | Pass   |
| Chlorpyrifos        |           | 0.100  | 0.2   | ND     | Pass   | Phosmet            |           | 0.100 | 0.2   | ND     | Pass   |
| Clofentezine        |           | 0.100  | 0.2   | ND     | Pass   | Piperonyl Butoxide |           | 1.00  | 2     | ND     | Pass   |
| Cyfluthrin          |           | 0.500  | 1     | ND     | Pass   | Prallethrin        |           | 0.100 | 0.2   | ND     | Pass   |
| Cypermethrin        |           | 0.500  | 1     | ND     | Pass   | Propiconazole      |           | 0.200 | 0.4   | ND     | Pass   |
| Daminozide          | V1        | 0.500  | 1     | ND     | Pass   | Propoxur           |           | 0.100 | 0.2   | ND     | Pass   |
| DDVP (Dichlorvos)   |           | 0.0500 | 0.1   | ND     | Pass   | Pyrethrins         |           | 0.500 | 1     | ND     | Pass   |
| Diazinon            |           | 0.100  | 0.2   | ND     | Pass   | Pyridaben          |           | 0.100 | 0.2   | ND     | Pass   |
| Dimethoate          |           | 0.100  | 0.2   | ND     | Pass   | Spinosad           | V1        | 0.100 | 0.2   | ND     | Pass   |
| Ethoprop(hos)       |           | 0.100  | 0.2   | ND     | Pass   | Spiromesifen       |           | 0.100 | 0.2   | ND     | Pass   |
| Etofenprox          |           | 0.200  | 0.4   | ND     | Pass   | Spirotetramat      |           | 0.100 | 0.2   | ND     | Pass   |
| Etoxazole           |           | 0.100  | 0.2   | ND     | Pass   | Spiroxamine        |           | 0.200 | 0.4   | ND     | Pass   |
| Fenoxycarb          |           | 0.100  | 0.2   | ND     | Pass   | Tebuconazole       | V1        | 0.200 | 0.4   | ND     | Pass   |
| Fenpyroximate       |           | 0.200  | 0.4   | ND     | Pass   | Thiacloprid        |           | 0.100 | 0.2   | ND     | Pass   |
| Fipronil            | V1        | 0.200  | 0.4   | ND     | Pass   | Thiamethoxam       |           | 0.100 | 0.2   | ND     | Pass   |
| Flonicamid          |           | 0.500  | 1     | ND     | Pass   | Trifloxystrobin    |           | 0.100 | 0.2   | ND     | Pass   |
| Fludioxonil         |           | 0.200  | 0.4   | ND     | Pass   |                    |           |       |       |        |        |

**MYCOTOXINS TEST RESULTS**

**Pass**

Date Analyzed: 08/13/23 10:12; Method: Agilent 1260 LC 6470BMS

| Analyte          | Qualifier | LOQ  | Limit | Result | Status |
|------------------|-----------|------|-------|--------|--------|
|                  |           | ppb  | ppb   | ppb    |        |
| Aflatoxin B1     |           | 10.0 |       | ND     |        |
| Aflatoxin B2     |           | 10.0 |       | ND     |        |
| Aflatoxin G1     |           | 10.0 |       | ND     |        |
| Aflatoxin G2     |           | 10.0 |       | ND     |        |
| Ochratoxin A     | R1, V1    | 10.0 | 20    | ND     | Pass   |
| Total Aflatoxins |           | 10.0 | 20    | ND     | Pass   |

Data Reviewed by Symone Whalin, Technical Laboratory Director




**RESIDUAL SOLVENTS TEST RESULTS**

**Pass**

Date Analyzed: 08/13/23 08:30; Method: Agilent Intuvo 9000 GC 5977BMS

| Analyte           | Qualifier | LOQ   | Limit | Result | Status |
|-------------------|-----------|-------|-------|--------|--------|
|                   |           | ppm   | ppm   | ppm    |        |
| Acetone           |           | 500.0 | 1000  | ND     | Pass   |
| Acetonitrile      |           | 205.0 | 410   | ND     | Pass   |
| Benzene           |           | 1,000 | 2     | ND     | Pass   |
| Butanes           |           | 2,500 | 5000  | ND     | Pass   |
| Chloroform        |           | 30.00 | 60    | ND     | Pass   |
| Dichloromethane   |           | 300.0 | 600   | ND     | Pass   |
| Ethanol           |           | 2,500 | 5000  | ND     | Pass   |
| Ethyl acetate     |           | 2,500 | 5000  | ND     | Pass   |
| Ethyl ether       |           | 2,500 | 5000  | ND     | Pass   |
| Heptane           |           | 2,500 | 5000  | ND     | Pass   |
| Hexanes           |           | 145.0 | 290   | ND     | Pass   |
| Isopropyl acetate |           | 2,500 | 5000  | ND     | Pass   |
| Methanol          |           | 1,500 | 3000  | ND     | Pass   |
| Pentanes          |           | 2,500 | 5000  | ND     | Pass   |
| 2-Propanol (IPA)  | L1, M1    | 2,500 | 5000  | ND     | Pass   |
| Propane           |           | 2,500 | 5000  | ND     | Pass   |
| Toluene           |           | 445.0 | 890   | ND     | Pass   |
| Xylenes           |           | 1,085 | 2170  | ND     | Pass   |

**MICROBIALS TEST RESULTS**

**Pass**

Date Analyzed: 08/13/23 08:13; Method: 3M Petrifilm

| Analyte               | Qualifier | Limit                | Result                 | Status |
|-----------------------|-----------|----------------------|------------------------|--------|
|                       |           | cfu/g                | cfu/g                  |        |
| Escherichia coli      |           | 100                  | <40 CFU/g              | Pass   |
| Salmonella spp.       |           | Detectable in 1 gram | Not detected in 1 gram | Pass   |
| Aspergillus terreus   |           | Detectable in 1 gram | Not detected in 1 gram | Pass   |
| Aspergillus niger     |           | Detectable in 1 gram | Not detected in 1 gram | Pass   |
| Aspergillus fumigatus |           | Detectable in 1 gram | Not detected in 1 gram | Pass   |
| Aspergillus flavus    |           | Detectable in 1 gram | Not detected in 1 gram | Pass   |

Data Reviewed by Symone Whalin, Technical Laboratory Director